

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 2,844  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 48,927

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	19.5	18.6		5.2	16.0	20.7	18.7	U	6
Ages 18-24	32.6	13.4				24.0	25.7		
Ages 25-44	22.6	17.9		4.0	13.0	24.4	20.1		
Ages 45-64	19.4	23.8			16.1	21.4	19.8		
Ages 65+	8.0	13.6				9.2	8.7		
Current Smoking, Grades 9-12 (%)						27.7	23.8		
Smoking During Pregnancy, All Ages (%)						12.2	9.3	U	10
Ages 15-19						18.1	14.4		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	50.2	F	25
Trying to Quit, Grades 9-12 (%)						61.4			
Receiving Smoking Cessation Advice by Physician (%)						61.0	62.9	U	20
No Health Insurance (%)	10.5	14.7		15.3	32.5	17.0	12.2	U	14
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	83.3	U	2
—At Home (%)						64.5	69.0	F	11
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	45.9	45.5		13.3		40.7	44.9	F	40
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	113.6	64.9				103.5	103.3	U	26
Coronary Heart Disease Death Rate (per 100,000)	159.1	208.9		64.5		164.6	167.7	F	32
Stroke Death Rate (per 100,000)	57.1	72.0		49.6		61.5	60.6	U	21

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline	<input type="checkbox"/>
Pregnancy-Specific Counseling on Telephone Quitline	<input type="checkbox"/>
Medicaid Smoking Cessation Coverage	<input checked="" type="checkbox"/>
Medicaid Coverage of Pregnancy-Specific Counseling	<input type="checkbox"/>
Private Insurance Smoking Cessation Coverage	<input type="checkbox"/>
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	<input checked="" type="checkbox"/>
<b>Tax:</b>	
Cigarette Excise Tax	<input checked="" type="checkbox"/>
<b>Funding:</b>	
Tobacco Prevention Funding	<input checked="" type="checkbox"/>
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	<input checked="" type="checkbox"/>
Youth Access Restrictions	<input type="checkbox"/>

**Grading Key for Policy Indicators**     Meets Policy     Limited Policy     Weak Policy     Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Maryland	U.S.
<b>Total Population of Women</b>	2,741,062 (52.5%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	1,700,901 (62.1%)	99,298,461 (69.2%)
Black (non-Hispanic)	766,399 (28.0%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	20,459 (0.7%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	116,666 (4.3%)	6,324,727 (4.4%)
Hispanic	136,637 (5.0%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	697,712 (25.5%)	35,375,812 (24.6%)
18-24	198,019 (7.2%)	13,489,103 (9.4%)
25-44	783,246 (28.6%)	42,030,761 (29.3%)
45-64	686,450 (25.0%)	33,196,167 (23.1%)
65+	375,634 (13.7%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	6,013 (0.30%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$35,000	\$28,000
<b>Women Residing in—Urban Areas</b>	2,368,975 (86.5%)	113,984,742 (79.5%)
—Rural Areas	369,717 (13.5%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	213,735 (11.6%)	14,877,627 (15.7%)
High School Graduate	555,610 (30.1%)	31,412,377 (33.2%)
Some College or Associate Degree	436,569 (23.7%)	25,038,018 (26.4%)
Bachelor's Degree	387,441 (21.0%)	16,098,968 (17.0%)
Graduate Degree	251,975 (13.7%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 3,947  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 61,661

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	20.0	20.3	23.3	6.0	14.4	20.7	19.3	U	9
Ages 18-24	30.4	20.4			19.3	24.0	27.1		
Ages 25-44	24.8	20.2		2.7	13.7	24.4	22.9		
Ages 45-64	18.2	28.0			10.9	21.4	18.2		
Ages 65+	10.0	4.1			12.6	9.2	10.0		
Current Smoking, Grades 9-12 (%)						27.7	27.0		
Smoking During Pregnancy, All Ages (%)						12.2	9.9	U	17
Ages 15-19						18.1	21.2		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	52.9	F	12
Trying to Quit, Grades 9-12 (%)						61.4			
Receiving Smoking Cessation Advice by Physician (%)						61.0	71.6	S-	3
No Health Insurance (%)	7.3	13.0		14.9	14.5	17.0	9.1	U	4
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	80.9	U	3
—At Home (%)						64.5	64.9	F	20
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	43.6	38.7		20.5	9.5	40.7	42.9	F	32
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	100.9	51.3			31.8	103.5	98.5	U	20
Coronary Heart Disease Death Rate (per 100,000)	125.8	133.6		50.6	55.1	164.6	125.3	S-	11
Stroke Death Rate (per 100,000)	49.4	55.2		37.1	23.7	61.5	49.6	S-	3

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline (1-800-TRY-TO-STOP)	
Pregnancy-Specific Counseling on Telephone Quitline	
Medicaid Smoking Cessation Coverage	
Medicaid Coverage of Pregnancy-Specific Counseling	
Private Insurance Smoking Cessation Coverage	
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	
<b>Tax:</b>	
Cigarette Excise Tax	
<b>Funding:</b>	
Tobacco Prevention Funding	
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	
Youth Access Restrictions	

**Grading Key for Policy Indicators**    Meets Policy    Limited Policy    Weak Policy    Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Massachusetts	U.S.
<b>Total Population of Women</b>	3,199,914 (51.7%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	2,621,126 (81.9%)	99,298,461 (69.2%)
Black (non-Hispanic)	234,678 (7.3%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	808 (0.0%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	94,150 (2.9%)	6,324,727 (4.4%)
Hispanic	249,151 (7.8%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	667,929 (20.9%)	35,375,812 (24.6%)
18-24	280,757 (8.8%)	13,489,103 (9.4%)
25-44	1,013,993 (31.7%)	42,030,761 (29.3%)
45-64	744,524 (23.3%)	33,196,167 (23.1%)
65+	492,711 (15.4%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	9,156 (0.37%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$32,000	\$28,000
<b>Women Residing in—Urban Areas</b>	3,014,106 (91.6%)	113,984,742 (79.5%)
—Rural Areas	276,175 (8.4%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	311,245 (13.8%)	14,877,627 (15.7%)
High School Graduate	725,233 (32.2%)	31,412,377 (33.2%)
Some College or Associate Degree	503,524 (22.4%)	25,038,018 (26.4%)
Bachelor's Degree	467,480 (20.8%)	16,098,968 (17.0%)
Graduate Degree	243,746 (10.8%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 5,857  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 105,266

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	23.1	26.1		4.4	24.4	20.7	23.6	<b>F</b>	<b>41</b>
Ages 18-24	36.7	10.0				24.0	31.5		
Ages 25-44	28.1	30.9			28.9	24.4	28.7		
Ages 45-64	21.7	31.5				21.4	23.1		
Ages 65+	9.0	16.8				9.2	9.6		
Current Smoking, Grades 9-12 (%)						27.7	27.2		
Smoking During Pregnancy, All Ages (%)						12.2	15.8	<b>F</b>	<b>32</b>
Ages 15-19						18.1	24.2		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	58.9	<b>U</b>	<b>2</b>
Trying to Quit, Grades 9-12 (%)						61.4	68.3		
Receiving Smoking Cessation Advice by Physician (%)						61.0	69.9	<b>S-</b>	<b>5</b>
No Health Insurance (%)	10.1	18.7		13.6	21.6	17.0	12.0	<b>U</b>	<b>12</b>
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	69.5	<b>F</b>	<b>43</b>
—At Home (%)						64.5	55.8	<b>F</b>	<b>45</b>
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	41.5	45.0	120.6	23.5	14.1	40.7	42.0	<b>F</b>	<b>30</b>
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	102.4	58.7	188.4			103.5	97.8	<b>U</b>	<b>19</b>
Coronary Heart Disease Death Rate (per 100,000)	178.0	237.5	268.0	81.4	88.0	164.6	184.7	<b>F</b>	<b>46</b>
Stroke Death Rate (per 100,000)	61.7	73.4	90.7	47.5	34.6	61.5	63.3	<b>F</b>	<b>28</b>

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

Strength of Policy

<b>Cessation:</b>	
Telephone Quitline (1-800-537-5666)	<input type="checkbox"/>
Pregnancy-Specific Counseling on Telephone Quitline	<input checked="" type="checkbox"/>
Medicaid Smoking Cessation Coverage	<input checked="" type="checkbox"/>
Medicaid Coverage of Pregnancy-Specific Counseling	<input type="checkbox"/>
Private Insurance Smoking Cessation Coverage	<input type="checkbox"/>
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	<input checked="" type="checkbox"/>
<b>Tax:</b>	
Cigarette Excise Tax	<input checked="" type="checkbox"/>
<b>Funding:</b>	
Tobacco Prevention Funding	<input type="checkbox"/>
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	<input checked="" type="checkbox"/>
Youth Access Restrictions	<input type="checkbox"/>

**Grading Key for Policy Indicators**     Meets Policy     Limited Policy     Weak Policy     Minimal/No Policy

### Demographics

	Michigan	U.S.
<b>Total Population of Women</b>	5,017,092 (51.6%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	4,004,712 (79.8%)	99,298,461 (69.2%)
Black (non-Hispanic)	704,743 (14.0%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	34,069 (0.7%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	131,330 (2.6%)	6,324,727 (4.4%)
Hispanic	142,238 (2.8%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	1,196,826 (23.9%)	35,375,812 (24.6%)
18-24	421,198 (8.4%)	13,489,103 (9.4%)
25-44	1,535,314 (30.6%)	42,030,761 (29.3%)
45-64	1,190,639 (23.7%)	33,196,167 (23.1%)
65+	673,115 (13.4%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	8,075 (0.21%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$29,500	\$28,000
<b>Women Residing in—Urban Areas</b>	3,819,197 (75.4%)	113,984,742 (79.5%)
—Rural Areas	1,246,152 (24.6%)	29,383,601 (20.5%)
Less than 12 years	454,978 (13.4%)	14,877,627 (15.7%)
High School Graduate	1,296,133 (38.1%)	31,412,377 (33.2%)
Some College or Associate Degree	887,919 (26.1%)	25,038,018 (26.4%)
Bachelor's Degree	490,332 (14.4%)	16,098,968 (17.0%)
Graduate Degree	269,706 (7.9%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 2,218  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 35,320

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	18.3	18.9	62.0	7.2	22.1	20.7	18.6	U	5
Ages 18-24	30.9					24.0	29.6		
Ages 25-44	21.3	21.5			22.0	24.4	21.6		
Ages 45-64	16.7					21.4	17.0		
Ages 65+	8.5					9.2	8.6		
Current Smoking, Grades 9-12 (%)						27.7	32.6		
Smoking During Pregnancy, All Ages (%)						12.2	11.1	U	20
Ages 15-19						18.1	24.9		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	48.2	F	33
Trying to Quit, Grades 9-12 (%)						61.4			
Receiving Smoking Cessation Advice by Physician (%)						61.0	64.6	U	14
No Health Insurance (%)	6.7					17.0	8.6	S-	2
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	80.7	U	6
—At Home (%)						64.5	65.8	F	14
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	34.9	43.1	83.7			40.7	35.1	U	9
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	90.7					103.5	90.2	U	9
Coronary Heart Disease Death Rate (per 100,000)	96.2	99.9	164.8	44.4	65.5	164.6	96.5	S-	4
Stroke Death Rate (per 100,000)	58.9	82.3		70.5		61.5	59.4	U	18

**Grading Key for Status Indicators** S Satisfactory S- Satisfactory Minus U Unsatisfactory F Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline (1-877-270-STOP)	
Pregnancy-Specific Counseling on Telephone Quitline	
Medicaid Smoking Cessation Coverage	
Medicaid Coverage of Pregnancy-Specific Counseling	
Private Insurance Smoking Cessation Coverage	
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	
<b>Tax:</b>	
Cigarette Excise Tax	
<b>Funding:</b>	
Tobacco Prevention Funding	
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	
Youth Access Restrictions	

**Grading Key for Policy Indicators** Meets Policy Limited Policy Weak Policy Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Minnesota	U.S.
<b>Total Population of Women</b>	2,467,548 (50.3%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	2,234,271 (90.5%)	99,298,461 (69.2%)
Black (non-Hispanic)	60,040 (2.4%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	39,246 (1.6%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	78,448 (3.2%)	6,324,727 (4.4%)
Hispanic	55,543 (2.3%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	600,443 (24.3%)	35,375,812 (24.6%)
18-24	218,211 (8.8%)	13,489,103 (9.4%)
25-44	788,238 (31.9%)	42,030,761 (29.3%)
45-64	604,422 (24.5%)	33,196,167 (23.1%)
65+	256,234 (10.4%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	4,857 (0.26%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$30,200	\$28,000
<b>Women Residing in—Urban Areas</b>	1,783,939 (71.8%)	113,984,742 (79.5%)
—Rural Areas	699,909 (28.2%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	116,554 (7.1%)	14,877,627 (15.7%)
High School Graduate	507,707 (30.8%)	31,412,377 (33.2%)
Some College or Associate Degree	536,556 (32.5%)	25,038,018 (26.4%)
Bachelor's Degree	349,376 (21.2%)	16,098,968 (17.0%)
Graduate Degree	138,701 (8.4%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 1,665  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 31,474

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	24.3	13.6			20.7	20.7	21.0	<b>F</b>	<b>25</b>
Ages 18-24	34.0	6.5				24.0	25.0		
Ages 25-44	29.8	16.8				24.4	24.7		
Ages 45-64	25.3	18.3				21.4	23.2		
Ages 65+	9.6	4.2				9.2	8.2		
Current Smoking, Grades 9-12 (%)						27.7	24.6		
Smoking During Pregnancy, All Ages (%)						12.2	12.3	<b>U</b>	<b>22</b>
Ages 15-19						18.1	12.7		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	43.9	<b>F</b>	<b>48</b>
Trying to Quit, Grades 9-12 (%)						61.4	67.6		
Receiving Smoking Cessation Advice by Physician (%)						61.0	58.1	<b>F</b>	<b>34</b>
No Health Insurance (%)	15.5	26.6				17.0	18.9	<b>F</b>	<b>43</b>
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	67.6	<b>F</b>	<b>46</b>
—At Home (%)						64.5	58.8	<b>F</b>	<b>39</b>
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	43.8	35.5				40.7	41.5	<b>F</b>	<b>27</b>
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	105.4	49.5				103.5	90.2	<b>U</b>	<b>9</b>
Coronary Heart Disease Death Rate (per 100,000)	180.6	242.6				164.6	197.5	<b>F</b>	<b>50</b>
Stroke Death Rate (per 100,000)	63.3	85.8				61.5	69.7	<b>F</b>	<b>44</b>

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline (1-800-244-9100)	
Pregnancy-Specific Counseling on Telephone Quitline	
Medicaid Smoking Cessation Coverage	
Medicaid Coverage of Pregnancy-Specific Counseling	
Private Insurance Smoking Cessation Coverage	
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	
<b>Tax:</b>	
Cigarette Excise Tax	
<b>Funding:</b>	
Tobacco Prevention Funding	
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	
Youth Access Restrictions	

**Grading Key for Policy Indicators**    Meets Policy    Limited Policy    Weak Policy    Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Mississippi	U.S.
<b>Total Population of Women</b>	1,492,179 (55.0%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	897,430 (60.1%)	99,298,461 (69.2%)
Black (non-Hispanic)	564,218 (37.8%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	4,943 (0.3%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	10,067 (0.7%)	6,324,727 (4.4%)
Hispanic	15,522 (1.0%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	384,320 (25.8%)	35,375,812 (24.6%)
18-24	134,174 (9.0%)	13,489,103 (9.4%)
25-44	455,171 (30.5%)	42,030,761 (29.3%)
45-64	309,994 (20.8%)	33,196,167 (23.1%)
65+	208,521 (14.0%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	2,523 (0.24%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$22,880	\$28,000
<b>Women Residing in—Urban Areas</b>	730,351 (49.6%)	113,984,742 (79.5%)
—Rural Areas	740,753 (50.4%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	173,245 (17.8%)	14,877,627 (15.7%)
High School Graduate	308,812 (31.7%)	31,412,377 (33.2%)
Some College or Associate Degree	287,657 (29.5%)	25,038,018 (26.4%)
Bachelor's Degree	151,579 (15.6%)	16,098,968 (17.0%)
Graduate Degree	52,393 (5.4%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 4,048  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 69,326

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	24.3	23.3			23.1	20.7	24.3	<b>F</b>	<b>43</b>
Ages 18-24	32.8	7.4				24.0	29.7		
Ages 25-44	30.3	28.9				24.4	30.0		
Ages 45-64	24.3	26.3				21.4	24.9		
Ages 65+	11.0	17.9				9.2	11.2		
Current Smoking, Grades 9-12 (%)						27.7	30.4		
Smoking During Pregnancy, All Ages (%)						12.2	18.3	<b>F</b>	<b>43</b>
Ages 15-19						18.1	27.0		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	46.2	<b>F</b>	<b>39</b>
Trying to Quit, Grades 9-12 (%)						61.4	65.2		
Receiving Smoking Cessation Advice by Physician (%)						61.0	61.0	<b>U</b>	<b>28</b>
No Health Insurance (%)	12.9	18.2				17.0	12.4	<b>U</b>	<b>17</b>
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	71.6	<b>F</b>	<b>32</b>
—At Home (%)						64.5	58.3	<b>F</b>	<b>40</b>
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	45.7	53.4				40.7	46.2	<b>F</b>	<b>45</b>
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	115.3	70.2				103.5	111.6	<b>F</b>	<b>31</b>
Coronary Heart Disease Death Rate (per 100,000)	174.6	254.1	86.4	87.5	132.6	164.6	180.7	<b>F</b>	<b>44</b>
Stroke Death Rate (per 100,000)	64.2	71.7			60.2	61.5	65.1	<b>F</b>	<b>33</b>

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline	<input type="checkbox"/>
Pregnancy-Specific Counseling on Telephone Quitline	<input type="checkbox"/>
Medicaid Smoking Cessation Coverage	<input type="checkbox"/>
Medicaid Coverage of Pregnancy-Specific Counseling	<input type="checkbox"/>
Private Insurance Smoking Cessation Coverage	<input type="checkbox"/>
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	<input checked="" type="checkbox"/>
<b>Tax:</b>	
Cigarette Excise Tax	<input type="checkbox"/>
<b>Funding:</b>	
Tobacco Prevention Funding	<input type="checkbox"/>
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	<input checked="" type="checkbox"/>
Youth Access Restrictions	<input checked="" type="checkbox"/>

**Grading Key for Policy Indicators**     Meets Policy     Limited Policy     Weak Policy     Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Missouri	U.S.
<b>Total Population of Women</b>	2,809,708 (51.9%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	2,382,814 (84.8%)	99,298,461 (69.2%)
Black (non-Hispanic)	325,738 (11.6%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	13,467 (0.5%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	41,505 (1.5%)	6,324,727 (4.4%)
Hispanic	46,184 (1.6%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	677,610 (24.1%)	35,375,812 (24.6%)
18-24	272,166 (9.7%)	13,489,103 (9.4%)
25-44	830,140 (29.5%)	42,030,761 (29.3%)
45-64	676,047 (24.1%)	33,196,167 (23.1%)
65+	353,744 (12.6%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	4,744 (0.22%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$28,000	\$28,000
<b>Women Residing in—Urban Areas</b>	2,019,939 (70.3%)	113,984,742 (79.5%)
—Rural Areas	855,095 (29.7%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	204,571 (11.0%)	14,877,627 (15.7%)
High School Graduate	669,227 (36.0%)	31,412,377 (33.2%)
Some College or Associate Degree	503,730 (27.1%)	25,038,018 (26.4%)
Bachelor's Degree	325,209 (17.5%)	16,098,968 (17.0%)
Graduate Degree	157,195 (8.5%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 576  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 9,399

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	19.8		44.8		26.4	20.7	21.3	<b>F</b>	<b>29</b>
Ages 18-24	22.2		41.3			24.0	25.0		
Ages 25-44	22.2		49.7		35.8	24.4	24.2		
Ages 45-64	23.1		50.5			21.4	24.0		
Ages 65+	10.1					9.2	10.1		
Current Smoking, Grades 9-12 (%)						27.7	31.8		
Smoking During Pregnancy, All Ages (%)						12.2	17.9	<b>F</b>	<b>39</b>
Ages 15-19						18.1	30.9		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	50.3	<b>F</b>	<b>23</b>
Trying to Quit, Grades 9-12 (%)						61.4	72.5		
Receiving Smoking Cessation Advice by Physician (%)						61.0	60.5	<b>U</b>	<b>30</b>
No Health Insurance (%)	15.5					17.0	18.5	<b>F</b>	<b>41</b>
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	72.2	<b>F</b>	<b>30</b>
—At Home (%)						64.5	63.3	<b>F</b>	<b>25</b>
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	40.2		75.5			40.7	40.9	<b>F</b>	<b>25</b>
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	139.7		206.5			103.5	141.3	<b>F</b>	<b>49</b>
Coronary Heart Disease Death Rate (per 100,000)	99.5		113.0			164.6	100.3	<b>S-</b>	<b>5</b>
Stroke Death Rate (per 100,000)	63.3		74.9			61.5	63.8	<b>F</b>	<b>30</b>

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline	<input type="checkbox"/>
Pregnancy-Specific Counseling on Telephone Quitline	<input type="checkbox"/>
Medicaid Smoking Cessation Coverage	<input checked="" type="checkbox"/>
Medicaid Coverage of Pregnancy-Specific Counseling	<input type="checkbox"/>
Private Insurance Smoking Cessation Coverage	<input type="checkbox"/>
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	<input type="checkbox"/>
<b>Tax:</b>	
Cigarette Excise Tax	<input checked="" type="checkbox"/>
<b>Funding:</b>	
Tobacco Prevention Funding	<input checked="" type="checkbox"/>
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	<input checked="" type="checkbox"/>
Youth Access Restrictions	<input type="checkbox"/>

**Grading Key for Policy Indicators**     Meets Policy     Limited Policy     Weak Policy     Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Montana	U.S.
<b>Total Population of Women</b>	445,774 (50.7%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	405,915 (91.1%)	99,298,461 (69.2%)
Black (non-Hispanic)	923 (0.2%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	25,442 (5.7%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	4,241 (1.0%)	6,324,727 (4.4%)
Hispanic	9,254 (2.1%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	107,150 (24.0%)	35,375,812 (24.6%)
18-24	40,852 (9.2%)	13,489,103 (9.4%)
25-44	119,769 (26.9%)	42,030,761 (29.3%)
45-64	107,749 (24.2%)	33,196,167 (23.1%)
65+	70,253 (15.8%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	664 (0.19%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$22,000	\$28,000
<b>Women Residing in—Urban Areas</b>	248,772 (55.0%)	113,984,742 (79.5%)
—Rural Areas	203,943 (45.0%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	28,734 (9.6%)	14,877,627 (15.7%)
High School Graduate	104,888 (35.2%)	31,412,377 (33.2%)
Some College or Associate Degree	101,982 (34.2%)	25,038,018 (26.4%)
Bachelor's Degree	48,731 (16.4%)	16,098,968 (17.0%)
Graduate Degree	13,436 (4.5%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 902  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 14,662

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	19.9	23.5			20.2	20.7	20.0	<b>U</b>	<b>13</b>
Ages 18-24	34.8					24.0	33.2		
Ages 25-44	24.9	28.9			16.5	24.4	24.2		
Ages 45-64	17.8					21.4	18.5		
Ages 65+	7.8					9.2	7.9		
Current Smoking, Grades 9-12 (%)						27.7	31.6		
Smoking During Pregnancy, All Ages (%)						12.2	14.9	<b>F</b>	<b>31</b>
Ages 15-19						18.1	25.1		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	42.3	<b>F</b>	<b>50</b>
Trying to Quit, Grades 9-12 (%)						61.4	61.6		
Receiving Smoking Cessation Advice by Physician (%)						61.0	52.4	<b>F</b>	<b>47</b>
No Health Insurance (%)	9.4				23.9	17.0	10.5	<b>U</b>	<b>7</b>
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	74.0	<b>F</b>	<b>22</b>
—At Home (%)						64.5	64.2	<b>F</b>	<b>22</b>
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	33.4	39.3				40.7	33.7	<b>U</b>	<b>8</b>
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	99.9					103.5	99.6	<b>U</b>	<b>21</b>
Coronary Heart Disease Death Rate (per 100,000)	114.7	153.6	211.9		75.5	164.6	115.9	<b>S-</b>	<b>8</b>
Stroke Death Rate (per 100,000)	57.6	87.2				61.5	58.4	<b>U</b>	<b>13</b>

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline (1-866-632-7848)	
Pregnancy-Specific Counseling on Telephone Quitline	
Medicaid Smoking Cessation Coverage	
Medicaid Coverage of Pregnancy-Specific Counseling	
Private Insurance Smoking Cessation Coverage	
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	
<b>Tax:</b>	
Cigarette Excise Tax	
<b>Funding:</b>	
Tobacco Prevention Funding	
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	
Youth Access Restrictions	

**Grading Key for Policy Indicators**    Meets Policy    Limited Policy    Weak Policy    Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Nebraska	U.S.
<b>Total Population of Women</b>	859,571 (51.4%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	761,633 (88.6%)	99,298,461 (69.2%)
Black (non-Hispanic)	30,231 (3.5%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	12,732 (1.5%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	13,952 (1.6%)	6,324,727 (4.4%)
Hispanic	41,022 (4.8%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	219,729 (25.6%)	35,375,812 (24.6%)
18-24	97,187 (11.3%)	13,489,103 (9.4%)
25-44	234,897 (27.3%)	42,030,761 (29.3%)
45-64	191,434 (22.3%)	33,196,167 (23.1%)
65+	116,325 (13.5%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	1,220 (0.18%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$25,000	\$28,000
<b>Women Residing in—Urban Areas</b>	609,918 (70.3%)	113,984,742 (79.5%)
—Rural Areas	257,994 (29.7%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	50,141 (9.2%)	14,877,627 (15.7%)
High School Graduate	180,868 (33.3%)	31,412,377 (33.2%)
Some College or Associate Degree	171,782 (31.7%)	25,038,018 (26.4%)
Bachelor's Degree	101,887 (18.8%)	16,098,968 (17.0%)
Graduate Degree	37,977 (7.0%)	7,292,595 (7.7%)



SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 1,453  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 25,753

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	29.1	31.6	28.3	24.3	19.4	20.7	28.5	<b>F</b>	<b>51</b>
Ages 18-24	33.9				22.8	24.0	29.2		
Ages 25-44	30.3	36.8			21.2	24.4	29.9		
Ages 45-64	33.8				16.2	21.4	31.1		
Ages 65+	16.8					9.2	20.5		
Current Smoking, Grades 9-12 (%)						27.7	25.8		
Smoking During Pregnancy, All Ages (%)						12.2	11.0	<b>U</b>	<b>19</b>
Ages 15-19						18.1	13.4		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	38.4	<b>F</b>	<b>51</b>
Trying to Quit, Grades 9-12 (%)						61.4			
Receiving Smoking Cessation Advice by Physician (%)						61.0	53.4	<b>F</b>	<b>45</b>
No Health Insurance (%)	10.4	14.3		13.0	37.7	17.0	17.0	<b>F</b>	<b>34</b>
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	56.0	<b>F</b>	<b>51</b>
—At Home (%)						64.5	67.3	<b>F</b>	<b>12</b>
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	58.0	44.5		33.2		40.7	55.8	<b>F</b>	<b>51</b>
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	182.5	67.9				103.5	171.4	<b>F</b>	<b>51</b>
Coronary Heart Disease Death Rate (per 100,000)	158.0	167.9	88.3	107.9	59.9	164.6	156.8	<b>U</b>	<b>27</b>
Stroke Death Rate (per 100,000)	63.9	77.7		62.2	23.4	61.5	64.3	<b>F</b>	<b>32</b>

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline (1-888-866-6642)	
Pregnancy-Specific Counseling on Telephone Quitline	
Medicaid Smoking Cessation Coverage	
Medicaid Coverage of Pregnancy-Specific Counseling	
Private Insurance Smoking Cessation Coverage	
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	
<b>Tax:</b>	
Cigarette Excise Tax	
<b>Funding:</b>	
Tobacco Prevention Funding	
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	
Youth Access Restrictions	

**Grading Key for Policy Indicators**    Meets Policy    Limited Policy    Weak Policy    Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	Nevada	U.S.
<b>Total Population of Women</b>	1,034,332 (49.4%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	660,040 (63.8%)	99,298,461 (69.2%)
Black (non-Hispanic)	79,705 (7.7%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	13,540 (1.3%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	68,913 (6.7%)	6,324,727 (4.4%)
Hispanic	212,133 (20.5%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	281,364 (27.2%)	35,375,812 (24.6%)
18-24	87,092 (8.4%)	13,489,103 (9.4%)
25-44	301,277 (29.1%)	42,030,761 (29.3%)
45-64	244,111 (23.6%)	33,196,167 (23.1%)
65+	120,487 (11.6%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	2,234 (0.30%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$27,000	\$28,000
<b>Women Residing in—Urban Areas</b>	901,391 (92.0%)	113,984,742 (79.5%)
—Rural Areas	78,815 (8.0%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	98,955 (14.9%)	14,877,627 (15.7%)
High School Graduate	247,173 (37.1%)	31,412,377 (33.2%)
Some College or Associate Degree	195,301 (29.3%)	25,038,018 (26.4%)
Bachelor's Degree	90,352 (13.6%)	16,098,968 (17.0%)
Graduate Degree	34,094 (5.1%)	7,292,595 (7.7%)

SMOKING-ATTRIBUTABLE DEATHS (WOMEN) 702  
 SMOKING-ATTRIBUTABLE YEARS OF POTENTIAL LIFE LOST (WOMEN) 11,835

### Status Indicators (Women)

	White (Non-Hispanic)	Black (Non-Hispanic)	American Indian/Alaskan Native (Non-Hispanic)	Asian/Pacific Islander (Non-Hispanic)	Hispanic	U.S. Data	State Overall Data	State Grade	State Rank
<b>Prevalence:</b>									
Current Smoking, Adults (%)	23.1				29.8	20.7	23.2	<b>F</b>	<b>38</b>
Ages 18-24	38.6					24.0	38.0		
Ages 25-44	27.1					24.4	26.7		
Ages 45-64	19.1					21.4	19.8		
Ages 65+	11.5					9.2	11.5		
Current Smoking, Grades 9-12 (%)						27.7			
Smoking During Pregnancy, All Ages (%)						12.2	16.0	<b>F</b>	<b>33</b>
Ages 15-19						18.1	35.1		
<b>Cessation:</b>									
Trying to Quit, Adults (%)						44.9	58.0	<b>U</b>	<b>3</b>
Trying to Quit, Grades 9-12 (%)						61.4			
Receiving Smoking Cessation Advice by Physician (%)						61.0	67.0	<b>S-</b>	<b>7</b>
No Health Insurance (%)	10.4					17.0	10.6	<b>U</b>	<b>8</b>
<b>Second-Hand Smoke:</b>									
Reporting Smoke Ban —At Work (%)						74.1	76.8	<b>F</b>	<b>14</b>
—At Home (%)						64.5	63.3	<b>F</b>	<b>26</b>
<b>Smoking-Related Diseases:</b>									
Lung Cancer Death Rate (per 100,000)	46.6					40.7	46.3	<b>F</b>	<b>46</b>
Chronic Obstructive Pulmonary Disease Death Rate (per 100,000)	133.8					103.5	133.2	<b>F</b>	<b>47</b>
Coronary Heart Disease Death Rate (per 100,000)	162.8					164.6	162.0	<b>F</b>	<b>29</b>
Stroke Death Rate (per 100,000)	59.9					61.5	59.8	<b>U</b>	<b>20</b>

**Grading Key for Status Indicators**    **S** Satisfactory    **S-** Satisfactory Minus    **U** Unsatisfactory    **F** Fail

### Policy Indicators

	Strength of Policy
<b>Cessation:</b>	
Telephone Quitline (1-800-TRY-TO-STOP)	
Pregnancy-Specific Counseling on Telephone Quitline	
Medicaid Smoking Cessation Coverage	
Medicaid Coverage of Pregnancy-Specific Counseling	
Private Insurance Smoking Cessation Coverage	
<b>Second-Hand Smoke:</b>	
Restrictions on Second-Hand Smoke	
<b>Tax:</b>	
Cigarette Excise Tax	
<b>Funding:</b>	
Tobacco Prevention Funding	
<b>Youth Access:</b>	
Tobacco Sales Rate to Minors	
Youth Access Restrictions	

**Grading Key for Policy Indicators**    Meets Policy    Limited Policy    Weak Policy    Minimal/No Policy

### Demographics

	Number (Percent)	Number (Percent)
	New Hampshire	U.S.
<b>Total Population of Women</b>	634,748 (52.1%)	143,584,500 (51.9%)
<b>Women by Race</b>		
White (non-Hispanic)	607,566 (95.7%)	99,298,461 (69.2%)
Black (non-Hispanic)	4,728 (0.7%)	18,537,763 (12.9%)
American Indian/Alaskan Native (non-Hispanic)	1,408 (0.2%)	1,441,671 (1.0%)
Asian/Pacific Islander (non-Hispanic)	9,575 (1.5%)	6,324,727 (4.4%)
Hispanic	11,471 (1.8%)	17,981,877 (12.5%)
<b>Women by Age</b>		
0-17	138,296 (21.8%)	35,375,812 (24.6%)
18-24	51,896 (8.2%)	13,489,103 (9.4%)
25-44	196,573 (31.0%)	42,030,761 (29.3%)
45-64	149,558 (23.6%)	33,196,167 (23.1%)
65+	98,424 (15.5%)	19,492,657 (13.6%)
<b>Lesbian-Headed Households</b>	1,547 (0.33%)	293,365 (0.28%)
<b>Median Earnings for Women (\$)</b>	\$29,000	\$28,000
<b>Women Residing in—Urban Areas</b>	375,576 (59.8%)	113,984,742 (79.5%)
—Rural Areas	252,523 (40.2%)	29,383,601 (20.5%)
<b>Women (25 or older) by Education:</b>		
Less than 12 years	41,963 (9.4%)	14,877,627 (15.7%)
High School Graduate	157,582 (35.4%)	31,412,377 (33.2%)
Some College or Associate Degree	120,788 (27.2%)	25,038,018 (26.4%)
Bachelor's Degree	85,114 (19.1%)	16,098,968 (17.0%)
Graduate Degree	39,108 (8.8%)	7,292,595 (7.7%)