State

27.8

20.8

24.3

22.3

39

## Status Indicators

Eating Five Fruits and Vegetables a Day (%)

Smoking (%)

| Women's Access to Health Care Services                                  | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | Overall<br>Data | State<br>Grade | State<br>Rank |
|---|------------------|--------------------------|------------------|----------|--------------|-----------------|----------------|---------------|
| Women Without Health Insurance (%)                                      |                  |                          |                  |          | 14.0         | 19.0            | F              | 39            |
| People in Medically Underserved Areas (%)                               |                  |                          |                  |          | 9.6          | 19.5            | -              | 46            |
| First Trimester Prenatal Care (%)                                       | 87.8             | 88.3                     | 68.8             | 62.1     | 81.9         | 81.6            | U              | 33            |
| Women in County Without Abortion Provider (%)*                          |                  |                          |                  |          | 32           | 58              | F              | 40            |
| Addressing Wellness and Prevention                                      |                  |                          |                  |          |              |                 |                |               |
| Addressing Wellness and Prevention  Screening                           |                  |                          |                  |          |              |                 |                |               |
|   |                  |                          |                  |          | 84.9         | 85.3            | S              | 20            |
| Screening   |                  |                          |                  |          | 84.9<br>75.2 | 85.3<br>76.1    | S<br>S         | 20<br>24      |
| Screening Pap Smears (%)  |                  |                          |                  |          |              |                 |                |               |
| Screening Pap Smears (%) Mammograms (%)                                 |                  |                          |                  |          | 75.2         | 76.1            | S              | 24            |
| Screening Pap Smears (%) Mammograms (%) Colorectal Cancer Screening (%) |                  |                          |                  |          | 75.2         | 76.1            | S              | 24            |

| Binge Drinking (%)                       |              |              |              |              |              |            |       |       |          |                               |                                  | 6.7  | 5.5   | S | 15 |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|----|
| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |    |
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Heart Disease Death Rate (per 100,000)   | 19.6         | 79.1         | 237.1        | 644.7        | 1869.4       | 6117.9     | 106.5 | 153.2 | 44.4     |                               |                                  | 98.0 | 116.2 | F | 48 |
| Stroke Death Rate (per 100,000)          | 5.8          | 21.5         | 48.1         | 154.6        | 489.1        | 1544.9     | 24.6  | 43.4  |          |                               |                                  | 24.5 | 28.5  | F | 43 |
| Lung Cancer Death Rate (per 100,000)     | 2.8          | 27.1         | 96.6         | 194.8        | 209.9        | 161.1      | 27.2  | 18.5  |          |                               |                                  | 26.9 | 25.3  | S | 17 |
| Breast Cancer Death Rate (per 100,000)   | 10.8         | 38.6         | 65.5         | 83.7         | 110.0        | 159.5      | 17.5  | 25.8  |          |                               |                                  | 20.2 | 19.3  | S | 19 |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 32.5  | F | 50 |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 7.9   | F | 50 |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 5.5   | S | 31 |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |    |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |    |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 10.8  | F | 49 |
| Unintended Pregnancies (%) (National Or  | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |    |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 6.7   | 21.1  |          |                               |                                  | 7.7  | 11.7  | F | 46 |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 4.3   | _ | 47 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   |    |

| . Living in a Healthy Community              | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown     |       |       |   |    |
|--|-------|-------|----------|------------------|---------------------|-------------|-------|-------|---|----|
| Overall Health                               |       |       |          |                  |                     |             |       |       |   |    |
| Life Expectancy (years)                      | 78.85 | 73.76 |          |                  | 74.05               |             | 78.81 | 77.61 | U | 46 |
| Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |             | 3.6   | 5.1   | - | 45 |
| Infant Mortality Rate (per 1,000)            | 7.2   | 14.9  |          | 9.8              |                     |             | 7.6   | 9.8   | F | 48 |
|  |       |       |          |                  | Asian/              | Am. Indian/ |       |       |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Pacific<br>Islander<br>(Non-<br>Hispanic) | Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|---|------|------|---|----|
| Poverty (%)                     | 16.9         | 11.3         | 15.4       | 10.4                        | 26.8                        | 6.6      | 33.0                                      |   | 13.3 | 14.9 | F | 36 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |   | 72.3 | 63.3 | F | 50 |
| High School Completion (%)      |              |              |            | 80.2                        | 69.0                        | 85.7     | 42.0                                      |   | 82.8 | 77.1 | F | 50 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

14 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fail

Abortion Access\* Violence Against Women\*

#### Strength of Policy Women's Access to Health Care Services

| Wolliell's Access to Health Care Services                     | or Policy |
|---|-----------|
| Eligibility and Outreach for Publicly Funded Health Insurance |           |
| Medicaid Eligibility by Income*                               |           |
| Methods to Expand Medicaid Coverage and Outreach*             |           |
| Other State Insurance for Adults                              |           |
| Health Support Services                                       |           |
| Safety Net Services*  |           |
| Family and Medical Support*                                   |           |
| Patients' Protections in Managed Care*                        |           |
| Linguistic Access   |           |
| Access to Specific Services                                   |           |
| Pharmaceutical*   |           |
| Long-Term Care*   |           |
| Mental Health*  |           |
| Diabetes-Related Services                                     |           |
| Health Services Related to Mastectomy*                        |           |
| Family Planning*  |           |
| Maternity Stays/Infertility Treatment*                        |           |

#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |
|  |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

## Demographics

|                           | Alabama   | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,269,846 | 136,772,861 |
| Sex Ratio (women to men)  | 1.18      | 1.08        |

| Percent | and Number of |  |
|---------|---------------|--|
| Women   | by Race       |  |

| Vomen by Race                                 | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,543,495 (68.0%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 692,303 (30.5%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 2,270 (0.1%)      | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 13,619 (0.6%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 18,159 (0.8%)     | 14,771,469 (10.8%) |

#### Percent and Number of

| vvomen by Age  |                   |                     |
|--|-------------------|---------------------|
| 0-14   | 449,430 (19.8%)   | 29,132,619 (21.3%)  |
| 15-25  | 340,477 (15.0%)   | 19,968,838 (14.6%)  |
| 26-44  | 608,319 (26.8%)   | 40,484,767 (29.6%)  |
| 45-64  | 508,446 (22.4%)   | 28,585,528 (20.9%)  |
| 65-84  | 329,128 (14.5%)   | 16,549,516 (12.1%)  |
| 85 and over  | 34,048 (1.5%)     | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 37 years          | 35 years            |
| Households Headed by<br>Single Women                 | 244,268 (14.2%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$21,000          | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 1,357 (0.06%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 116,090 (5.1%)    | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 1,522,275 (67.1%) | 109,729,378 (80.2%) |

## Women Living in Linguistic Isolation by Age Group

| 5-17  | 628 (0.2%)      | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 3,079 (0.2%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 959 (0.3%)      | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 400,308 (24.9%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 299,139 (18.6%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (2.9%)          | (7.0%)             |

\*Composite

No Policy



| Women's Access to Healt                   | h Ca      | re S    | ervic | es    |       |        |       | White<br>(Total)                      | White (Non<br>Hispanic)               | - Black<br>(Total)  | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | St<br>Ra |
|---|-----------|---------|-------|-------|-------|--------|-------|---------------------------------------|---------------------------------------|---------------------|----------------------------------|--------------|--------------------------|----------------|----------|
| Women Without Health Insurance (%)        |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 14.0         | 19.7                     | F              |          |
| People in Medically Underserved Areas (   | %)        |         |       |       |       |        |       |                                       |                                       |                     |                                  | 9.6          | 13.9                     | <u> </u>       |          |
| First Trimester Prenatal Care (%)         |           |         |       |       |       |        |       | 83.2                                  | 83.8                                  | 81.8                | 75.5                             | 81.9         | 8.08                     | F              |          |
| Women in County Without Abortion Prov     | vider (%) | *       |       |       |       |        |       |                                       |                                       |                     |                                  | 32           | 23                       | NA             | ١        |
| Addressing Wellness and                   | Prev      | entic   | on    |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| Screening                                 |           |         |       |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| Pap Smears (%)                            |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 84.9         | 89.5                     | S              |          |
| Mammograms (%)                            |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 75.2         | 79.1                     | S              |          |
| Colorectal Cancer Screening (%)           |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 37.7         | 39.6                     | U              |          |
| Prevention                                |           |         |       |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| No Leisure-Time Physical Activity (%)     |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 29.9         | 23.5                     | F              |          |
| Overweight (%)                            |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 31.4         | 33.3                     | F              |          |
| Eating Five Fruits and Vegetables a Day   | (%)       |         |       |       |       |        |       |                                       |                                       |                     |                                  | 27.8         | 25.5                     | F              |          |
| Smoking (%)                               |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 20.8         | 23.7                     | F              |          |
| Binge Drinking (%)                        |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 6.7          | 7.5                      | F              |          |
|   | Age       | Age     | Age   | Age   | Age   | Age    |       |                                       |                                       | Asian/<br>Pacific   | Am. Indian/<br>Alaskan           |              |                          |                |          |
| Key Conditions                            | 25-44     | 45-54   | 55-64 | 65-74 | 75-84 | 85+    | White | Black                                 | Hispanic                              | Islander            | Native                           |              |                          |                |          |
| Key Causes of Death For Women             |           |         |       |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| Heart Disease Death Rate (per 100,000)    | 7.8       | 22.4    | 119.9 | 428.7 | 1246  | 4994.7 | 71.1  |                                       |                                       |                     | 85.4                             | 98.0         | 71.4                     | S              |          |
| Stroke Death Rate (per 100,000)           |           |         | 35.8  | 89.6  | 605.0 | 2155.6 | 24.3  |                                       |                                       |                     | 36.6                             | 24.5         | 26.5                     | F              |          |
| Lung Cancer Death Rate (per 100,000)      |           | 21.5    | 96.7  | 239.9 | 338.5 |        | 29.7  |                                       |                                       |                     | 29.6                             | 26.9         | 28.6                     | U              |          |
| Breast Cancer Death Rate (per 100,000)    | 9.2       | 27.8    | 48.3  | 92.8  | 144.1 |        | 17.7  |                                       |                                       |                     |                                  | 20.2         | 17.0                     | S              |          |
| Chronic Conditions                        |           |         |       |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| High Blood Pressure (%)                   |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 23.6         | 25.1                     | F              |          |
| Diabetes (%)                              |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 5.3          | 2.6                      | U              |          |
| AIDS Rate (per 100,000)                   |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 9.6          | 1.8                      | S              |          |
| Arthritis (%) (National Only)             |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 22.7         |                          |                |          |
| Osteoporosis (%) (National Only)          |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 20           |                          |                |          |
| Reproductive Health                       |           |         |       |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| Chlamydia (%)                             |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 5.4          | 4.3                      | S              |          |
| Unintended Pregnancies (%) (National O    | nly)      |         |       |       |       |        |       |                                       |                                       |                     |                                  | 49.2         |                          |                |          |
| Maternal Mortality Ratio (per 100,000)    |           |         |       |       |       |        |       |                                       |                                       |                     |                                  | 7.7          | 3.6                      | U              |          |
| Mental Health                             |           |         |       |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| Days Mental Health Was "Not Good" in      | Past 30   | Days    |       |       |       |        |       |                                       |                                       |                     |                                  | 3.5          | 3.0                      | -              |          |
| Violence Against Women                    |           |         |       |       |       |        |       |                                       |                                       |                     |                                  |              |                          |                |          |
| Violence Experienced Over Lifetime (%)    | Nationa   | l Only) |       |       |       |        |       |                                       |                                       |                     |                                  | 55.0         |                          |                |          |
| Living in a Healthy Comm                  | nunit     | ty      |       |       | ٧     | /hite  | Black | Hispanic                              | Non-<br>Hispanic                      | Other than<br>White | n<br>Unknown                     |              |                          |                |          |
| Overall Health                            |           |         |       |       |       |        |       | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |                     |                                  |              |                          |                |          |
| Life Expectancy (years)                   |           |         |       |       |       | 79.4   |       |                                       |                                       | 76.17               |                                  | 78.81        | 78.6                     | U              |          |
| Days Activities Were Limited in Past 30 [ | ays       |         |       |       |       |        |       |                                       |                                       |                     |                                  | 3.6          | 2.6                      |                |          |
| Infant Mortality Rate (per 1,000)         |           |         |       |       |       | 5.5    |       |                                       |                                       |                     |                                  | 7.6          | 7.5                      | U              |          |
|   |           |         |       |       |       |        | White | Black                                 |                                       | Asian/<br>Pacific   | Am. Indian/<br>Alaskan<br>Native |              |                          |                |          |

**Economic Security and Education** 

High School Completion (%)

Poverty (%)

Wage Gap (%)

16 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

Age 45-64

5.0

9.3

White (Non-

Hispanic)

6.4

94.8

Age 65+

10.6

Black (Non-Hispanic)

11.1

96.5

35.3

82.7

Native (Non-

Hispanic)

16.3

73.7

13.3

72.3

82.8

8.3

66.3

91.6

Islander (Non-

Hispanic)

5.6

83.7

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

Abortion Access\*
Violence Against Women\*

## . Women's Access to Health Care Services Strength of Policy



#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |
|  |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
|                    |  |
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

## **Demographics**

|                           | Alaska  | U.S.        |
|---------------------------|---------|-------------|
| Total Population of Women | 314,691 | 136,772,861 |
| Sex Ratio (women to men)  | 0.96    | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 235,389 (74.8%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 13,846 (4.4%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 41,854 (13.3%)   | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 16,364 (5.2%)    | 5,197,369 (3.8%)   |
| Hispanic                                      | 7,238 (2.3%)     | 14,771,469 (10.8%) |

Percent and Number of Women by Age

| Women by rige                                     |                 |                     |
|---|-----------------|---------------------|
| 0-14  | 88,428 (28.1%)  | 29,132,619 (21.3%)  |
| 15-25   | 43,742 (13.9%)  | 19,968,838 (14.6%)  |
| 26-44   | 108,254 (34.4%) | 40,484,767 (29.6%)  |
| 45-64   | 56,959 (18.1%)  | 28,585,528 (20.9%)  |
| 65-84   | 15,735 (5.0%)   | 16,549,516 (12.1%)  |
| 85 and over                                       | 1,259 (0.4%)    | 1,914,820 (1.4%)    |
| Median Age of Women                               | 31 years        | 35 years            |
| Households Headed by<br>Single Women              | 21,471 (9.4%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                         | \$29,000        | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)          | 270 (0.09%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social Security Benefits | 9,316 (3.0%)    | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                     | 314,691 (100%)  | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 1,120 (2.0%)   | 852,018 (3.9%)     |
|---|----------------|--------------------|
| 18-64                                       | 2,567 (1.6%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 435 (3.5%)     | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 64,670 (32.8%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 50,345 (25.6%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (16.8%)        | (7.0%)             |

\*Composite



| ν | Vomen's Access to Healt                   | h Ca         | re Se        | ervic        | es           |              |            |       | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total)    | Hispanic               | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | St<br>Ra |
|---|---|--------------|--------------|--------------|--------------|--------------|------------|-------|------------------|--------------------------|---------------------|------------------------|--------------|--------------------------|----------------|----------|
|   | Women Without Health Insurance (%)        |              |              |              |              |              |            |       |                  |                          |                     |                        | 14.0         | 16.3                     | F              | ;        |
|   | People in Medically Underserved Areas (   | %)           |              |              |              |              |            |       |                  |                          |                     |                        | 9.6          | 8.9                      |                | :        |
|   | First Trimester Prenatal Care (%)         |              |              |              |              |              |            |       | 74.8             | 83.5                     | 69.6                | 62.5                   | 81.9         | 73.7                     | F              | 4        |
|   | Women in County Without Abortion Prov     | vider (%)    | *            |              |              |              |            |       |                  |                          |                     |                        | 32           | 19                       | F              |          |
| A | Addressing Wellness and                   | Prev         | entic        | n            |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |
| S | creening                                  |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |
|   | Pap Smears (%)                            |              |              |              |              |              |            |       |                  |                          |                     |                        | 84.9         | 81.7                     | U              | 4        |
|   | Mammograms (%)                            |              |              |              |              |              |            |       |                  |                          |                     |                        | 75.2         | 82.6                     | S              |          |
|   | Colorectal Cancer Screening (%)           |              |              |              |              |              |            |       |                  |                          |                     |                        | 37.7         | 37.3                     | U              |          |
| P | revention                                 |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |
|   | No Leisure-Time Physical Activity (%)     |              |              |              |              |              |            |       |                  |                          |                     |                        | 29.9         | 50.5                     | F              |          |
|   | Overweight (%)                            |              |              |              |              |              |            |       |                  |                          |                     |                        | 31.4         | 21.9                     | U              |          |
|   | Eating Five Fruits and Vegetables a Day   | (%)          |              |              |              |              |            |       |                  |                          |                     |                        | 27.8         | 10.4                     | F              |          |
|   | Smoking (%)                               |              |              |              |              |              |            |       |                  |                          |                     |                        | 20.8         | 19.2                     | F              |          |
|   | Binge Drinking (%)                        |              |              |              |              |              |            |       |                  |                          |                     |                        | 6.7          | 5.6                      | S              |          |
|   |   | ٨٠٠          | ٨٠٠          | ٨٠٠          | ۸۵۵          | ۸۰۰          | ۸۵۵        |       |                  |                          | Asian/<br>Pacific   | Am. Indian/<br>Alaskan |              |                          |                |          |
| K | Key Conditions                            | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black            | Hispanic                 | Islander            | Native                 |              |                          |                |          |
| K | ey Causes of Death For Women              |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |
|   | Heart Disease Death Rate (per 100,000)    | 9.5          | 48.7         | 156.6        | 444.9        | 1343.4       | 5220.2     | 79.9  | 128.3            | 75.9                     | 42.9                | 86.4                   | 98.0         | 80.9                     | S              |          |
|   | Stroke Death Rate (per 100,000)           | 3.1          | 11.6         | 32.3         | 101.1        | 434.4        | 1620.8     | 21.8  | 29.6             | 21.3                     |                     | 22.2                   | 24.5         | 21.9                     | U              |          |
|   | Lung Cancer Death Rate (per 100,000)      | 2.2          | 19.9         | 82.9         | 204.3        | 257.4        | 197.8      | 25.3  | 25.5             | 7.7                      |                     |                        | 26.9         | 24.5                     | S              |          |
|   | Breast Cancer Death Rate (per 100,000)    | 6.9          | 30.8         | 63.2         | 82.5         | 120.2        | 196.0      | 17.7  | 22.4             | 13.9                     |                     | 6.8                    | 20.2         | 17.3                     | S              |          |
| С | hronic Conditions                         |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                | _        |
|   | High Blood Pressure (%)                   |              |              |              |              |              |            |       |                  |                          |                     |                        | 23.6         | 17.3                     | U              |          |
|   | Diabetes (%)                              |              |              |              |              |              |            |       |                  |                          |                     |                        | 5.3          | 2.9                      | F              |          |
|   | AIDS Rate (per 100,000)                   |              |              |              |              |              |            |       |                  |                          |                     |                        | 9.6          | 4.6                      | S              |          |
|   | Arthritis (%) (National Only)             |              |              |              |              |              |            |       |                  |                          |                     |                        | 22.7         |                          |                |          |
|   | Osteoporosis (%) (National Only)          |              |              |              |              |              |            |       |                  |                          |                     |                        | 20           |                          |                |          |
| R | eproductive Health                        |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |
|   | Chlamydia (%)                             |              |              |              |              |              |            |       |                  |                          |                     |                        | 5.4          | 5.2                      | U              |          |
|   | Unintended Pregnancies (%) (National O    | nly)         |              |              |              |              |            |       |                  |                          |                     |                        | 49.2         |                          |                |          |
|   | Maternal Mortality Ratio (per 100,000)    |              |              |              |              |              |            | 4.0   |                  |                          |                     |                        | 7.7          | 5.2                      | F              |          |
| N | lental Health                             |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |
|   | Days Mental Health Was "Not Good" in      | Past 30      | Days         |              |              |              |            |       |                  |                          |                     |                        | 3.5          | 1.2                      | _              |          |
| V | iolence Against Women                     |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |
|   | Violence Experienced Over Lifetime (%)    | Nationa      | l Only)      |              |              |              |            |       |                  |                          |                     |                        | 55.0         |                          |                |          |
| L | iving in a Healthy Comn                   | nunit        | v            |              |              | V            | /hite      | Black | Hispanic         |                          | Other than<br>White | n<br>Unknown           |              |                          |                |          |
|   | overall Health                            |              | · J          |              |              | •            |            |       |                  |                          |                     | J                      |              |                          |                |          |
| _ | Life Expectancy (years)                   |              |              |              |              | 7            | 9.84       | 74.9  |                  |                          | 76.81               |                        | 78.81        | 79.58                    | U              |          |
|   | Days Activities Were Limited in Past 30 D | )avs         |              |              |              |              |            | ,,    |                  |                          | , 5.01              |                        | 3.6          | 3.7                      | _              |          |
|   |   |              |              |              |              |              |            |       |                  |                          |                     |                        |              |                          |                |          |

| *This indicator is graded agai | nst a state-specific benchmark. |
|--------------------------------|---------------------------------|
|--------------------------------|---------------------------------|

**Economic Security and Education** 

High School Completion (%)

Poverty (%)

Wage Gap (%)

18 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

Age 45-64

10.3

21.0

White (Non-

Hispanic)

10.0

91.8

Age 65+

13.0

Black (Non-

Hispanic)

28.8

69.0

34.0

51.8

Asian/

Pacific

Islander (Non-

Hispanic)

12.3

72.8

Am. Indian/

Alaskan

Native (Non-

Hispanic)

34.3

78.6

13.3

72.3

82.8

16.6

69.7

81.4

45

33

#### Strength of Policy Women's Access to Health Care Services Eligibility and Outreach for Publicly Funded Health Insurance Medicaid Eligibility by Income\* Methods to Expand Medicaid Coverage and Outreach\* Other State Insurance for Adults **Health Support Services** Safety Net Services\* Family and Medical Support\* Patients' Protections in Managed Care\* Linguistic Access Access to Specific Services Pharmaceutical\* Long-Term Care\* Mental Health\* Diabetes-Related Services Health Services Related to Mastectomy\*

#### II. Addressing Wellness and Prevention

Maternity Stays/Infertility Treatment\*

Abortion Access\*
Violence Against Women\*

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
|                    |  |
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

#### **Demographics**

|                           | Arizona   | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,347,434 | 136,772,861 |
| Sex Ratio (women to men)  | 1.04      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,481,231 (63.1%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 112,677 (4.8%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 44,601 (1.9%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 58,686 (2.5%)     | 5,197,369 (3.8%)   |

650,239 (27.7%)

14,771,469 (10.8%)

Percent and Number of

Hispanic

| Wollien by Age                                       |                   |                     |
|--|-------------------|---------------------|
| 0-14   | 539,910 (23.0%)   | 29,132,619 (21.3%)  |
| 15-25  | 368,547 (15.7%)   | 19,968,838 (14.6%)  |
| 26-44  | 664,324 (28.3%)   | 40,484,767 (29.6%)  |
| 45-64  | 474,182 (20.2%)   | 28,585,528 (20.9%)  |
| 65-84  | 272,302 (11.6%)   | 16,549,516 (12.1%)  |
| 85 and over  | 25,822 (1.1%)     | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 33 years          | 35 years            |
| Households Headed by<br>Single Women                 | 198,710 (11.6%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$21,000          | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 1,515 (0.07%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 100,103 (4.3%)    | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 2,052,580 (87.4%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 18,589 (5.6%)   | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 42,458 (3.8%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 9,487 (3.5%)    | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 556,183 (35.7%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 267,751 (17.2%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (9.6%)          | (7.0%)             |

\*Composite

| (Total) | White (Non-<br>Hispanic) | Black<br>(Total)  | Hispanic                  | U.S.<br>Data                       | Overall<br>Data   | State<br>Grade   | State<br>Rank   |
|---------|--------------------------|-------------------|---------------------------|------------------------------------|---|--|---|
|         |                          |                   |                           | 14.0                               | 19.2  | F  | 40  |
|         |                          |                   |                           | 9.6                                | 12.1  |  | 32  |
| 78.7    | 79.8                     | 61.0              | 56.9                      | 81.9                               | 74.8  | F  | 48  |
|         |                          |                   |                           | 32                                 | 78  | F  | 47  |
|         |                          |                   |                           |                                    |   |  |   |
|         |                          | (Total) Hispanic) | (Total) Hispanic) (Total) | (Total) Hispanic) (Total) Hispanic | (Total)         Hispanic)         (Total)         Hispanic         Data           14.0           9.6           78.7         79.8         61.0         56.9         81.9 | (Total)         Hispanic         (Total)         Hispanic         Data         Data           14.0         19.2         9.6         12.1           78.7         79.8         61.0         56.9         81.9         74.8 | (Total)         Hispanic         (Total)         Hispanic         Data         Grade           14.0         19.2         F           9.6         12.1         -           78.7         79.8         61.0         56.9         81.9         74.8         F |

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 78.9 | U | 50 |
| Mammograms (%)                              | 75.2 | 65.9 | S | 50 |
| Colorectal Cancer Screening (%)             | 37.7 | 31.3 | F | 49 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 37.9 | F | 45 |
| Overweight (%)                              | 31.4 | 31.1 | F | 24 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 31.1 | F | 14 |
| Smoking (%)                                 | 20.8 | 23.7 | F | 46 |
| Binge Drinking (%)                          | 6.7  | 3.1  | S | 2  |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Heart Disease Death Rate (per 100,000) | 15.8         | 77.2         | 202.7        | 577.4        | 1766.8       | 6100.0     | 99.3  | 160.3 |          |                               |                                  | 98.0 | 106.1 | U | 37 |
| Stroke Death Rate (per 100,000)        | 6.6          | 20.7         | 49.3         | 169.2        | 599.2        | 2242.7     | 30.7  | 52.1  |          |                               |                                  | 24.5 | 33.2  | F | 50 |
| Lung Cancer Death Rate (per 100,000)   | 3.7          | 32.2         | 113.9        | 218.5        | 234.1        | 173.1      | 30.1  | 22.8  |          |                               |                                  | 26.9 | 29.2  | U | 37 |
| Breast Cancer Death Rate (per 100,000) | 10.3         | 39.7         | 63.2         | 93.6         | 110.4        | 167.5      | 18.5  | 27.6  |          |                               |                                  | 20.2 | 19.6  | S | 25 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 27.8  | F | 45 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 6.4   | F | 41 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 2.6   | S | 23 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 9.0   | F | 45 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 4.1   | 12.4  |          |                               |                                  | 7.7  | 6.2   | F | 23 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.8   | _ | 36 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Violence Experienced Over Lifetime (%) | Nationa      | Only)        |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 78.89 | 73.58 |          |                  | 74.13               |         | 78.81 | 78.13 | U | 40 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 5.7   | - | 47 |
|     | Infant Mortality Rate (per 1,000)            | 7.1   | 13.5  |          | 8.5              |                     |         | 7.6   | 8.6   | F | 39 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 18.8         | 13.4         | 20.2       | 13.2                        | 38.7                        | 31.6     | 7.3   | 45.3   | 13.3 | 17.7 | F | 47 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 76.7 | F | 4  |
| High School Completion (%)      |              |              |            | 79.2                        | 63.9                        | 42.8     | 55.2  | 57.4   | 82.8 | 76.2 | F | 51 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

**Grading Key for Status Indicators S** Satisfactory U Unsatisfactory

Abortion Access\*

Violence Against Women\*

#### Strength of Policy Women's Access to Health Care Services Eligibility and Outreach for Publicly Funded Health Insurance Medicaid Eligibility by Income\* Methods to Expand Medicaid Coverage and Outreach\* Other State Insurance for Adults **Health Support Services** Safety Net Services\* Family and Medical Support\* Patients' Protections in Managed Care\* Linguistic Access Access to Specific Services Pharmaceutical\* Long-Term Care\* Mental Health\* Diabetes-Related Services Health Services Related to Mastectomy\* Maternity Stays/Infertility Treatment\*

#### II. Addressing Wellness and Prevention

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

#### **Demographics**

|                           | Arkansas  | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 1,340,637 | 136,772,861 |
| Sex Ratio (women to men)  | 1.07      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,077,872 (80.4%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 218,524 (16.3%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 16,088 (1.2%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 10,725 (0.8%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 17,428 (1.3%)     | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 324,434 (24.2%) 29,132,619 (21.3%) 15-25 198,414 (14.8%) 19,968,838 (14.6%) 26-44 357,950 (26.7%) 40,484,767 (29.6%) 45-64 257,402 (19.2%) 28,585,528 (20.9%) 65-84 172,942 (12.9%) 16,549,516 (12.1%) 85 and over 29,494 (2.2%) 1,914,820 (1.4%) Median Age of Women 34 years 35 years Households Headed by 142,581 (14.4%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$18,000 \$24,000 Women Prisoners (State Jurisdictions) 548 (0.04%) 66,879 (0.05%)

80,636 (6.0%)

631,669 (47.1%)

5,475,270 (4.0%)

109,729,378 (80.2%)

#### Women Living in Linguistic Isolation by Age Group

Security Benefits

Disabled Women Receiving Social

Women Residing in Urban Areas

| 5-17  | 674 (0.3%)      | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 1,934 (0.3%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 632 (0.3%)      | 609,391 (3.3%)     |
| Women with 13-15 Years of<br>Education      | 213,782 (24.1%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 123,583 (13.9%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (1.8%)          | (7.0%)             |

\*Composite

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 19.3                     | F              | 41            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 6.8                      | -              | 11            |
| First Trimester Prenatal Care (%)              | 80.4             | 87.1                     | 78.8             | 75.5     | 81.9         | 80.6                     | F              | 38            |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 3                        | F              | 4             |

#### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 84.2 | U | 33 |
| Mammograms (%)                              | 75.2 | 80.9 | S | 6  |
| Colorectal Cancer Screening (%)             | 37.7 | 44.3 | S | 8  |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 27.4 | F | 21 |
| Overweight (%)                              | 31.4 | 30.8 | F | 21 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 32.6 | F | 10 |
| Smoking (%)                                 | 20.8 | 16.6 | F | 3  |
| Binge Drinking (%)                          | 6.7  | 7.0  | F | 28 |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000) | 7.7          | 43.5         | 160.0        | 468.8        | 1512.7       | 6075.5     | 85.8  | 152.5 | 62.1     | 49.1                          | 54.7                             | 98.0 | 86.6 | S | 21 |
| Stroke Death Rate (per 100,000)        | 3.5          | 15.4         | 40.1         | 121.6        | 458.8        | 1693.8     | 23.6  | 41.4  | 19.0     | 23.3                          | 11.0                             | 24.5 | 24.7 | F | 29 |
| Lung Cancer Death Rate (per 100,000)   | 2.0          | 24.2         | 93.8         | 192.3        | 264.3        | 209.9      | 26.9  | 30.3  | 8.0      | 11.3                          | 9.8                              | 26.9 | 25.4 | S | 19 |
| Breast Cancer Death Rate (per 100,000) | 8.1          | 38.5         | 68.2         | 94.1         | 124.5        | 167.7      | 20.1  | 27.4  | 11.6     | 10.3                          | 8.4                              | 20.2 | 19.5 | S | 23 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 22.0 | F | 10 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.5  | F | 29 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 4.9  | S | 30 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 6.0  | F | 34 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 6.9   | 17.9  |          |                               |                                  | 7.7  | 8.1  | F | 38 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.4  |   | 18 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 79.26 | 74.07 |          |                  | 79.18               |         | 78.81 | 79.19 | U | 25 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 4.0   | - | 37 |
|     | Infant Mortality Rate (per 1,000)            | 5.7   | 13.5  | 5.8      | 6.7              |                     | 12.0    | 7.6   | 6.3   | S | 11 |
|     |  |       |       |          |                  |                     |         |       |       |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 18.6         | 10.4         | 9.6        | 9.7                         | 21.0                        | 25.7     | 14.6  | 6.6  | 13.3 | 14.9 | F | 36 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 76.4 | F | 5  |
| High School Completion (%)      |              |              |            | 91.8                        | 88.8                        | 49.0     | 81.9  | 87.8   | 82.8 | 80.2 | U | 39 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

22 Grading Key for Status Indicators Satisfactory Unsatisfactory Fa

Abortion Access\* Violence Against Women\*

#### Strength of Policy Women's Access to Health Care Services Eligibility and Outreach for Publicly Funded Health Insurance Medicaid Eligibility by Income\* Methods to Expand Medicaid Coverage and Outreach\* Other State Insurance for Adults **Health Support Services** Safety Net Services\* Family and Medical Support\* Patients' Protections in Managed Care\* Linguistic Access Access to Specific Services Pharmaceutical\* Long-Term Care\* Mental Health\* Diabetes-Related Services Health Services Related to Mastectomy\* Maternity Stays/Infertility Treatment\*

#### II. Addressing Wellness and Prevention

| icreening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

## **Demographics**

|                           | California | U.S.        |
|---------------------------|------------|-------------|
| Total Population of Women | 16,216,830 | 136,772,861 |
| Sex Ratio (women to men)  | 1.00       | 1.08        |

| Percent | and  | Number of |
|---------|------|-----------|
| Women   | by F | Race      |

| Vomen by Race                                 | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 8,400,318 (51.8%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 1,021,660 (6.3%)  | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 113,518 (0.7%)    | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 1,978,453 (12.2%) | 5,197,369 (3.8%)   |
| Hispanic                                      | 4,702,881 (29.0%) | 14,771,469 (10.8%) |

#### Percent and Number of

| Women by Age   |                    |                     |
|--|--------------------|---------------------|
| 0-14   | 3,810,955 (23.5%)  | 29,132,619 (21.3%)  |
| 15-25  | 2,351,440 (14.5%)  | 19,968,838 (14.6%)  |
| 26-44  | 5,027,217 (31.0%)  | 40,484,767 (29.6%)  |
| 45-64  | 3,129,848 (19.3%)  | 28,585,528 (20.9%)  |
| 65-84  | 1,702,767 (10.5%)  | 16,549,516 (12.1%)  |
| 85 and over  | 178,385 (1.1%)     | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 33 years           | 35 years            |
| Households Headed by<br>Single Women                 | 1,439,913 (12.6%)  | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$27,000           | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 10,107 (0.1%)      | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 545,060 (3.4%)     | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 15,701,302 (96.8%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 331,681 (12.7%)   | 852,018 (3.9%)     |
|---|-------------------|--------------------|
| 18-64                                       | 815,212 (8.8%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 115,911 (6.3%)    | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 3,266,706 (30.1%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 2,635,925 (24.3%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (8.2%)            | (7.0%)             |

\*Composite

| I. | Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|----|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
|    | Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 15.2                     | F              | 28            |
|    | People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 7.8                      | -              | 16            |
|    | First Trimester Prenatal Care (%)              | 81.9             | 86.7                     | 75.5             | 66.8     | 81.9         | 81.4                     | U              | 35            |
|    | Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 34                       | F              | 22            |
|    |  |                  |                          |                  |          |              |                          |                |               |

#### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 87.0 | S | 8  |
| Mammograms (%)                              | 75.2 | 77.4 | S | 16 |
| Colorectal Cancer Screening (%)             | 37.7 | 39.5 | U | 22 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 21.7 | F | 6  |
| Overweight (%)                              | 31.4 | 26.1 | F | 7  |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 30.1 | F | 18 |
| Smoking (%)                                 | 20.8 | 19.4 | F | 13 |
| Binge Drinking (%)                          | 6.7  | 7.5  | F | 33 |

| Dirige Dirinking (70)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 0.7  | 7.5  |   | 00 |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000) | 7.3          | 34.5         | 110.1        | 400.5        | 1299.4       | 4849.3     | 70.7  | 106.0 | 61.7     | 26.7                          | 42.3                             | 98.0 | 71.1 | s | 2  |
| Stroke Death Rate (per 100,000)        | 2.5          | 10.9         | 34.5         | 98.2         | 451.6        | 1666.2     | 21.7  | 35.1  | 21.9     | 17.9                          |                                  | 24.5 | 22.1 | F | 10 |
| Lung Cancer Death Rate (per 100,000)   | 1.7          | 18.1         | 62.4         | 161.8        | 200.5        | 142.7      | 19.3  | 23.8  | 13.3     |                               |                                  | 26.9 | 19.3 | S | 3  |
| Breast Cancer Death Rate (per 100,000) | 7.0          | 29.0         | 49.2         | 89.8         | 128.0        | 201.4      | 16.3  | 25.6  | 11.7     |                               |                                  | 20.2 | 16.4 | S | 3  |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 21.5 | F | 6  |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 4.6  | F | 16 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 2.3  | S | 18 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 5.4  | U | 26 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 6.5   |       |          |                               |                                  | 7.7  | 6.9  | F | 31 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.7  | - | 30 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) | Nationa      | l Onlv)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 80.13 | 75.89 |          |                  | 78.61               |         | 78.81 | 80.01 | U | 9  |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.1   | _ | 13 |
|     | Infant Mortality Rate (per 1,000)            | 5.8   | 15.2  | 6.2      | 6.4              |                     |         | 7.6   | 6.4   | S | 12 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 11.0         | 7.8          | 11.1       | 8.1                         | 22.0                        | 17.5     | 10.0  | 63.7   | 13.3 | 10.0 | U | 12 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 66.8 | F | 42 |
| High School Completion (%)      |              |              |            | 92.8                        | 86.0                        | 65.4     | 78.4  | 73.4   | 82.8 | 88.5 | U | 7  |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

24 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

#### Strength of Policy Women's Access to Health Care Services Eligibility and Outreach for Publicly Funded Health Insurance Medicaid Eligibility by Income\* Methods to Expand Medicaid Coverage and Outreach\* Other State Insurance for Adults **Health Support Services** Safety Net Services\* Family and Medical Support\* Patients' Protections in Managed Care\* Linguistic Access Access to Specific Services Pharmaceutical\* Long-Term Care\* Mental Health\* Diabetes-Related Services Health Services Related to Mastectomy\*

#### II. Addressing Wellness and Prevention

Maternity Stays/Infertility Treatment\*

Abortion Access\* Violence Against Women\*

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

## **Demographics**

|                           | Colorado  | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 1,928,094 | 136,772,861 |
| Sex Ratio (women to men)  | 1.01      | 1.08        |

| Percent | and  | Number of |
|---------|------|-----------|
| Women   | by F | Race      |

| Vomen by Race                                 | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,494,273 (77.5%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 69,411 (3.6%)     | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 5,784 (0.3%)      | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 57,843 (3.0%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 300,783 (15.6%)   | 14,771,469 (10.8%) |

#### Percent and Number of

| Women by Age                                      |                   |                     |
|---|-------------------|---------------------|
| 0-14  | 401,044 (20.8%)   | 29,132,619 (21.3%)  |
| 15-25   | 327,776 (17.0%)   | 19,968,838 (14.6%)  |
| 26-44   | 574,572 (29.8%)   | 40,484,767 (29.6%)  |
| 45-64   | 437,677 (22.7%)   | 28,585,528 (20.9%)  |
| 65-84   | 175,457 (9.1%)    | 16,549,516 (12.1%)  |
| 85 and over                                       | 11,569 (0.6%)     | 1,914,820 (1.4%)    |
| Median Age of Women                               | 34 years          | 35 years            |
| Households Headed by<br>Single Women              | 132,860 (8.8%)    | 12,717,810 (12.5%)  |
| Median Earnings for Women                         | \$25,000          | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)          | 845 (0.04%)       | 66,879 (0.05%)      |
| Disabled Women Receiving Social Security Benefits | 63,948 (3.3%)     | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                     | 1,633,221 (84.7%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 5,613 (1.9%)    | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 16,125 (1.5%)   | 2,349,620 (3.0%)   |
| 65 and over                              | 4,965 (2.6%)    | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 400,663 (30.4%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 384,502 (29.2%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (7.7%)          | (7.0%)             |

\*Composite

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 9.7                      | U              | 6             |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 6.4                      | -              | 10            |
| First Trimester Prenatal Care (%)              | 89.7             | 91.8                     | 77.1             | 77.1     | 81.9         | 88.2                     | U              | 5             |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 10                       | F              | 8             |

#### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 86.2 | S | 11 |
| Mammograms (%)                              | 75.2 | 78.0 | S | 13 |
| Colorectal Cancer Screening (%)             | 37.7 | 42.6 | S | 12 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 29.8 | F | 26 |
| Overweight (%)                              | 31.4 | 24.7 | F | 4  |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 32.7 | F | 8  |
| Smoking (%)                                 | 20.8 | 20.4 | F | 20 |
| Binge Drinking (%)                          | 6.7  | 8.0  | F | 38 |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000) | 10.6         | 50.7         | 171.4        | 501.5        | 1562.6       | 6085.4     | 88.3  | 143.4 | 60.1     | 35.1                          |                                  | 98.0 | 91.9 | S | 26 |
| Stroke Death Rate (per 100,000)        | 2.6          | 10.5         | 24.2         | 100.5        | 380.2        | 1430.8     | 18.7  | 29.3  | 13.8     |                               |                                  | 24.5 | 19.4 | S | 3  |
| Lung Cancer Death Rate (per 100,000)   | 3.4          | 31.0         | 101.3        | 188.8        | 257.4        | 191.4      | 27.4  | 22.7  | 7.2      |                               |                                  | 26.9 | 26.8 | S | 26 |
| Breast Cancer Death Rate (per 100,000) | 7.9          | 40.5         | 70.3         | 104.6        | 149.8        | 205.0      | 20.7  | 23.2  | 9.2      |                               |                                  | 20.2 | 20.8 | U | 38 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 20.7 | F | 5  |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 3.8  | F | 9  |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 13.9 | U | 44 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 5.3  | U | 24 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 5.0   |       |          |                               |                                  | 7.7  | 5.3  | F | 17 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.2  |   | 13 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

#### Other than White Non-Hispanic IV. Living in a Healthy Community White Black Hispanic Overall Health 78.81 80.37 75.44 76.61 79.97 Life Expectancy (years) Days Activities Were Limited in Past 30 Days 3.6 3.2 15 Infant Mortality Rate (per 1,000) 5.8 12.1 6.7 7.6

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 10.0         | 8.3          | 7.4        | 5.3                         | 18.0                        | 33.1     | 29.3  |  | 13.3 | 9.0  | U | 7  |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 70.7 | F | 29 |
| High School Completion (%)      |              |              |            | 87.7                        | 75.7                        | 68.3     |   |  | 82.8 | 85.1 | U | 26 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

26 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

Abortion Access\*

Violence Against Women\*

## Women's Access to Health Care Services Strength of Policy

| Eligibility and Outreach for Publicly Funded Health Insurance |  |
|---|--|
| Medicaid Eligibility by Income*                               |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |
| Other State Insurance for Adults                              |  |
| Health Support Services                                       |  |
| Safety Net Services*  |  |
| Family and Medical Support*                                   |  |
| Patients' Protections in Managed Care*                        |  |
| Linguistic Access   |  |
| Access to Specific Services                                   |  |
| Pharmaceutical*   |  |
| Long-Term Care*   |  |
| Mental Health*  |  |
| Diabetes-Related Services                                     |  |
| Health Services Related to Mastectomy*                        |  |
| Family Planning*  |  |
| Maternity Stays/Infertility Treatment*                        |  |
|   |  |

#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |
|  |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

## **Demographics**

|                           | Connecticut | U.S.        |
|---------------------------|-------------|-------------|
| Total Population of Women | 1,702,567   | 136,772,861 |
| Sex Ratio (women to men)  | 1.13        | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,345,028 (79.0%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 187,282 (11.0%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 6,810 (0.4%)      | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 11,918 (0.7%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 151,528 (8.9%)    | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 355,837 (20.9%) 29,132,619 (21.3%) 15-25 202,605 (11.9%) 19,968,838 (14.6%) 510,770 (30.0%) 26-44 40,484,767 (29.6%) 45-64 374,565 (22.0%) 28,585,528 (20.9%) 65-84 233,252 (13.7%) 16,549,516 (12.1%) 85 and over 25,539 (1.5%) 1,914,820 (1.4%) Median Age of Women 37 years 35 years Households Headed by 140,901 (11.1%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$28,584 \$24,000 Women Prisoners (State Jurisdictions) 66,879 (0.05%) 1,133 (0.07%) Disabled Women Receiving Social Security Benefits 58,706 (3.4%) 5,475,270 (4.0%)

1,702,567 (100%)

109,729,378 (80.2%)

#### Women Living in Linguistic Isolation by Age Group

Women Residing in Urban Areas

| 5-17                                     | 9,566 (3.7%)    | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 29,033 (2.7%)   | 2,349,620 (3.0%)   |
| 65 and over                              | 11,047 (4.2%)   | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 330,062 (27.3%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 323,010 (26.8%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (7.6%)          | (7.0%)             |

\*Composite

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 8.5                      | U              | 4             |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 4.6                      | -              | 3             |
| First Trimester Prenatal Care (%)              | 87.0             | 88.8                     | 72.8             | 67.1     | 81.9         | 83.6                     | U              | 22            |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 15                       | F              | 11            |

#### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 87.1 | S | 7  |
| Mammograms (%)                              | 75.2 | 81.3 | S | 4  |
| Colorectal Cancer Screening (%)             | 37.7 | 44.2 | S | 10 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 36.4 | F | 41 |
| Overweight (%)                              | 31.4 | 31.5 | F | 27 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 31.1 | F | 14 |
| Smoking (%)                                 | 20.8 | 21.8 | F | 33 |
| Binge Drinking (%)                          | 6.7  | 4.0  | S | 10 |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Heart Disease Death Rate (per 100,000) | 13.9         | 55.4         | 247.0        | 544.4        | 1717.1       | 6577.1     | 98.8  | 148.2 |          |                               |                                  | 98.0 | 105.6 | U | 36 |
| Stroke Death Rate (per 100,000)        | 5.4          | 17.0         | 41.5         | 95.8         | 349.7        | 1307.2     | 20.4  | 30.4  |          |                               |                                  | 24.5 | 21.6  | U | 8  |
| Lung Cancer Death Rate (per 100,000)   |              | 35.5         | 133.3        | 253.6        | 333.0        | 211.0      | 33.9  | 42.2  |          |                               |                                  | 26.9 | 34.7  | F | 49 |
| Breast Cancer Death Rate (per 100,000) | 10.3         | 36.9         | 66.7         | 128.5        | 167.4        | 216.2      | 21.6  | 26.5  |          |                               |                                  | 20.2 | 22.4  | U | 49 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 26.6  | F | 41 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 4.5   | F | 15 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 14.8  | F | 46 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 6.5   | F | 38 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            |       |       |          |                               |                                  | 7.7  | 3.8   | F | 8  |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.7   | _ | 30 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Violence Experienced Over Lifetime (%) | Nationa      | l Onlv)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 78.62 | 72.91 |          |                  | 73.63               |         | 78.81 | 77.74 | U | 45 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 6.0   | _ | 49 |
|     | Infant Mortality Rate (per 1,000)            | 6.2   | 11.2  |          | 7.2              |                     |         | 7.6   | 7.4   | U | 24 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 10.2         | 5.7          | 9.3        | 6.2                         | 13.1                        | 29.3     | 11.8  |  | 13.3 | 8.7  | U | 4  |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 75.8 | F | 7  |
| High School Completion (%)      |              |              |            | 87.2                        | 87.9                        | 63.9     |   |  | 82.8 | 86.7 | U | 16 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

28 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

#### . Women's Access to Health Care Services Strength of Policy

| Wolliell's Access to Health Care Services                     | or Policy |
|---|-----------|
| Eligibility and Outreach for Publicly Funded Health Insurance |           |
| Medicaid Eligibility by Income*                               |           |
| Methods to Expand Medicaid Coverage and Outreach*             |           |
| Other State Insurance for Adults                              |           |
| Health Support Services                                       |           |
| Safety Net Services*  |           |
| Family and Medical Support*                                   |           |
| Patients' Protections in Managed Care*                        |           |
| Linguistic Access   |           |
| Access to Specific Services                                   |           |
| Pharmaceutical*   |           |
| Long-Term Care*   |           |
| Mental Health*  |           |
| Diabetes-Related Services                                     |           |
| Health Services Related to Mastectomy*                        |           |
| Family Planning*  |           |
| Maternity Stays/Infertility Treatment*                        |           |
| Abortion Access*  |           |
|   |           |

#### II. Addressing Wellness and Prevention

Violence Against Women\*

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

## **Demographics**

|                           | Delaware | U.S.        |
|---------------------------|----------|-------------|
| Total Population of Women | 380,336  | 136,772,861 |
| Sex Ratio (women to men)  | 1.13     | 1.08        |

| Percent      | and  | Num  | ber | ot |
|--------------|------|------|-----|----|
| <b>Vomen</b> | by I | Race |     |    |

| omen by Race                                  | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 269,658 (70.9%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 84,815 (22.3%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 380 (0.1%)       | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 7,607 (2.0%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 18,636 (4.9%)    | 14,771,469 (10.8%) |

#### Percent and Number of

| Women by Age   |                 |                     |
|--|-----------------|---------------------|
| 0-14   | 77,208 (20.3%)  | 29,132,619 (21.3%)  |
| 15-25  | 54,008 (14.2%)  | 19,968,838 (14.6%)  |
| 26-44  | 109,917 (28.9%) | 40,484,767 (29.6%)  |
| 45-64  | 86,717 (22.8%)  | 28,585,528 (20.9%)  |
| 65-84  | 47,922 (12.6%)  | 16,549,516 (12.1%)  |
| 85 and over  | 4,564 (1.2%)    | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 36 years        | 35 years            |
| Households Headed by<br>Single Women                 | 41,662 (15.2%)  | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$25,000        | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 379 (0.1%)      | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 14,740 (3.9%)   | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 315,567 (83.0%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 383 (0.7%)     | 852,018 (3.9%)     |
|--|----------------|--------------------|
| 18-64                                    | 1,627 (0.8%)   | 2,349,620 (3.0%)   |
| 65 and over                              | 592 (1.3%)     | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 64,080 (24.0%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 64,097 (24.0%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (11.6%)        | (7.0%)             |

\*Composite

| Women's Access to Healt  | h Ca                  | re S         | ervic         | es           |                |            |              | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total)    | Hispanic          | U.S.<br>Data  | State<br>Overall<br>Data             | State<br>Grade   | Sta<br>Rai |
|--|-----------------------|--------------|---------------|--------------|----------------|------------|--------------|------------------|--------------------------|---------------------|-------------------|---|--------------------------------------|------------------|------------|
| Women Without Health Insurance (%)   |                       |              |               |              |                |            |              |                  |                          |                     |                   | 14.0  | 10.1                                 | F                | 9          |
| People in Medically Underserved Areas (9   | %)                    |              |               |              |                |            |              |                  |                          |                     |                   | 9.6   | 21.2                                 |                  | 4          |
| First Trimester Prenatal Care (%)  |                       |              |               |              |                |            |              | 77.4             | 87.5                     | 60.0                | 60.8              | 81.9  | 64.6                                 | F                | 5          |
| Women in County Without Abortion Provi   | ider (%) <sup>3</sup> | *            |               |              |                |            |              |                  |                          |                     |                   | 32  | 0                                    | S                | 1          |
| Addressing Wellness and  | Prev                  | entic        | on            |              |                |            |              |                  |                          |                     |                   |   |                                      |                  |            |
| Screening  |                       |              |               |              |                |            |              |                  |                          |                     |                   |   |                                      |                  |            |
| Pap Smears (%)   |                       |              |               |              |                |            |              |                  |                          |                     |                   | 84.9  | 93.9                                 | S                | 1          |
| Mammograms (%)   |                       |              |               |              |                |            |              |                  |                          |                     |                   | 75.2  | 89.4                                 | S                | 1          |
| Colorectal Cancer Screening (%)  |                       |              |               |              |                |            |              |                  |                          |                     |                   | 37.7  | 46.7                                 | S                | 4          |
| Prevention   |                       |              |               |              |                |            |              |                  |                          |                     |                   |   |                                      |                  |            |
| No Leisure-Time Physical Activity (%)  |                       |              |               |              |                |            |              |                  |                          |                     |                   | 29.9  | 44.3                                 | F                | 4          |
| Overweight (%)   |                       |              |               |              |                |            |              |                  |                          |                     |                   | 31.4  | 34.2                                 | F                | 4          |
| Eating Five Fruits and Vegetables a Day (  | %)                    |              |               |              |                |            |              |                  |                          |                     |                   | 27.8  | 17.9                                 | F                | 4          |
| Smoking (%)  |                       |              |               |              |                |            |              |                  |                          |                     |                   | 20.8  | 19.3                                 | F                | 1          |
| Binge Drinking (%)   |                       |              |               |              |                |            |              |                  |                          |                     |                   | 6.7   | 9.4                                  | F                | 4          |
| Key Conditions  Key Causes of Death For Women  | Age<br>25-44          | Age<br>45-54 | Age<br>55-64  | Age<br>65-74 | Age<br>75-84   | Age<br>85+ | White        | Black            | Hispanic                 | Pacific<br>Islander | Alaskan<br>Native |   |                                      |                  |            |
| Heart Disease Death Rate (per 100,000)   | 21.9                  | 118.6        | 290.5         | 613.9        | 1529.9         | 4702.2     | 59.6         | 141.0            |                          |                     |                   | 98.0  | 115.1                                | F                | 4          |
| Stroke Death Rate (per 100,000)  | 10.5                  | 38.9         | 75.3          | 124.7        |                | 1249.1     | 16.9         | 37.2             |                          |                     |                   |   | 30.6                                 | F                | 4          |
| Lung Cancer Death Rate (per 100,000)   |                       |              |               |              |                |            |              |                  |                          |                     |                   | 24.5  | 30.0                                 |                  |            |
|  |                       | 32.3         | 100.9         | 179.5        | 220.0          | 216.8      | 17.2         | 30.4             |                          |                     |                   | 24.5  | 26.1                                 | S                |            |
| Breast Cancer Death Rate (per 100,000)   | 10.8                  | 32.3<br>58.8 | 100.9<br>99.5 |              | 220.0<br>176.4 |            | 17.2<br>15.2 | 30.4<br>34.3     |                          |                     |                   |   |                                      |                  | 2          |
|  | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9  | 26.1                                 | S                | 2          |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions   | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9  | 26.1                                 | S                | 5          |
| Breast Cancer Death Rate (per 100,000)   | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9  | 26.1<br>27.8                         | S<br>F           | 5          |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%)  Diabetes (%)  | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9<br>20.2<br>23.6  | 26.1<br>27.8<br>21.6                 | S<br>F           | 5          |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%)  | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9<br>20.2<br>23.6<br>5.3                                     | 26.1<br>27.8<br>21.6<br>7.2          | S<br>F<br>F      | 5          |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%)  Diabetes (%)  AIDS Rate (per 100,000)   | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9<br>20.2<br>23.6<br>5.3<br>9.6                              | 26.1<br>27.8<br>21.6<br>7.2          | S<br>F<br>F      | 5          |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%)  Diabetes (%)  AIDS Rate (per 100,000)  Arthritis (%) (National Only)  | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9<br>20.2<br>23.6<br>5.3<br>9.6<br>22.7                      | 26.1<br>27.8<br>21.6<br>7.2          | S<br>F<br>F      | 5 4 5      |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%)  Diabetes (%)  AIDS Rate (per 100,000)  Arthritis (%) (National Only)  Osteoporosis (%) (National Only)  | 10.8                  | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9<br>20.2<br>23.6<br>5.3<br>9.6<br>22.7                      | 26.1<br>27.8<br>21.6<br>7.2          | S<br>F<br>F      | 5          |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%)  Diabetes (%)  AIDS Rate (per 100,000)  Arthritis (%) (National Only)  Osteoporosis (%) (National Only)  Reproductive Health   |                       | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9<br>20.2<br>23.6<br>5.3<br>9.6<br>22.7<br>20                | 26.1<br>27.8<br>21.6<br>7.2<br>120.2 | F<br>F<br>F      | 4          |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%)  Diabetes (%)  AIDS Rate (per 100,000)  Arthritis (%) (National Only)  Osteoporosis (%) (National Only)  Reproductive Health  Chlamydia (%)  |                       | -            |               |              |                |            |              |                  |                          |                     |                   | 26.9<br>20.2<br>23.6<br>5.3<br>9.6<br>22.7<br>20                | 26.1<br>27.8<br>21.6<br>7.2<br>120.2 | F<br>F<br>F      | 4 5        |
| Breast Cancer Death Rate (per 100,000)  Chronic Conditions  High Blood Pressure (%) Diabetes (%) AIDS Rate (per 100,000) Arthritis (%) (National Only) Osteoporosis (%) (National Only)  Reproductive Health  Chlamydia (%) Unintended Pregnancies (%) (National Only) |                       | -            |               |              |                |            |              | 34.3             |                          |                     |                   | 26.9<br>20.2<br>23.6<br>5.3<br>9.6<br>22.7<br>20<br>5.4<br>49.2 | 26.1<br>27.8<br>21.6<br>7.2<br>120.2 | F<br>F<br>F<br>U | 2 5 4 5 5  |

| Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
| Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
| Life Expectancy (years)                      | 81.06 | 71.61 |          |                  | 72.03               |         | 78.81 | 74.23 | F | 51 |
| Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 5.9   | - | 48 |
| Infant Mortality Rate (per 1,000)            |       | 19.5  |          | 16.6             |                     |         | 7.6   | 15.9  | F | 51 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |  |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|--|
| Poverty (%)                     | 24.8         | 12.9         | 25.6       | 9.3                         | 27.4                        | 10.4     | 17.6  | 19.7   | 13.3 | 21.6 | F | 51 |  |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 87.5 | F | 1  |  |
| High School Completion (%)      |              |              |            | 98.5                        | 76.5                        | 56.2     |   |  | 82.8 | 81.8 | U | 35 |  |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

Violence Experienced Over Lifetime (%) (National Only)

30 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

#### Strength of Policy Women's Access to Health Care Services

|   | or roncy |
|---|----------|
| Eligibility and Outreach for Publicly Funded Health Insurance |          |
| Medicaid Eligibility by Income*                               |          |
| Methods to Expand Medicaid Coverage and Outreach*             |          |
| Other State Insurance for Adults                              |          |
| Health Support Services                                       |          |
| Safety Net Services*  |          |
| Family and Medical Support*                                   |          |
| Patients' Protections in Managed Care*                        |          |
| Linguistic Access   |          |
| Access to Specific Services                                   |          |
| Pharmaceutical*   |          |
| Long-Term Care*   |          |
| Mental Health*  |          |
| Diabetes-Related Services                                     |          |
| Health Services Related to Mastectomy*                        |          |
| Family Planning*  |          |
| Maternity Stays/Infertility Treatment*                        |          |
| Abortion Access*  |          |
|   |          |

#### II. Addressing Wellness and Prevention

Violence Against Women\*

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

## **Demographics**

|                           | District of Columbia | u.S.        |
|---------------------------|----------------------|-------------|
| Total Population of Women | 272,817              | 136,772,861 |
| Sex Ratio (women to men)  | 1.14                 | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 64,658 (23.7%)   | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 189,335 (69.4%)  | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 1,637 (0.6%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 3,547 (1.3%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 13,641 (5.0%)    | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 45,015 (16.5%) 29,132,619 (21.3%) 15-25 40,923 (15.0%) 19,968,838 (14.6%) 26-44 82,391 (30.2%) 40,484,767 (29.6%) 45-64 61,657 (22.6%) 28,585,528 (20.9%) 65-84 37,103 (13.6%) 16,549,516 (12.1%) 85 and over 5,729 (2.1%) 1,914,820 (1.4%) Median Age of Women 37 years 35 years

Households Headed by 48,208 (20.4%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$30,000 \$24,000 Women Prisoners (State Jurisdictions) 461 (0.2%) 66,879 (0.05%) Disabled Women Receiving Social Security Benefits 10,335 (3.8%) 5,475,270 (4.0%) Women Residing in Urban Areas 272,817 (100%) 109,729,378 (80.2%)

## Women Living in Linguistic Isolation by Age Group

| 5-17  | 943 (2.4%)     | 852,018 (3.9%)     |
|---|----------------|--------------------|
| 18-64                                       | 5,819 (2.7%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 906 (1.9%)     | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 40,770 (19.7%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 74,574 (36.0%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (4.7%)         | (7.0%)             |

\*Composite





| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 21.3                     | F              | 46            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 7.6                      | -              | 14            |
| First Trimester Prenatal Care (%)              | 86.5             | 88.3                     | 72.3             | 80.5     | 81.9         | 83.3                     | U              | 25            |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 22                       | F              | 15            |

#### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 85.9 | S | 15 |
| Mammograms (%)                              | 75.2 | 78.0 | S | 14 |
| Colorectal Cancer Screening (%)             | 37.7 | 42.5 | S | 14 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 32.7 | F | 32 |
| Overweight (%)                              | 31.4 | 30.9 | F | 23 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 29.0 | F | 24 |
| Smoking (%)                                 | 20.8 | 20.6 | F | 23 |
| Binge Drinking (%)                          | 6.7  | 6.5  | U | 22 |

| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000)   | 12.4         | 54.2         | 167.3        | 429.3        | 1421.3       | 5996.1     | 80.3  | 142.3 | 67.7     | 36.2                          | 30.5                             | 98.0 | 86.1 | S | 20 |
| Stroke Death Rate (per 100,000)          | 4.3          | 16.4         | 33.1         | 95.7         | 363.4        | 1361.4     | 18.7  | 41.6  | 14.4     | 12.6                          |                                  | 24.5 | 20.8 | U | 6  |
| Lung Cancer Death Rate (per 100,000)     | 3.9          | 33.2         | 108.2        | 203.1        | 258.3        | 240.3      | 29.5  | 21.7  | 8.9      | 12.0                          |                                  | 26.9 | 28.6 | U | 32 |
| Breast Cancer Death Rate (per 100,000)   | 9.4          | 41.3         | 67.5         | 87.3         | 122.8        | 198.1      | 19.4  | 23.4  | 14.9     | 6.2                           |                                  | 20.2 | 19.8 | S | 27 |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 26.8 | F | 42 |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.9  | F | 35 |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 23.6 | F | 49 |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 6.4  | F | 37 |
| Unintended Pregnancies (%) (National O   | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 5.3   | 24.8  |          |                               |                                  | 7.7  | 9.7  | F | 43 |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.7  | _ | 30 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) ( | Nationa      | Only)        |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |      |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |      |   |    |
|     | Life Expectancy (years)                      | 80.46 | 73.28 |          |                  | 74.19               |         | 78.81 | 79.6 | U | 20 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 4.8  | _ | 44 |
|     | Infant Mortality Rate (per 1,000)            | 6.1   | 12.8  | 5.5      | 8.0              |                     |         | 7.6   | 7.5  | U | 27 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 18.2         | 11.2         | 12.4       | 10.5                        | 31.4                        | 20.6     | 20.9  | 22.3   | 13.3 | 14.9 | F | 36 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 75.9 | F | 6  |
| High School Completion (%)      |              |              |            | 87.3                        | 68.5                        | 67.6     | 85.7  |  | 82.8 | 82.0 | U | 33 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

**Grading Key for Status Indicators** 

**S** Satisfactory

U Unsatisfactory

Abortion Access\* Violence Against Women\*

#### Strength of Policy **Women's Access to Health Care Services**

| Women's Access to Health Care Services                        | Of Folicy |
|---|-----------|
| Eligibility and Outreach for Publicly Funded Health Insurance |           |
| Medicaid Eligibility by Income*                               |           |
| Methods to Expand Medicaid Coverage and Outreach*             |           |
| Other State Insurance for Adults                              |           |
| Health Support Services                                       |           |
| Safety Net Services*  |           |
| Family and Medical Support*                                   |           |
| Patients' Protections in Managed Care*                        |           |
| Linguistic Access   |           |
| Access to Specific Services                                   |           |
| Pharmaceutical*   |           |
| Long-Term Care*   |           |
| Mental Health*  |           |
| Diabetes-Related Services                                     |           |
| Health Services Related to Mastectomy*                        |           |
| Family Planning*  |           |
| Maternity Stays/Infertility Treatment*                        |           |

#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

## **Demographics**

|                           | Florida   | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 7,383,056 | 136,772,861 |
| Sex Ratio (women to men)  | 1.08      | 1.08        |

| Percent and Number of<br>Women by Race | Number (Percent)  | Number (Percent)   |
|--|-------------------|--------------------|
| White (non-Hispanic)                   | 5,005,712 (67.8%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                   | 1,018,862 (13.8%) | 17,917,245 (13.1%) |

| vvnite (non-Hispanic)                         | 5,005,712 (67.8%) | 97,929,368 (71.6%) |
|---|-------------------|--------------------|
| Black (non-Hispanic)                          | 1,018,862 (13.8%) | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 22,149 (0.3%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 125,512 (1.7%)    | 5,197,369 (3.8%)   |
| Hispanic                                      | 1,210,821 (16.4%) | 14,771,469 (10.8%) |

#### Percent and Number of

| Women by rige  |                   |                     |
|--|-------------------|---------------------|
| 0-14   | 1,343,716 (18.2%) | 29,132,619 (21.3%)  |
| 15-25  | 959,797 (13.0%)   | 19,968,838 (14.6%)  |
| 26-44  | 2,067,256 (28.0%) | 40,484,767 (29.6%)  |
| 45-64  | 1,565,208 (21.2%) | 28,585,528 (20.9%)  |
| 65-84  | 1,321,567 (17.9%) | 16,549,516 (12.1%)  |
| 85 and over  | 118,129 (1.6%)    | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 39 years          | 35 years            |
| Households Headed by<br>Single Women                 | 752,257 (12.7%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$22,000          | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 3,302 (0.05%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 304,597 (4.1%)    | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 6,876,813 (93.1%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| isolation by rigo croup                     |                   |                    |
|---|-------------------|--------------------|
| 5-17  | 41,883 (4.2%)     | 852,018 (3.9%)     |
| 18-64                                       | 165,982 (4.2%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 71,746 (5.3%)     | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 1,475,220 (27.2%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 1,042,905 (19.2%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (11.8%)           | (7.0%)             |

\*Composite

| Women's Access to I               | ∃ealth Ca         | ıre S        | ervic        | es           |              |            |       | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total)              | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | Stat<br>Ran |
|-----------------------------------|-------------------|--------------|--------------|--------------|--------------|------------|-------|------------------|--------------------------|-------------------------------|----------------------------------|--------------|--------------------------|----------------|-------------|
| Women Without Health Insuranc     | e (%)             |              |              |              |              |            |       |                  |                          |                               |                                  | 14.0         | 17.4                     | F              | 36          |
| People in Medically Underserved   | d Areas (%)       |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 13.5                     |                | 38          |
| First Trimester Prenatal Care (%) |                   |              |              |              |              |            |       | 89.0             | 90.5                     | 78.0                          | 73.3                             | 81.9         | 85.2                     | U              | 11          |
| Women in County Without Abor      | tion Provider (%) | )*           |              |              |              |            |       |                  |                          |                               |                                  | 32           | 49                       | F              | 28          |
| Addressing Wellness Screening     | and Fiev          | entic        | 111          |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
|                                   |                   |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Pap Smears (%)                    |                   |              |              |              |              |            |       |                  |                          |                               |                                  | 84.9         | 86.1                     | S              | 12          |
| Mammograms (%)                    |                   |              |              |              |              |            |       |                  |                          |                               |                                  | 75.2         | 72.5                     | S              | 36          |
| Colorectal Cancer Screening (%)   |                   |              |              |              |              |            |       |                  |                          |                               |                                  | 37.7         | 45.3                     | S              | 6           |
| Prevention                        |                   |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| No Leisure-Time Physical Activity | / (%)             |              |              |              |              |            |       |                  |                          |                               |                                  | 29.9         | 32.5                     | F              | 31          |
| Overweight (%)                    |                   |              |              |              |              |            |       |                  |                          |                               |                                  | 31.4         | 34.2                     | F              | 43          |
| Eating Five Fruits and Vegetable  | s a Day (%)       |              |              |              |              |            |       |                  |                          |                               |                                  | 27.8         | 23.4                     | F              | 4           |
| Smoking (%)                       |                   |              |              |              |              |            |       |                  |                          |                               |                                  | 20.8         | 19.7                     | F              | 16          |
| Binge Drinking (%)                |                   |              |              |              |              |            |       |                  |                          |                               |                                  | 6.7          | 4.2                      | S              | 11          |
| Key Conditions                    | Age<br>25-44      | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black            | Hispanic                 | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |              |                          |                |             |

| Binge Drinking (%)                     |              |              |              |              |              |            |       |       |          |                               |                                  | 6.7  | 4.2   | S | 11 |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|----|
| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |    |
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Heart Disease Death Rate (per 100,000) | 15.2         | 75.5         | 231.1        | 668.6        | 1858.1       | 6063.6     | 100.7 | 162.7 | 28.8     | 47.8                          |                                  | 98.0 | 114.3 | F | 44 |
| Stroke Death Rate (per 100,000)        | 5.5          | 22.0         | 56.1         | 165.3        | 540.6        | 1745.4     | 27.1  | 45.5  | 13.9     | 19.7                          |                                  | 24.5 | 31.2  | F | 48 |
| Lung Cancer Death Rate (per 100,000)   | 3.5          | 28.5         | 102.2        | 196.6        | 210.3        | 156.9      | 28.3  | 19.2  |          |                               |                                  | 26.9 | 26.1  | S | 23 |
| Breast Cancer Death Rate (per 100,000) | 9.8          | 40.9         | 66.6         | 88.9         | 125.9        | 195.6      | 18.1  | 26.5  |          |                               |                                  | 20.2 | 20.0  | S | 30 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 24.2  | F | 28 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.1   | F | 24 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 7.8   | S | 37 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 9.0   | F | 45 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 5.5   | 20.3  |          |                               |                                  | 7.7  | 10.7  | F | 44 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 4.0   | _ | 42 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   | _  |
| Violence Experienced Over Lifetime (%) | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   | 1  |
|  |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   | _  |

| V. Living in a Healthy Community             | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
| Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
| Life Expectancy (years)                      | 78.94 | 73.34 |          |                  | 73.65               |         | 78.81 | 77.46 | U | 47 |
| Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.4   | - | 19 |
| Infant Mortality Rate (per 1,000)            | 6.4   | 15.2  | 9.3      | 9.5              |                     |         | 7.6   | 9.5   | F | 46 |
|  |       |       |          |                  |                     |         |       |       |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |  |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|--|
| Poverty (%)                     | 16.0         | 10.9         | 16.7       | 8.1                         | 27.4                        | 14.5     | 7.1   | 59.2   | 13.3 | 14.7 | F | 35 |  |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 71.0 | F | 27 |  |
| High School Completion (%)      |              |              |            | 85.4                        | 72.1                        | 80.3     | 76.4  |  | 82.8 | 80.7 | U | 38 |  |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fair

Mental Health\* Diabetes-Related Services

Abortion Access\* Violence Against Women\*

#### Strength of Policy **Women's Access to Health Care Services**

| Eligibility and Outreach for Publicly Funded Health Insurance |   |
|---|---|
| Medicaid Eligibility by Income*                               |   |
| Methods to Expand Medicaid Coverage and Outreach*             |   |
| Other State Insurance for Adults                              |   |
| Health Support Services                                       |   |
| Safety Net Services*  |   |
| Family and Medical Support*                                   |   |
| Patients' Protections in Managed Care*                        |   |
| Linguistic Access   |   |
| Access to Specific Services                                   | · |
| Pharmaceutical*   |   |
| Long-Term Care*   |   |

#### II. Addressing Wellness and Prevention

Health Services Related to Mastectomy\*

Maternity Stays/Infertility Treatment\*

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

|                    | • |  |
|--------------------|---|--|
| Economic Security* |   |  |
| Discrimination*    |   |  |
| Gun Control*       |   |  |
| Environment*       |   |  |

## **Demographics**

|                           | Georgia   | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 3,898,519 | 136,772,861 |
| Sex Ratio (women to men)  | 1.09      | 1.08        |

| Percent | and Number of | )t |
|---------|---------------|----|
| Women   | bv Race       |    |

| Vomen by Race                                    | Number (Percent)  | Number (Percent)   |
|--|-------------------|--------------------|
| White (non-Hispanic)                             | 2,350,807 (60.3%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                             | 1,403,467 (36.0%) | 17,917,245 (13.1%) |
| American Indian/Alaskan Native<br>(non-Hispanic) | 15,594 (0.4%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)            | 50,681 (1.3%)     | 5,197,369 (3.8%)   |
| Hispanic   | 77,970 (2.0%)     | 14,771,469 (10.8%) |

#### Percent and Number of

| Wolliell by Age                                   |                   |                     |  |  |
|---|-------------------|---------------------|--|--|
| 0-14  | 857,674 (22.0%)   | 29,132,619 (21.3%)  |  |  |
| 15-25   | 643,256 (16.5%)   | 19,968,838 (14.6%)  |  |  |
| 26-44   | 1,161,759 (29.8%) | 40,484,767 (29.6%)  |  |  |
| 45-64   | 787,501 (20.2%)   | 28,585,528 (20.9%)  |  |  |
| 65-84   | 393,750 (10.1%)   | 16,549,516 (12.1%)  |  |  |
| 85 and over                                       | 50,681 (1.3%)     | 1,914,820 (1.4%)    |  |  |
| Median Age of Women                               | 33 years          | 35 years            |  |  |
| Households Headed by<br>Single Women              | 406,673 (14.4%)   | 12,717,810 (12.5%)  |  |  |
| Median Earnings for Women                         | \$22,000          | \$24,000            |  |  |
| Women Prisoners<br>(State Jurisdictions)          | 2,239 (0.1%)      | 66,879 (0.05%)      |  |  |
| Disabled Women Receiving Social Security Benefits | 155,645 (4.0%)    | 5,475,270 (4.0%)    |  |  |
| Women Residing in Urban Areas                     | 2,616,836 (67.1%) | 109,729,378 (80.2%) |  |  |

## Women Living in Linguistic Isolation by Age Group

| 5-17  | 4,188 (0.7%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 15,235 (0.7%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 1,604 (0.4%)    | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 579,506 (22.0%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 557,618 (21.2%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (15.2%)         | (7.0%)             |

\*Composite

| Women's Access to Health Care Services         | White<br>(Total)   | White (Non-<br>Hispanic)  | Black<br>(Total)  | Hispanic  | U.S.<br>Data  | State<br>Overall<br>Data   | State<br>Grade  | State<br>Rank   |
|--|--|---|---|---|---|--|---|---|
| Women Without Health Insurance (%)             |  |   |   |   | 14.0  | 7.5  | U   | 1   |
| People in Medically Underserved Areas (%)      |  |   |   |   | 9.6   | 2.9  | _   | 2   |
| First Trimester Prenatal Care (%)              | 89.3   | 89.6  | 86.4  | 83.6  | 81.9  | 84.2   | U   | 16  |
| Women in County Without Abortion Provider (%)* |  |   |   |   | 32  | 0  | S   | 1   |
| Addusesing Wallaces and Durantica              |  |   |   |   |   |  |   |   |
|  | Women Without Health Insurance (%) People in Medically Underserved Areas (%) First Trimester Prenatal Care (%) | Women's Access to Health Care Services  Women Without Health Insurance (%) People in Medically Underserved Areas (%)  First Trimester Prenatal Care (%)  Women in County Without Abortion Provider (%)* | Women's Access to Health Care Services  Women Without Health Insurance (%) People in Medically Underserved Areas (%) First Trimester Prenatal Care (%) Women in County Without Abortion Provider (%)* | Women's Access to Health Care Services (Total) Hispanic (Total)  Women Without Health Insurance (%) People in Medically Underserved Areas (%)  First Trimester Prenatal Care (%) Women in County Without Abortion Provider (%)* | Women's Access to Health Care Services  Women Without Health Insurance (%) People in Medically Underserved Areas (%) First Trimester Prenatal Care (%) Women in County Without Abortion Provider (%)* | Women's Access to Health Care Services  Women Without Health Insurance (%) People in Medically Underserved Areas (%) First Trimester Prenatal Care (%) Women in County Without Abortion Provider (%)*  Hispanic (Total) Hispanic Data  14.0 9.6 89.3 89.6 86.4 83.6 81.9 | Women's Access to Health Care ServicesWhite (Non- (Total))White (Non- Hispanic)Black (Total)HispanicU.S. DataOverall DataWomen Without Health Insurance (%)14.07.5People in Medically Underserved Areas (%)9.62.9First Trimester Prenatal Care (%)89.389.686.483.681.984.2Women in County Without Abortion Provider (%)*320 | Women's Access to Health Care ServicesWhite (Non- (Total))White (Non- Hispanic)Black (Total)HispanicU.S. DataOverall DataState GradeWomen Without Health Insurance (%)14.07.5UPeople in Medically Underserved Areas (%)9.62.9-First Trimester Prenatal Care (%)89.389.686.483.681.984.2UWomen in County Without Abortion Provider (%)*320\$ |

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 86.3 | S | 9  |
| Mammograms (%)                              | 75.2 | 77.1 | S | 19 |
| Colorectal Cancer Screening (%)             | 37.7 | 45.7 | S | 5  |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 22.5 | F | 8  |
| Overweight (%)                              | 31.4 | 24.0 | F | 3  |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 33.3 | F | 7  |
| Smoking (%)                                 | 20.8 | 16.7 | F | 4  |
| Binge Drinking (%)                          | 6.7  | 6.8  | F | 26 |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000) | 10.7         | 48.5         | 168.1        | 370.9        | 1171.1       | 4721.2     | 67.3  |       | 61.8     | 78.2                          |                                  | 98.0 | 74.7 | S | 9  |
| Stroke Death Rate (per 100,000)        | 4.3          | 20.5         | 44.4         | 109.6        | 341.9        | 1497.8     | 16.0  |       |          | 25.9                          |                                  | 24.5 | 22.9 | F | 18 |
| Lung Cancer Death Rate (per 100,000)   |              | 19.2         | 54.5         | 135.1        | 190.4        | 183.2      | 21.6  |       |          | 16.4                          |                                  | 26.9 | 17.6 | S | 2  |
| Breast Cancer Death Rate (per 100,000) | 6.4          | 30.7         | 52.4         | 64.1         | 77.7         | 109.9      | 15.9  |       |          | 14.1                          |                                  | 20.2 | 14.3 | S | 1  |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 23.3 | F | 21 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.7  | F | 31 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 3.5  | S | 28 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 3.2  | S | 7  |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            |       |       |          |                               |                                  | 7.7  | 4.6  | F | 13 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 2.6  |   | 4  |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 81.09 |       |          |                  | 81.48               |         | 78.81 | 81.26 | U | 1  |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.0   |   | 12 |
|     | Infant Mortality Rate (per 1,000)            | 5.1   |       |          | 5.7              |                     |         | 7.6   | 5.6   | S | 4  |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 16.8         | 7.8          | 12.0       | 16.8                        | 10.3                        | 25.3     | 11.6  | 35.8   | 13.3 | 13.5 | F | 30 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 74.8 | F | 10 |
| High School Completion (%)      |              |              |            | 90.6                        |                             | 72.3     | 83.0  |  | 82.8 | 85.1 | U | 26 |


<sup>\*</sup>This indicator is graded against a state-specific benchmark.

U Unsatisfactory **Grading Key for Status Indicators S** Satisfactory

Abortion Access\*

Violence Against Women\*

## I. Women's Access to Health Care Services Strength of Policy



#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |
|                    |  |

#### **Demographics**

|                           | Hawaii  | U.S.        |
|---------------------------|---------|-------------|
| Total Population of Women | 600,015 | 136,772,861 |
| Sex Ratio (women to men)  | 1.05    | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 147,604 (24.6%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 14,400 (2.4%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 3,000 (0.5%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 419,410 (69.9%)  | 5,197,369 (3.8%)   |
| Hispanic                                      | 16,200 (2.7%)    | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 120,603 (20.1%) 29,132,619 (21.3%) 15-25 94,202 (15.7%) 19,968,838 (14.6%) 26-44 174,604 (29.1%) 40,484,767 (29.6%) 45-64 123,603 (20.6%) 28,585,528 (20.9%) 65-84 84,602 (14.1%) 16,549,516 (12.1%) 85 and over 3,000 (0.5%) 1,914,820 (1.4%) Median Age of Women 34 years 35 years Households Headed by 45,568 (11.4%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$25,001 \$24,000 Women Prisoners (State Jurisdictions) 385 (0.06%) 66,879 (0.05%) Disabled Women Receiving Social

14,124 (2.4%)

452,197 (75.4%)

5,475,270 (4.0%)

109,729,378 (80.2%)

#### Women Living in Linguistic Isolation by Age Group

Women Residing in Urban Areas

Security Benefits

| 5-17  | 4,856 (5.1%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 15,570 (4.6%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 8,966 (13.7%)   | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 118,294 (28.0%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 95,954 (22.7%)  | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (4.5%)          | (7.0%)             |

\*Composite



| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 16.8                     | F              | 34            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 19.7                     |                | 47            |
| First Trimester Prenatal Care (%)              | 79.2             | 81.7                     | 75.7             | 60.0     | 81.9         | 78.9                     | F              | 43            |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 67                       | F              | 39            |

#### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 82.5 | U | 41 |
| Mammograms (%)                              | 75.2 | 70.9 | S | 43 |
| Colorectal Cancer Screening (%)             | 37.7 | 36.2 | U | 33 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 21.4 | F | 5  |
| Overweight (%)                              | 31.4 | 28.4 | F | 15 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 29.1 | F | 23 |
| Smoking (%)                                 | 20.8 | 18.7 | F | 8  |
| Binge Drinking (%)                          | 6.7  | 8.2  | F | 39 |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000) | 5.8          | 32.4         | 131.6        | 454.9        | 1351.8       | 4975.0     | 76.2  |       | 41.7     |                               |                                  | 98.0 | 75.8 | S | 10 |
| Stroke Death Rate (per 100,000)        | 4.0          | 10.8         | 30.7         | 122.6        | 501.6        | 1942.9     | 25.2  |       |          |                               |                                  | 24.5 | 25.1 | F | 31 |
| Lung Cancer Death Rate (per 100,000)   |              | 16.0         | 81.1         | 174.8        | 219.0        | 137.4      | 21.3  |       |          |                               |                                  | 26.9 | 21.2 | S | 6  |
| Breast Cancer Death Rate (per 100,000) | 7.8          | 32.9         | 57.3         | 97.4         | 117.4        | 186.4      | 17.6  |       |          |                               |                                  | 20.2 | 17.8 | S | 7  |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 23.7 | F | 26 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 3.9  | F | 11 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 1.2  | S | 7  |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 4.0  | S | 13 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 6.7   |       |          |                               |                                  | 7.7  | 6.1  | F | 22 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.4  | _ | 18 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      | · |    |
| Violence Experienced Over Lifetime (%) | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

#### Other than White Non-Hispanic IV. Living in a Healthy Community White Hispanic Overall Health 79.93 78.81 79.93 Life Expectancy (years) Days Activities Were Limited in Past 30 Days 3.6 2.8 Infant Mortality Rate (per 1,000) 5.7 7.6 6.2

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 15.1         | 8.6          | 12.5       | 11.3                        |                             | 35.3     |   | 21.7   | 13.3 | 12.8 | F | 29 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 70.3 | F | 30 |
| High School Completion (%)      |              |              |            | 87.7                        |                             | 47.3     | 79.4  | 88.9   | 82.8 | 85.4 | U | 25 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

**Grading Key for Status Indicators** 

**S** Satisfactory

U Unsatisfactory



Linguistic Access

Abortion Access\*
Violence Against Women\*

## . Women's Access to Health Care Services Strength of Policy



# Health Support Services Safety Net Services\* Family and Medical Support\* Patients' Protections in Managed Care\*

| ccess to Specific Services             |  |
|--|--|
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |

#### II. Addressing Wellness and Prevention

Maternity Stays/Infertility Treatment\*

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |  |
|--------------------|--|--|
| Discrimination*    |  |  |
| Gun Control*       |  |  |
| Environment*       |  |  |

## **Demographics**

|                           | Idaho   | U.S.        |
|---------------------------|---------|-------------|
| Total Population of Women | 616,421 | 136,772,861 |
| Sex Ratio (women to men)  | 1.02    | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 550,464 (89.3%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 616 (0.1%)       | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 9,246 (1.5%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 6,164 (1.0%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 49,930 (8.1%)    | 14,771,469 (10.8%) |

Percent and Number of Women by Age

| rremen by rige                                       |                 |                     |
|--|-----------------|---------------------|
| 0-14   | 151,023 (24.5%) | 29,132,619 (21.3%)  |
| 15-25  | 94,312 (15.3%)  | 19,968,838 (14.6%)  |
| 26-44  | 173,831 (28.2%) | 40,484,767 (29.6%)  |
| 45-64  | 122,051 (19.8%) | 28,585,528 (20.9%)  |
| 65-84  | 65,957 (10.7%)  | 16,549,516 (12.1%)  |
| 85 and over  | 9,246 (1.5%)    | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 34 years        | 35 years            |
| Households Headed by<br>Single Women                 | 35,616 (7.9%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$21,300        | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 271 (0.04%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 21,655 (3.5%)   | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 223,681 (36.3%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 1,288 (1.2%)    | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 2,780 (1.0%)    | 2,349,620 (3.0%)   |
| 65 and over                              | 488 (0.7%)      | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 124,154 (31.1%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 68,169 (17.1%)  | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (4.0%)          | (7.0%)             |

\*Composite

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 12.5                     | F              | 20            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 8.2                      | -              | 18            |
| First Trimester Prenatal Care (%)              | 84.7             | 88.6                     | 68.8             | 71.4     | 81.9         | 81.5                     | U              | 34            |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 30                       | F              | 20            |
|  |                  |                          |                  |          |              |                          |                |               |
| Addressing Wellness and Prevention  Screening  |                  |                          |                  |          |              |                          |                |               |
|  |                  |                          |                  |          | 84.9         | 84.5                     | U              | 29            |
| Screening                                      |                  |                          |                  |          | 84.9<br>75.2 | 84.5<br>71.4             | U<br>S         | 29<br>40      |

| Mariinograms (%)                            | 73.2 | 71.4 | 3 | 40 |
|---|------|------|---|----|
| Colorectal Cancer Screening (%)             | 37.7 | 36.8 | U | 30 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 28.9 | F | 25 |
| Overweight (%)                              | 31.4 | 33.1 | F | 35 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 27.6 | F | 27 |
| Smoking (%)                                 | 20.8 | 20.6 | F | 23 |
| Binge Drinking (%)                          | 6.7  | 8.3  | F | 40 |
|   |      |      |   |    |

| 99 (1)                                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|----|
| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |    |
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Heart Disease Death Rate (per 100,000)   | 12.5         | 60.9         | 202.6        | 584.9        | 1749.3       | 6263.4     | 94.7  | 172.6 | 44.6     | 43.8                          | 47.0                             | 98.0 | 103.9 | U | 33 |
| Stroke Death Rate (per 100,000)          | 4.0          | 14.9         | 39.0         | 125.4        | 464.1        | 1637.7     | 23.1  | 37.6  | 12.4     | 16.8                          |                                  | 24.5 | 25.0  | F | 30 |
| Lung Cancer Death Rate (per 100,000)     | 3.4          | 30.2         | 104.4        | 206.3        | 249.2        | 177.3      | 27.2  | 34.8  | 5.7      | 7.5                           |                                  | 26.9 | 27.7  | U | 29 |
| Breast Cancer Death Rate (per 100,000)   | 9.4          | 43.3         | 72.1         | 110.7        | 151.2        | 209.8      | 21.1  | 30.5  | 10.4     | 7.7                           |                                  | 20.2 | 22.1  | U | 46 |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 25.6  | F | 39 |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.9   | F | 35 |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 6.0   | S | 34 |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |    |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |    |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 7.7   | F | 43 |
| Unintended Pregnancies (%) (National Or  | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |    |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 4.3   | 21.3  |          |                               |                                  | 7.7  | 7.5   | F | 34 |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.5   | - | 23 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 79.33 | 72.39 |          |                  | 73.79               |         | 78.81 | 78.31 | U | 36 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 2.7   | - | 2  |
|     | Infant Mortality Rate (per 1,000)            | 7.0   | 18.3  | 7.4      | 9.8              |                     |         | 7.6   | 9.4   | F | 45 |
|     |  |       |       |          |                  |                     |         |       |       |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 12.3         | 9.9          | 12.4       | 7.9                         | 25.6                        | 26.0     | 4.8   | 15.6   | 13.3 | 11.7 | F | 23 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 70.8 | F | 28 |
| High School Completion (%)      |              |              |            | 88.6                        | 80.0                        | 54.4     | 87.0  | 89.1   | 82.8 | 84.9 | U | 28 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

40 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fair

# I. Women's Access to Health Care Services Strength of Policy Eligibility and Outreach for Publicly Funded Health Insurance

| Eligibility and Oddieach for rubility runded fleath illistratice |  |
|--|--|
| Medicaid Eligibility by Income*                                  |  |
| Methods to Expand Medicaid Coverage and Outreach*                |  |
| Other State Insurance for Adults                                 |  |
| Health Support Services  |  |
| Safety Net Services*   |  |

| Linguisti | c Access |          |
|-----------|----------|----------|
| Accord to | Specific | Consisos |

Family and Medical Support\*
Patients' Protections in Managed Care\*

| ccess to Specific Services             |  |
|--|--|
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |

#### II. Addressing Wellness and Prevention

| creening   |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| revention  |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

|                    | <br> |  |
|--------------------|------|--|
| Economic Security* |      |  |
| Discrimination*    |      |  |
| Gun Control*       |      |  |
| Environment*       |      |  |

## **Demographics**

|                           | Illinios  | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 6,252,328 | 136,772,861 |
| Sex Ratio (women to men)  | 1.10      | 1.08        |

| Percent | and Number of |  |
|---------|---------------|--|
| Women   | hy Race       |  |

| Nomen by Race                                 | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 4,501,676 (72.0%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 1,031,634 (16.5%) | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 12,505 (0.2%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 181,318 (2.9%)    | 5,197,369 (3.8%)   |
| Hispanic                                      | 525,196 (8.4%)    | 14,771,469 (10.8%) |

#### Percent and Number of

| vvomen by Age  |                   |                     |  |  |  |
|--|-------------------|---------------------|--|--|--|
| 0-14   | 1,475,549 (23.6%) | 29,132,619 (21.3%)  |  |  |  |
| 15-25  | 887,831 (14.2%)   | 19,968,838 (14.6%)  |  |  |  |
| 26-44  | 1,856,941 (29.7%) | 40,484,767 (29.6%)  |  |  |  |
| 45-64  | 1,250,466 (20.0%) | 28,585,528 (20.9%)  |  |  |  |
| 65-84  | 687,756 (11.0%)   | 16,549,516 (12.1%)  |  |  |  |
| 85 and over  | 93,785 (1.5%)     | 1,914,820 (1.4%)    |  |  |  |
| Median Age of Women                                  | 34 years          | 35 years            |  |  |  |
| Households Headed by<br>Single Women                 | 596,701 (13.5%)   | 12,717,810 (12.5%)  |  |  |  |
| Median Earnings for Women                            | \$25,000          | \$24,000            |  |  |  |
| Women Prisoners<br>(State Jurisdictions)             | 2,249 (0.04%)     | 66,879 (0.05%)      |  |  |  |
| Disabled Women Receiving Social<br>Security Benefits | 212,978 (3.40%)   | 5,475,270 (4.0%)    |  |  |  |
| Women Residing in Urban Areas                        | 5,239,168 (83.8%) | 109,729,378 (80.2%) |  |  |  |

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 38,310 (3.7%)     | 852,018 (3.9%)     |
|---|-------------------|--------------------|
| 18-64                                       | 107,799 (3.0%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 28,665 (3.3%)     | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 1,108,240 (26.5%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 956,101 (22.9%)   | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (3.0%)            | (7.0%)             |

\*Composite



## Status Indicators

| Women's Access to Healtl  | h Ca         | re S         | ervic        | es           |              |            |       | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total)              | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | Stat<br>Ran |
|---|--------------|--------------|--------------|--------------|--------------|------------|-------|------------------|--------------------------|-------------------------------|----------------------------------|--------------|--------------------------|----------------|-------------|
| Women Without Health Insurance (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 14.0         | 15.4                     | F              | 30          |
| People in Medically Underserved Areas (%  | 6)           |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 9.5                      | -              | 22          |
| First Trimester Prenatal Care (%)   |              |              |              |              |              |            |       | 82.2             | 82.8                     | 64.7                          | 66.8                             | 81.9         | 80.4                     | F              | 39          |
| Women in County Without Abortion Provi  | ider (%)     | *            |              |              |              |            |       |                  |                          |                               |                                  | 32           | 61                       | F              | 44          |
| Addressing Wellness and   | Prev         | entic        | on           |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Screening   |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Pap Smears (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 84.9         | 80.9                     | U              | 48          |
| Mammograms (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 75.2         | 71.5                     | S              | 39          |
| Colorectal Cancer Screening (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 37.7         | 32.3                     | F              | 4           |
| Prevention  |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| No Leisure-Time Physical Activity (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 29.9         | 30.8                     | F              | 28          |
| Overweight (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 31.4         | 32.5                     | F              | 3:          |
| Eating Five Fruits and Vegetables a Day (   | %)           |              |              |              |              |            |       |                  |                          |                               |                                  | 27.8         | 26.3                     | F              | 3           |
| Smoking (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20.8         | 22.7                     | F              | 38          |
| Binge Drinking (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 6.7          | 6.4                      | U              | 2           |
| Key Conditions  | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black            | Hispanic                 | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |              |                          |                |             |
| Key Causes of Death For Women   |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Heart Disease Death Rate (per 100,000)  | 13.2         | 59.5         | 200.8        | 599.0        | 1762.3       | 6157.9     | 101.1 | 154.6            | 44.2                     | 36.1                          |                                  | 98.0         | 104.4                    | U              | 34          |
| Stroke Death Rate (per 100,000)   | 4.1          | 15.5         | 38.8         | 142.5        | 515.7        | 1921.2     | 26.7  | 39.6             | 15.0                     |                               |                                  | 24.5         | 27.6                     | F              | 40          |
| Lung Cancer Death Rate (per 100,000)  | 2.8          | 29.3         | 112.5        | 243.7        | 260.3        | 182.6      | 30.0  | 33.8             |                          |                               |                                  | 26.9         | 30.1                     | F              | 4:          |
| Breast Cancer Death Rate (per 100,000)  | 7.2          | 39.2         | 71.2         | 104.1        | 147.3        | 211.3      | 20.1  | 27.8             |                          |                               |                                  | 20.2         | 20.5                     | S              | 3!          |
| Chronic Conditions  |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| High Blood Pressure (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 23.6         | 26.4                     | F              | 40          |
| Diabetes (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.3          | 5.8                      | F              | 34          |
|   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 2.5                      | S              | 22          |
| AIDS Rate (per 100,000)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 22.7         |                          |                |             |
| AIDS Rate (per 100,000)  Arthritis (%) (National Only)                              |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
|   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20           |                          |                |             |
| Arthritis (%) (National Only)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20           |                          |                |             |
| Arthritis (%) (National Only) Osteoporosis (%) (National Only)                      |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.4          | 5.9                      | E              | 30          |
| Arthritis (%) (National Only) Osteoporosis (%) (National Only)  Reproductive Health | ly)          |              |              |              |              |            |       |                  |                          |                               |                                  |              | 5.9                      | F              | 30          |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 79.03 | 73.56 |          |                  | 74.35               |         | 78.81 | 78.62 | U | 29 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 2.9   | - | 7  |
|     | Infant Mortality Rate (per 1,000)            | 7.4   | 16.1  | 8.8      | 8.3              |                     |         | 7.6   | 8.4   | F | 38 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 10.1         | 6.5          | 10.0       | 8.8                         | 13.2                        | 12.2     |   | 6.9  | 13.3 | 9.1  | U | 8  |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 66.5 | F | 43 |
| High School Completion (%)      |              |              |            | 82.4                        | 79.9                        | 60.5     |   | 73.0   | 82.8 | 81.9 | U | 34 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

**Grading Key for Status Indicators** 

Days Mental Health Was "Not Good" in Past 30 Days

Violence Experienced Over Lifetime (%) (National Only)

Violence Against Women

**S** Satisfactory

U Unsatisfactory

55.0

Abortion Access\* Violence Against Women\*

#### Strength of Policy **Women's Access to Health Care Services**

| Women's Access to Health Care Services   | or roncy |  |  |  |
|--|----------|--|--|--|
| Medicaid Eligibility by Income*  Medicaid Eligibility by Income*  Methods to Expand Medicaid Coverage and Outreach*  Other State Insurance for Adults  Health Support Services  Safety Net Services*  Family and Medical Support*  Patients' Protections in Managed Care*  Linguistic Access  Access to Specific Services  Pharmaceutical*  Long-Term Care*  Mental Health*  Diabetes-Related Services  Health Services Related to Mastectomy*  Family Planning* |          |  |  |  |
| Medicaid Eligibility by Income*  |          |  |  |  |
| Methods to Expand Medicaid Coverage and Outreach*  |          |  |  |  |
| Other State Insurance for Adults   |          |  |  |  |
| Health Support Services  |          |  |  |  |
| Safety Net Services*   |          |  |  |  |
| Family and Medical Support*  |          |  |  |  |
| Patients' Protections in Managed Care*   |          |  |  |  |
| Linguistic Access  |          |  |  |  |
| Access to Specific Services  |          |  |  |  |
| Pharmaceutical*  |          |  |  |  |
| Long-Term Care*  |          |  |  |  |
| Mental Health*   |          |  |  |  |
| Diabetes-Related Services  |          |  |  |  |
| Health Services Related to Mastectomy*   |          |  |  |  |
| Family Planning*   |          |  |  |  |
| Maternity Stays/Infertility Treatment*   |          |  |  |  |
|  |          |  |  |  |

#### II. Addressing Wellness and Prevention

| creening   |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

## **Demographics**

|                           | Indiana   | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,953,108 | 136,772,861 |
| Sex Ratio (women to men)  | 1.12      | 1.08        |

| Vercent and Number of<br>Vomen by Race | Number (Percent)  | Number (Percent)   |
|--|-------------------|--------------------|
| White (non-Hispanic)                   | 2,651,891 (89.8%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                   | 209,671 (7.1%)    | 17,917,245 (13.1%) |

| White (non-Hispanic)                          | 2,651,891 (89.8%) | 97,929,368 (71.6%) |
|---|-------------------|--------------------|
| Black (non-Hispanic)                          | 209,671 (7.1%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 11,812 (0.4%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 11,812 (0.4%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 64,968 (2.2%)     | 14,771,469 (10.8%) |

#### Percent and Number of

| Women by rige                                     |                   |                     |
|---|-------------------|---------------------|
| 0-14  | 575,856 (19.5%)   | 29,132,619 (21.3%)  |
| 15-25   | 478,403 (16.2%)   | 19,968,838 (14.6%)  |
| 26-44   | 847,542 (28.7%)   | 40,484,767 (29.6%)  |
| 45-64   | 614,246 (20.8%)   | 28,585,528 (20.9%)  |
| 65-84   | 380,951 (12.9%)   | 16,549,516 (12.1%)  |
| 85 and over                                       | 56,109 (1.9%)     | 1,914,820 (1.4%)    |
| Median Age of Women                               | 35 years          | 35 years            |
| Households Headed by<br>Single Women              | 215,941 (9.4%)    | 12,717,810 (12.5%)  |
| Median Earnings for Women                         | \$21,300          | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)          | 1,008 (0.03%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social Security Benefits | 116,793 (4.0%)    | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                     | 2,118,656 (71.7%) | 109,729,378 (80.2%) |

## Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 3,897 (0.8%)    | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 9,846 (0.6%)    | 2,349,620 (3.0%)   |
| 65 and over                              | 4,160 (1.0%)    | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 474,059 (23.0%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 356,973 (17.3%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (2.7%)          | (7.0%)             |

\*Composite

| I.  | Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|-----|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
|     | Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 10.4                     | F              | 10            |
|     | People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 8.8                      | -              | 20            |
|     | First Trimester Prenatal Care (%)              | 87.7             | 88.5                     | 75.0             | 69.1     | 81.9         | 87.1                     | U              | 7             |
|     | Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 69                       | F              | 27            |
| II. | Addressing Wellness and Prevention             |                  |                          |                  |          |              |                          |                |               |
|     | Screening                                      |                  |                          |                  |          |              |                          |                |               |
|     | Pan Smears (%)                                 |                  |                          |                  |          | 9/10         | 9/15                     | - 11           | 30            |

| Pap Smears (%)                              | 84.9 | 84.5 | U | 30 |
|---|------|------|---|----|
| Mammograms (%)                              | 75.2 | 71.4 | S | 41 |
| Colorectal Cancer Screening (%)             | 37.7 | 37.4 | U | 27 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 26.9 | F | 17 |
| Overweight (%)                              | 31.4 | 33.3 | F | 37 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 21.7 | F | 45 |
| Smoking (%)                                 | 20.8 | 21.1 | F | 28 |
| Binge Drinking (%)                          | 6.7  | 9.7  | F | 47 |

| binge Drinking (%)                       |              |              |              |              |              |            |       |       |          |                               |                                  | 0.7  | 9.7  |   |   |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|---|
| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |   |
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| Heart Disease Death Rate (per 100,000)   | 8.9          | 43.1         | 149.5        | 486.5        | 1524.6       | 5661.8     | 85.5  | 147.0 | 51.3     |                               |                                  | 98.0 | 86.0 | S |   |
| Stroke Death Rate (per 100,000)          | 3.0          | 11.8         | 34.0         | 101.5        | 442.0        | 1771.2     | 22.5  | 35.4  |          |                               |                                  | 24.5 | 22.7 | F | 1 |
| Lung Cancer Death Rate (per 100,000)     | 3.4          | 27.5         | 91.5         | 182.1        | 214.4        | 139.0      | 24.6  |       |          |                               |                                  | 26.9 | 24.4 | S |   |
| Breast Cancer Death Rate (per 100,000)   | 7.8          | 36.0         | 59.8         | 95.9         | 126.3        | 207.0      | 18.6  |       |          |                               |                                  | 20.2 | 18.6 | S | i |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 24.3 | F | 1 |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.3  | F |   |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 1.1  | S |   |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |   |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   | ı |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 4.1  | S |   |
| Unintended Pregnancies (%) (National Or  | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |   |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 5.6   |       |          |                               |                                  | 7.7  | 5.1  | F | 1 |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.6  | _ | 1 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |   |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 80.62 |       |          |                  |                     |         | 78.81 | 80.54 | U | 5  |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 2.8   | - | 4  |
|     | Infant Mortality Rate (per 1,000)            | 7.8   |       |          | 8.1              |                     |         | 7.6   | 8.3   | F | 35 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 12.2         | 7.2          | 11.0       | 9.7                         | 34.3                        | 23.2     | 28.7  | 18.7   | 13.3 | 10.6 | F | 14 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 68.3 | F | 37 |
| High School Completion (%)      |              |              |            | 89.5                        | 80.4                        | 34.3     | 69.2  |  | 82.8 | 88.4 | U | 8  |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

44 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fair

## I. Women's Access to Health Care Services Strength of Policy

| Eligibility and Outreach for Publicly Funded Health Insurance |  |
|---|--|
| Medicaid Eligibility by Income*                               |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |
| Other State Insurance for Adults                              |  |
| Health Support Services                                       |  |
| Safety Net Services*  |  |

| Linguistic Access           |  |
|-----------------------------|--|
| Access to Specific Services |  |

Family and Medical Support\*
Patients' Protections in Managed Care\*

| ccess to specific services             |  |
|--|--|
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |
|  |  |

#### II. Addressing Wellness and Prevention

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

|                    | <br> |  |
|--------------------|------|--|
| Economic Security* |      |  |
| Discrimination*    |      |  |
| Gun Control*       |      |  |
| Environment*       |      |  |

## **Demographics**

|                           | lowa      | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 1,464,611 | 136,772,861 |
| Sex Ratio (women to men)  | 1.07      | 1.08        |

| Percent | and Number of |  |
|---------|---------------|--|
| Waman   | hy Pace       |  |

| Vomen by Race                                    | Number (Percent)  | Number (Percent)   |  |  |
|--|-------------------|--------------------|--|--|
| White (non-Hispanic)                             | 1,362,088 (93.0%) | 97,929,368 (71.6%) |  |  |
| Black (non-Hispanic)                             | 33,686 (2.3%)     | 17,917,245 (13.1%) |  |  |
| American Indian/Alaskan Native<br>(non-Hispanic) | 13,181 (0.9%)     | 1,094,183 (0.8%)   |  |  |
| Asian/Pacific Islander (non-Hispanic)            | 24,898 (1.7%)     | 5,197,369 (3.8%)   |  |  |
| Hispanic   | 32,221 (2.2%)     | 14,771,469 (10.8%) |  |  |

#### Percent and Number of Women by Age

| 0-14  | 320,750 (21.9%) | 29,132,619 (21.3%)  |
|---|-----------------|---------------------|
| 15-25   | 207,975 (14.2%) | 19,968,838 (14.6%)  |
| 26-44   | 436,454 (29.8%) | 40,484,767 (29.6%)  |
| 45-64   | 295,851 (20.2%) | 28,585,528 (20.9%)  |
| 65-84   | 181,612 (12.4%) | 16,549,516 (12.1%)  |
| 85 and over                                       | 23,434 (1.6%)   | 1,914,820 (1.4%)    |
| Median Age of Women                               | 35 years        | 35 years            |
| Households Headed by<br>Single Women              | 106,533 (9.4%)  | 12,717,810 (12.5%)  |
| Median Earnings for Women                         | \$21,250        | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)          | 470 (0.03%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social Security Benefits | 41,722 (2.8%)   | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                     | 635,780 (43.4%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 1,444 (0.6%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 3,929 (0.5%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 1,975 (0.8%)    | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 302,098 (29.9%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 190,391 (18.9%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (2.4%)          | (7.0%)             |

\*Composite

| Women's Access to Healt  | h Ca         | re S         | ervic        | es           |              |            |       | White<br>(Total) | White (Non-<br>Hispanic) | - Black<br>(Total)            | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | Sta<br>Ra |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|------------------|--------------------------|-------------------------------|----------------------------------|--------------|--------------------------|----------------|-----------|
| Women Without Health Insurance (%)                                 |              |              |              |              |              |            |       |                  |                          |                               |                                  | 14.0         | 11.5                     | F              | 1         |
| People in Medically Underserved Areas (                            | %)           |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 9.5                      |                | 2         |
| First Trimester Prenatal Care (%)                                  |              |              |              |              |              |            |       | 86.4             | 88.8                     | 76.4                          | 64.7                             | 81.9         | 85.5                     | U              |           |
| Women in County Without Abortion Prov                              | vider (%)    | *            |              |              |              |            |       |                  |                          |                               |                                  | 32           | 48                       | F              | 2         |
| Addressing Wellness and  | Prev         | entic        | on           |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| Screening  |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| Pap Smears (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 84.9         | 85.6                     | S              | 1         |
| Mammograms (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 75.2         | 75.3                     | S              | 2         |
| Colorectal Cancer Screening (%)                                    |              |              |              |              |              |            |       |                  |                          |                               |                                  | 37.7         | 34.5                     | F              | 4         |
| Prevention   |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| No Leisure-Time Physical Activity (%)                              |              |              |              |              |              |            |       |                  |                          |                               |                                  | 29.9         | 37.7                     | F              | 4         |
| Overweight (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 31.4         | 29.6                     | F              | 1         |
| Eating Five Fruits and Vegetables a Day (                          | (%)          |              |              |              |              |            |       |                  |                          |                               |                                  | 27.8         | 26.9                     | F              | 2         |
| Smoking (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20.8         | 19.4                     | F              | 1         |
| Binge Drinking (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 6.7          | 5.9                      | S              | 1         |
| Key Conditions   | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black            | Hispanic                 | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |              |                          |                |           |
| Key Causes of Death For Women                                      |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| Heart Disease Death Rate (per 100,000)                             | 8.4          | 44.4         | 156.3        | 484.3        | 1412.5       | 5755.1     | 82.5  | 131.9            | 45.3                     |                               | 107.1                            | 98.0         | 84.5                     | S              | •         |
| Stroke Death Rate (per 100,000)                                    | 2.2          | 15.2         | 35.2         | 113.4        | 450.8        | 1797.1     | 23.1  | 41.3             | 17.3                     |                               |                                  | 24.5         | 23.8                     | Ē              | 2         |
| Lung Cancer Death Rate (per 100,000)                               | 2.8          | 24.7         | 98.7         | 190.3        | 228.3        | 162.1      | 25.4  | 22.3             |                          |                               |                                  | 26.9         | 25.2                     | S              | •         |
| Breast Cancer Death Rate (per 100,000)                             | 7.4          | 31.4         | 59.1         | 109.7        | 119.9        | 192.9      | 17.9  | 28.2             |                          |                               |                                  | 20.2         | 18.4                     | S              |           |
| Chronic Conditions   |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| High Blood Pressure (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 23.6         | 22.6                     | F              |           |
| Diabetes (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.3          | 3.6                      | F              |           |
| AIDS Rate (per 100,000)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 1.2                      | S              |           |
| Arthritis (%) (National Only)                                      |              |              |              |              |              |            |       |                  |                          |                               |                                  | 22.7         |                          |                |           |
| Osteoporosis (%) (National Only)                                   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20           |                          |                |           |
| Reproductive Health  |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| Chlamydia (%)  |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.4          | 4.3                      | S              | 1         |
| Unintended Pregnancies (%) (National Or                            | nly)         |              |              |              |              |            |       |                  |                          |                               |                                  | 49.2         |                          |                |           |
| Maternal Mortality Ratio (per 100,000)                             |              |              |              |              |              |            | 5.2   | 27.3             |                          |                               |                                  | 7.7          | 6.3                      | F              | 2         |
| Mental Health  |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| Days Mental Health Was "Not Good" in                               | Past 30      | Days         |              |              |              |            |       |                  |                          |                               |                                  | 3.5          | 3.0                      | _              |           |
| Violence Against Women   |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |           |
| Violence Experienced Over Lifetime (%) (                           | Nationa      | l Only)      |              |              |              |            |       |                  |                          |                               |                                  | 55.0         |                          |                |           |
| Living in a Healthy Comn   | nunit        | . <b>V</b>   |              |              | v            | /hite      | Black | Hispanic         | Non-<br>Hispanic         | Other than                    | ı<br>Unknown                     |              |                          |                |           |
| Overall Health   |              |              |              |              |              |            |       | 1 .              | 1                        |                               |                                  |              |                          |                |           |
|  |              |              |              |              |              | 0.05       | 75.04 |                  |                          | 7/0/                          |                                  | 70.01        | 70.00                    | U              |           |
| Life Expectancy (years)  |              |              |              |              | 8            | 0.25       | /5.04 |                  |                          | /6.26                         |                                  | /8.81        | /9.99                    |                |           |
| Life Expectancy (years)  Days Activities Were Limited in Past 30 D | Davs         |              |              |              | 8            | 0.25       | 75.04 |                  |                          | 76.26                         |                                  | 78.81<br>3.6 | 79.99<br>3.3             | _              | 1         |

| *This indicator is g | graded against a | state-specific benchmark. |
|----------------------|------------------|---------------------------|
|----------------------|------------------|---------------------------|

**Economic Security and Education** 

High School Completion (%)

Poverty (%)

Wage Gap (%)

46 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fa

Age 45-64

7.2

14.2

Asian/

Pacific

Islander (Non-

Hispanic)

8.0

96.9

Black (Non-

Hispanic)

31.7

92.5

19.5

64.2

White (Non-

Hispanic)

9.6

89.8

Age 65+

9.9

Am. Indian/

Alaskan

Native (Non-

Hispanic)

42.9

53.6

13.3

72.3

82.8

11.6

72.6

89.5

19

# I. Women's Access to Health Care Services Strength of Policy

| Eligibility and Outreach for Publicly Funded Health Insurance |  |
|---|--|
| Medicaid Eligibility by Income*                               |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |
| Other State Insurance for Adults                              |  |
| Health Support Services                                       |  |
| Safety Net Services*  |  |
| Family and Medical Support*                                   |  |
| Patients' Protections in Managed Care*                        |  |
| Linguistic Access   |  |
| Access to Specific Services                                   |  |
| Pharmaceutical*   |  |
| Long-Term Care*   |  |
| Mental Health*  |  |
| Diabetes-Related Services                                     |  |

#### II. Addressing Wellness and Prevention

Health Services Related to Mastectomy\*

Maternity Stays/Infertility Treatment\*

Family Planning\*

Abortion Access\*

Violence Against Women\*

| Pap Smears   |  |
|--|--|
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| revention  |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

## **Demographics**

Percent and Number of

|                           | Kansas    | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 1,319,818 | 136,772,861 |
| Sex Ratio (women to men)  | 1.06      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,127,125 (85.4%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 110,865 (8.4%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 13,198 (1.0%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 31,676 (2.4%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 36,955 (2.8%)     | 14,771,469 (10.8%) |

Women by Age 0-14 294,319 (22.3%) 29,132,619 (21.3%) 15-25 220,410 (16.7%) 19,968,838 (14.6%) 370,869 (28.1%) 26-44 40,484,767 (29.6%) 45-64 221,729 (16.8%) 28,585,528 (20.9%) 65-84 182,135 (13.8%) 16,549,516 (12.1%) 85 and over 30,356 (2.3%) 1,914,820 (1.4%) Median Age of Women 34 years 35 years Households Headed by

95,575 (9.4%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$22,600 \$24,000 Women Prisoners (State Jurisdictions) 476 (0.04%) 66,879 (0.05%) Disabled Women Receiving Social Security Benefits 45,243 (3.40%) 5,475,270 (4.0%) Women Residing in Urban Areas 711,918 (53.9%) 109,729,378 (80.2%)

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 2,883 (1.3%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 6,543 (0.9%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 2,111 (1.0%)    | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 229,637 (26.2%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 234,063 (26.7%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (1.5%)          | (7.0%)             |

\*Composite

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 16.9                     | F              | 35            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 13.1                     | -              | 37            |
| First Trimester Prenatal Care (%)              | 85.8             | 85.9                     | 74.3             | 75.5     | 81.9         | 84.7                     | U              | 12            |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 75                       | F              | 45            |

#### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 84.3 | U | 32 |
| Mammograms (%)                              | 75.2 | 68.4 | S | 48 |
| Colorectal Cancer Screening (%)             | 37.7 | 32.2 | F | 46 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 45.1 | F | 49 |
| Overweight (%)                              | 31.4 | 34.6 | F | 45 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 18.9 | F | 47 |
| Smoking (%)                                 | 20.8 | 28.5 | F | 51 |
| Binge Drinking (%)                          | 6.7  | 3.7  | S | 8  |

| binge Drinking (%)                       |              |              |              |              |              |            |       |       |          |                               |                                  | 0.7  | 3.7   |   |  |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|--|
| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |  |
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |  |
| Heart Disease Death Rate (per 100,000)   | 14.8         | 71.2         | 234.8        | 650.7        | 1906.6       | 6316.5     | 111.7 | 161.9 | 68.0     |                               |                                  | 98.0 | 114.4 | F |  |
| Stroke Death Rate (per 100,000)          | 3.7          | 13.9         | 39.3         | 141.8        | 524.2        | 1731.9     | 26.1  | 37.1  |          |                               |                                  | 24.5 | 26.7  | F |  |
| Lung Cancer Death Rate (per 100,000)     | 4.1          | 39.5         | 142.6        | 270.9        | 260.5        | 165.7      | 35.0  | 42.7  |          |                               |                                  | 26.9 | 35.3  | F |  |
| Breast Cancer Death Rate (per 100,000)   | 8.6          | 38.7         | 63.1         | 94.9         | 135.5        | 183.6      | 19.0  | 27.4  |          |                               |                                  | 20.2 | 19.5  | S |  |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |  |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 27.7  | F |  |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.7   | F |  |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 2.4   | S |  |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |  |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |  |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |  |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 3.8   | S |  |
| Unintended Pregnancies (%) (National O   | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |  |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 7.0   |       |          |                               |                                  | 7.7  | 6.7   | F |  |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |  |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 5.5   | _ |  |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |  |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   |  |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 78.24 | 74.13 |          |                  | 74.63               |         | 78.81 | 77.97 | U | 42 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 6.7   | - | 51 |
|     | Infant Mortality Rate (per 1,000)            | 7.2   | 10.9  |          | 7.5              |                     |         | 7.6   | 7.5   | U | 27 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 18.6         | 9.9          | 17.1       | 15.1                        | 27.7                        | 24.6     | 12.4  |  | 13.3 | 15.9 | F | 42 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 69.7 | F | 33 |
| High School Completion (%)      |              |              |            | 78.3                        | 77.6                        | 84.1     | 71.2  |  | 82.8 | 78.3 | F | 44 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

48 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fa

## . Women's Access to Health Care Services Strength of Policy

| Eligibility and Outreach for Publicly Funded Health Insurance |  |  |
|---|--|--|
| Medicaid Eligibility by Income*                               |  |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |  |
| Other State Insurance for Adults                              |  |  |

# Health Support Services Safety Net Services\* Easily and Medical Support\*

| Suicty ivet Services                   |  |  |
|--|--|--|
| Family and Medical Support*            |  |  |
| Patients' Protections in Managed Care* |  |  |
| Linguistic Access                      |  |  |

| Linguistic Access                      |  |
|--|--|
| Access to Specific Services            |  |
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |

#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

## III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| <br> |  |
|------|--|
|      |  |
|      |  |
|      |  |
|      |  |
| •    |  |

## **Demographics**

|                           | Kentucky  | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,044,097 | 136,772,861 |
| Sex Ratio (women to men)  | 1.11      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,894,878 (92.7%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 114,469 (5.6%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 0 (0.0%)          | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 12,265 (0.6%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 22,485 (1.1%)     | 14,771,469 (10.8%) |

#### Percent and Number of Women by Age

| 0-14  | 423,128 (20.7%) | 29,132,619 (21.3%)  |  |
|---|-----------------|---------------------|--|
| 15-25   | 308,659 (15.1%) | 19,968,838 (14.6%)  |  |
| 26-44   | 623,450 (30.5%) | 40,484,767 (29.6%)  |  |
| 45-64   | 433,349 (21.2%) | 28,585,528 (20.9%)  |  |
| 65-84   | 228,939 (11.2%) | 16,549,516 (12.1%)  |  |
| 85 and over                                       | 24,529 (1.2%)   | 1,914,820 (1.4%)    |  |
| Median Age of Women                               | 36 years        | 35 years            |  |
| Households Headed by<br>Single Women              | 169,848 (11.2%) | 12,717,810 (12.5%)  |  |
| Median Earnings for Women                         | \$20,500        | \$24,000            |  |
| Women Prisoners<br>(State Jurisdictions)          | 820 (0.04%)     | 66,879 (0.05%)      |  |
| Disabled Women Receiving Social Security Benefits | 143,897 (7.0%)  | 5,475,270 (4.0%)    |  |
| Women Residing in Urban Areas                     | 993,281 (48.6%) | 109,729,378 (80.2%) |  |

#### Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 21,596 (4.7%)   | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 61,579 (3.1%)   | 2,349,620 (3.0%)   |
| 65 and over                              | 22,566 (4.4%)   | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 325,596 (23.0%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 241,407 (17.0%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (3.2%)          | (7.0%)             |

\*Composite

3.5

55.0

Asian/ Am. Indian/

### Status Indicators

| Women's Access to Heal                  | th Ca        | re S         | ervic        | es           |              |            |       | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total)              | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | Stat<br>Ran |
|---|--------------|--------------|--------------|--------------|--------------|------------|-------|------------------|--------------------------|-------------------------------|----------------------------------|--------------|--------------------------|----------------|-------------|
| Women Without Health Insurance (%)      |              |              |              |              |              |            |       |                  |                          |                               |                                  | 14.0         | 27.9                     | F              | 49          |
| People in Medically Underserved Areas   | (%)          |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 24.0                     |                | 51          |
| First Trimester Prenatal Care (%)       |              |              |              |              |              |            |       | 88.7             | 88.9                     | 70.4                          | 81.9                             | 81.9         | 81.1                     | U              | 36          |
| Women in County Without Abortion Pro    | vider (%)    | )*           |              |              |              |            |       |                  |                          |                               |                                  | 32           | 60                       | F              | 41          |
| Addressing Wellness and                 | Prev         | entic        | on           |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Screening                               |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Pap Smears (%)                          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 84.9         | 84.8                     | U              | 27          |
| Mammograms (%)                          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 75.2         | 70.2                     | S              | 45          |
| Colorectal Cancer Screening (%)         |              |              |              |              |              |            |       |                  |                          |                               |                                  | 37.7         | 35.9                     | F              | 34          |
| Prevention                              |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| No Leisure-Time Physical Activity (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 29.9         | 35.3                     | F              | 39          |
| Overweight (%)                          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 31.4         | 35.3                     | F              | 4           |
| Eating Five Fruits and Vegetables a Day | (%)          |              |              |              |              |            |       |                  |                          |                               |                                  | 27.8         | 18.7                     | F              | 4           |
| Smoking (%)                             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20.8         | 23.1                     | F              | 42          |
| Binge Drinking (%)                      |              |              |              |              |              |            |       |                  |                          |                               |                                  | 6.7          | 7.4                      | F              | 32          |
| Key Conditions                          | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black            | Hispanic                 | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |              |                          |                |             |
| Key Causes of Death For Women           |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Heart Disease Death Rate (per 100,000)  | 19.4         | 86.4         | 252.0        | 636.3        | 1864.4       | 6128.4     | 102.6 | 158.5            | 44.9                     | 28.8                          | 61.0                             | 98.0         | 117.2                    | F              | 49          |
| Stroke Death Rate (per 100,000)         | 6.4          | 21.9         | 51.4         | 144.2        | 475.9        | 1615.7     | 23.7  | 40.6             | 8.0                      |                               |                                  | 24.5         | 28.4                     | F              | 42          |
| Lung Cancer Death Rate (per 100,000)    | 3.7          | 30.2         | 106.4        | 219.9        | 271.6        | 203.2      | 29.4  | 28.3             | 10.7                     |                               |                                  | 26.9         | 29                       | U              | 35          |
| Breast Cancer Death Rate (per 100,000)  | 12.2         | 46.9         | 67.5         | 104.1        | 136.3        | 190.8      | 20.1  | 28.2             | 9.3                      |                               |                                  | 20.2         | 22.3                     | U              | 48          |
| Chronic Conditions                      |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| High Blood Pressure (%)                 |              |              |              |              |              |            |       |                  |                          |                               |                                  | 23.6         | 26.9                     | F              | 43          |
| Diabetes (%)                            |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.3          | 6.8                      | F              | 45          |
| AIDS Rate (per 100,000)                 |              |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 12.0                     | S              | 43          |
| Arthritis (%) (National Only)           |              |              |              |              |              |            |       |                  |                          |                               |                                  | 22.7         |                          |                |             |
| Osteoporosis (%) (National Only)        |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20           |                          |                |             |
| Reproductive Health                     |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Chlamydia (%)                           |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.4          | 11.3                     | F              | 50          |
| Unintended Pregnancies (%) (National C  | nly)         |              |              |              |              |            |       |                  |                          |                               |                                  | 49.2         |                          |                |             |
| M . IM . I': D .: / 400.000             |              |              |              |              |              |            |       | 40.0             |                          |                               |                                  | 7 7          | 447                      |                |             |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 78.54 | 73.16 |          |                  | 73.43               |         | 78.81 | 76.93 | U | 50 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.4   | - | 19 |
|     | Infant Mortality Rate (per 1,000)            | 6.4   | 14.9  |          | 9.9              |                     |         | 7.6   | 9.9   | F | 49 |

6.2

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Islander<br>(Non-<br>Hispanic) | Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|--------------------------------|------------------------------|------|------|---|----|
| Poverty (%)                     | 20.5         | 15.1         | 19.6       | 11.4                        | 34.7                        | 16.9     | 31.3                           | 39.8                         | 13.3 | 18.8 | F | 48 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |                                |                              | 72.3 | 64.4 | F | 48 |
| High School Completion (%)      |              |              |            | 80.4                        | 72.4                        | 86.7     | 65.1                           | 53.5                         | 82.8 | 77.9 | F | 47 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

Maternal Mortality Ratio (per 100,000)

Violence Against Women

Days Mental Health Was "Not Good" in Past 30 Days

Violence Experienced Over Lifetime (%) (National Only)

50 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

#### Strength of Policy Women's Access to Health Care Services

| Eligibility and Outreach for Publicly Funded Health Insurance | <b>)</b> |
|---|----------|
| Medicaid Eligibility by Income*                               |          |
| Methods to Expand Medicaid Coverage and Outreach*             |          |
| Other State Insurance for Adults                              |          |
| Health Support Services                                       |          |
| Safety Net Services*  |          |
| Family and Medical Support*                                   |          |
| Patients' Protections in Managed Care*                        |          |
| Linguistic Access   |          |
| Access to Specific Services                                   |          |
| Pharmacoutical*   |          |

| ccess to specific services             |  |
|--|--|
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |
|  |  |

#### **Addressing Wellness and Prevention**

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

### **Demographics**

|                           | Louisiana | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,189,976 | 136,772,861 |
| Sex Ratio (women to men)  | 1.09      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 1,379,685 (63.0%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 722,692 (33.0%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 13,140 (0.6%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 28,470 (1.3%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 45,989 (2.1%)     | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 473,035 (21.6%) 29,132,619 (21.3%) 15-25 343,826 (15.7%) 19,968,838 (14.6%) 26-44 630,713 (28.8%) 40,484,767 (29.6%) 45-64 459,895 (21.0%) 28,585,528 (20.9%) 65-84 258,417 (11.8%) 16,549,516 (12.1%) 85 and over 24,090 (1.1%) 1,914,820 (1.4%) Median Age of Women 34 years 35 years Households Headed by 255,044 (15.8%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$20,000 \$24,000 Women Prisoners (State Jurisdictions) 1,561 (0.07%) 66,879 (0.05%) Disabled Women Receiving Social Security Benefits 116,972 (5.3%) 5,475,270 (4.0%)

### Women Living in Linguistic Isolation by Age Group

Women Residing in Urban Areas

| 5-17  | 3,573 (0.8%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 15,381 (1.2%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 14,502 (5.1%)   | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 322,639 (21.8%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 255,147 (17.2%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (1.2%)          | (7.0%)             |

1,647,716 (75.2%)

109,729,378 (80.2%)

\*Composite

| I. | Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|----|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
|    | Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 13.8                     | F              | 24            |
|    | People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 8.0                      | -              | 17            |
|    | First Trimester Prenatal Care (%)              | 90.1             | 90.4                     | 85.5             | 78.9     | 81.9         | 89.9                     | U              | 1             |
|    | Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 39                       | F              | 26            |
|    |  |                  |                          |                  |          |              |                          |                |               |

### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 85.0 | S | 23 |
| Mammograms (%)                              | 75.2 | 77.1 | S | 20 |
| Colorectal Cancer Screening (%)             | 37.7 | 40.8 | S | 19 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 28.7 | F | 24 |
| Overweight (%)                              | 31.4 | 31.1 | F | 24 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 30.9 | F | 16 |
| Smoking (%)                                 | 20.8 | 23.5 | F | 43 |
| Binge Drinking (%)                          | 6.7  | 5.8  | S | 17 |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000) | 7.1          | 44.9         | 167.6        | 527.0        | 1595.7       | 5673.2     | 90.3  |       |          |                               |                                  | 98.0 | 90.0 | S | 24 |
| Stroke Death Rate (per 100,000)        |              | 9.0          | 28.1         | 107.2        | 408.6        | 1528.8     | 20.8  |       |          |                               |                                  | 24.5 | 20.7 | U | 5  |
| Lung Cancer Death Rate (per 100,000)   | 4.9          | 35.1         | 113.2        | 261.5        | 307.2        | 211.3      | 33.3  |       |          |                               |                                  | 26.9 | 33.2 | F | 48 |
| Breast Cancer Death Rate (per 100,000) | 7.5          | 43.2         | 71.3         | 85.2         | 150.8        | 191.7      | 20.3  |       |          |                               |                                  | 20.2 | 20.1 | S | 31 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 23.3 | F | 21 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 4.9  | F | 21 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 1.5  | S | 10 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 2.7  | S | 3  |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            |       |       |          |                               |                                  | 7.7  | 6.3  | F | 25 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.4  | _ | 18 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) | Nationa      | Only)        |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 79.61 |       |          |                  |                     |         | 78.81 | 79.61 | U | 19 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 4.2   |   | 40 |
|     | Infant Mortality Rate (per 1,000)            | 6.2   |       |          | 6.3              |                     |         | 7.6   | 6.4   | S | 12 |

|                                 |              |              |            | White              | Black              |          | Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|---------------------------------|--------------|--------------|------------|--------------------|--------------------|----------|---------------------|----------------------------------|------|------|---|----|
| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | (Non-<br>Hispanic) | (Non-<br>Hispanic) | Hispanic | (Non-<br>Hispanic)  | (Non-<br>Hispanic)               |      |      |   |    |
| Poverty (%)                     | 11.4         | 10.3         | 11.6       | 10.9               |                    | 31.8     |                     | 36.4                             | 13.3 | 11.1 | F | 18 |
| Wage Gap (%)                    |              |              |            |                    |                    |          |                     |                                  | 72.3 | 67.5 | F | 41 |
| High School Completion (%)      |              |              |            | 86.8               |                    | 85.7     |                     |                                  | 82.8 | 86.9 | U | 14 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

52 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fa

Abortion Access\*
Violence Against Women\*

### . Women's Access to Health Care Services Strength of Policy

| Wolliell's Access to Health Care Services                     | or Policy |
|---|-----------|
| Eligibility and Outreach for Publicly Funded Health Insurance |           |
| Medicaid Eligibility by Income*                               |           |
| Methods to Expand Medicaid Coverage and Outreach*             |           |
| Other State Insurance for Adults                              |           |
| Health Support Services                                       |           |
| Safety Net Services*  |           |
| Family and Medical Support*                                   |           |
| Patients' Protections in Managed Care*                        |           |
| Linguistic Access   |           |
| Access to Specific Services                                   |           |
| Pharmaceutical*   |           |
| Long-Term Care*   |           |
| Mental Health*  |           |
| Diabetes-Related Services                                     |           |
| Health Services Related to Mastectomy*                        |           |
| Family Planning*  |           |
| Maternity Stays/Infertility Treatment*                        |           |

### II. Addressing Wellness and Prevention

| creening   |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

# III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

### IV. Living in a Healthy Community

### Demographics

|                           | Maine   | U.S.        |
|---------------------------|---------|-------------|
| Total Population of Women | 624,462 | 136,772,861 |
| Sex Ratio (women to men)  | 1.06    | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 615,095 (98.5%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 1,873 (0.3%)     | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 2,498 (0.4%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 1,249 (0.2%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 3,747 (0.6%)     | 14,771,469 (10.8%) |

Percent and Number of Women by Age

| Women by rige                                     |                 |                     |  |  |
|---|-----------------|---------------------|--|--|
| 0-14  | 116,150 (18.6%) | 29,132,619 (21.3%)  |  |  |
| 15-25   | 83,053 (13.3%)  | 19,968,838 (14.6%)  |  |  |
| 26-44   | 181,718 (29.1%) | 40,484,767 (29.6%)  |  |  |
| 45-64   | 152,993 (24.5%) | 28,585,528 (20.9%)  |  |  |
| 65-84   | 84,302 (13.5%)  | 16,549,516 (12.1%)  |  |  |
| 85 and over                                       | 5,620 (0.9%)    | 1,914,820 (1.4%)    |  |  |
| Median Age of Women                               | 38 years        | 35 years            |  |  |
| Households Headed by<br>Single Women              | 45,213 (8.9%)   | 12,717,810 (12.5%)  |  |  |
| Median Earnings for Women                         | \$21,000        | \$24,000            |  |  |
| Women Prisoners<br>(State Jurisdictions)          | 48 (0.01%)      | 66,879 (0.05%)      |  |  |
| Disabled Women Receiving Social Security Benefits | 31,472 (5.0%)   | 5,475,270 (4.0%)    |  |  |
| Women Residing in Urban Areas                     | 353,681 (56.6%) | 109,729,378 (80.2%) |  |  |

#### Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 21,596 (0.3%)   | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 61,579 (0.8%)   | 2,349,620 (3.0%)   |
| 65 and over                              | 22,566 (3.8%)   | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 109,326 (24.1%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 91,028 (20.1%)  | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (11.1%)         | (7.0%)             |

\*Composite

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 15.2                     | F              | 28            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 2.2                      | -              | 1             |
| First Trimester Prenatal Care (%)              | 92.4             | 93.2                     | 78.5             | 81.0     | 81.9         | 88.3                     | U              | 4             |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 15                       | F              | 10            |

### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 89.2 | S | 3  |
| Mammograms (%)                              | 75.2 | 80.8 | S | 7  |
| Colorectal Cancer Screening (%)             | 37.7 | 32.2 | F | 46 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 21.2 | F | 4  |
| Overweight (%)                              | 31.4 | 33.4 | F | 39 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 34.2 | F | 4  |
| Smoking (%)                                 | 20.8 | 20.7 | F | 25 |
| Binge Drinking (%)                          | 6.7  | 3.1  | S | 2  |

| 33 (/-/                                |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|---|
| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |   |
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      | •    | • |   |
| Heart Disease Death Rate (per 100,000) | 12.7         | 56.3         | 194.0        | 536.0        | 1611.1       | 5742.8     | 87.8  | 133.3 | 11.2     | 36.3                          |                                  | 98.0 | 96.8 | S | 2 |
| Stroke Death Rate (per 100,000)        | 4.8          | 14.7         | 43.9         | 117.9        | 430.3        | 1572.0     | 21.4  | 34.6  |          | 17.1                          |                                  | 24.5 | 24.3 | F | 2 |
| Lung Cancer Death Rate (per 100,000)   | 2.9          | 28.6         | 109.5        | 232.3        | 294.0        | 211.7      | 30.7  | 29.6  |          | 10.8                          |                                  | 26.9 | 29.9 | F | 4 |
| Breast Cancer Death Rate (per 100,000) | 9.2          | 40.2         | 76.7         | 104.2        | 158.0        | 228.5      | 20.8  | 27.0  |          | 7.2                           |                                  | 20.2 | 21.9 | U | 4 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 24.6 | F | 3 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.7  | F | 3 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 23.4 | F | 4 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   | i |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   | l |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 5.9  | F | 3 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |   |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 6.1   | 15.9  |          |                               |                                  | 7.7  | 9.1  | F | 4 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 4.1  |   | 4 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |   |
| Violence Experienced Over Lifetime (%) | 'Nationa     | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |   |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 79.23 | 74.31 |          |                  | 75.15               |         | 78.81 | 78.13 | U | 40 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.8   |   | 33 |
|     | Infant Mortality Rate (per 1,000)            | 5.8   | 15.5  | 6.1      | 9.0              |                     |         | 7.6   | 8.9   | F | 41 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 10.7         | 4.0          | 10.6       | 6.6                         | 15.7                        | 10.4     | 2.1   | ·  | 13.3 | 8.8  | U | 5  |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 75.0 | F | 9  |
| High School Completion (%)      |              |              |            | 87.4                        | 82.7                        | 67.4     | 91.2  |  | 82.8 | 85.8 | U | 23 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

54 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

#### Strength of Policy **Women's Access to Health Care Services**

| Eligibility and Outreach for Publicly Funded Health Insurance |  |
|---|--|
| Medicaid Eligibility by Income*                               |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |
| Other State Insurance for Adults                              |  |
| Health Support Services                                       |  |

| Safety Net Services*                   |  |  |  |  |
|--|--|--|--|--|
| Family and Medical Support*            |  |  |  |  |
| Patients' Protections in Managed Care* |  |  |  |  |
| Linguistic Access                      |  |  |  |  |

| Ac | cess to Specific Services              |  |
|----|--|--|
| -  | Pharmaceutical*                        |  |
| Ī  | Long-Term Care*                        |  |
| Ī  | Mental Health*                         |  |
| Ī  | Diabetes-Related Services              |  |
| Ī  | Health Services Related to Mastectomy* |  |
| Ī  | Family Planning*                       |  |
| Ī  | Maternity Stays/Infertility Treatment* |  |
| 7  | Abortion Access*                       |  |
| ١  | Violence Against Women*                |  |

### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

# III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

### Demographics

|                           | Maryland  | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,622,403 | 136,772,861 |
| Sex Ratio (women to men)  | 1.09      | 1.08        |

| Number (Percent)  | Number (Percent)   |
|-------------------|--|
| 1,709,807 (65.2%) | 97,929,368 (71.6%)   |
| 676,580 (25.8%)   | 17,917,245 (13.1%)   |
| 7,867 (0.3%)      | 1,094,183 (0.8%)   |
| 133,743 (5.1%)    | 5,197,369 (3.8%)   |
| 91,784 (3.5%)     | 14,771,469 (10.8%)   |
|                   | 1,709,807 (65.2%)<br>676,580 (25.8%)<br>7,867 (0.3%)<br>133,743 (5.1%) |

Percent and Number of

| Wolliell by Age                                      |                   |                     |
|--|-------------------|---------------------|
| 0-14   | 550,705 (21.0%)   | 29,132,619 (21.3%)  |
| 15-25  | 338,290 (12.9%)   | 19,968,838 (14.6%)  |
| 26-44  | 841,791 (32.1%)   | 40,484,767 (29.6%)  |
| 45-64  | 537,593 (20.5%)   | 28,585,528 (20.9%)  |
| 65-84  | 309,444 (11.8%)   | 16,549,516 (12.1%)  |
| 85 and over  | 41,958 (1.6%)     | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 34 years          | 35 years            |
| Households Headed by<br>Single Women                 | 237,838 (12.4%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$30,000          | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 1,055 (0.04%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 62,678 (2.4%)     | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 2,436,344 (92.9%) | 109,729,378 (80.2%) |

### Women Living in Linguistic Isolation by Age Group

| 5-17  | 6,876 (1.7%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 23,561 (1.5%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 4,705 (1.5%)    | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 420,667 (23.0%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 542,682 (29.6%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (8.8%)          | (7.0%)             |

\*Composite

Limited Policy Weak Policy

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | Stat<br>Ran |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|-------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 7.9                      | U              | 2           |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 5.4                      | _              | 6           |
| First Trimester Prenatal Care (%)              | 85.6             | 87.1                     | 70.6             | 70.2     | 81.9         | 83.7                     | U              | 2           |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 0                        | S              | 1           |
| A 1.1  |                  |                          |                  |          |              |                          |                |             |
| Addressing Wellness and Prevention  Screening  |                  |                          |                  |          |              |                          |                |             |
|  |                  |                          |                  |          | 84.9         | 87.7                     | s              | 5           |
| Screening                                      |                  |                          |                  |          | 84.9<br>75.2 | 87.7<br>84.2             | S<br>S         | 5           |

| Colorectal Carter Scientific (10)           | 57.7             | 0 1.0 |   | ٥, |
|---|------------------|-------|---|----|
| revention                                   |                  |       |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9             | 26.8  | F | 16 |
| Overweight (%)                              | 31.4             | 23.0  | F | 2  |
| Eating Five Fruits and Vegetables a Day (%) | 27.8             | 36.3  | F | 1  |
| Smoking (%)                                 | 20.8             | 19.5  | F | 15 |
| Binge Drinking (%)                          | 6.7              | 9.4   | F | 45 |
|   | ian/ Am. Indian/ |       |   |    |

| 33 (1)                                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000)   | 7.2          | 38.2         | 155.0        | 448.6        | 1469.3       | 5545.6     | 82.0  | 103.2 | 48.6     | 33.4                          |                                  | 98.0 | 82.3 | S | 15 |
| Stroke Death Rate (per 100,000)          | 2.5          | 9.1          | 23.4         | 95.0         | 362.4        | 1482.2     | 18.5  | 24.1  | 10.9     | 22.8                          |                                  | 24.5 | 18.8 | S | 2  |
| Lung Cancer Death Rate (per 100,000)     | 3.1          | 31.3         | 115.5        | 207.4        | 269.9        | 198.8      | 29.6  | 25.3  |          | 13.2                          |                                  | 26.9 | 29.1 | U | 36 |
| Breast Cancer Death Rate (per 100,000)   | 7.3          | 40.3         | 68.6         | 109.5        | 152.5        | 255.8      | 21.1  | 22.8  | 8.5      |                               |                                  | 20.2 | 21.0 | U | 40 |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 19.5 | F | 2  |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 3.1  | F | 3  |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 9.2  | S | 41 |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 5.9  | F | 30 |
| Unintended Pregnancies (%) (National Or  | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 2.7   | 8.7   |          |                               |                                  | 7.7  | 3.1  | S | 2  |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.2  | _ | 13 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |      |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |      |   |    |
|     | Life Expectancy (years)                      | 79.95 | 76.5  |          |                  | 78.6                |         | 78.81 | 79.8 | U | 13 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.6  | - | 24 |
|     | Infant Mortality Rate (per 1,000)            | 4.2   | 10.2  | 7.4      | 4.8              |                     |         | 7.6   | 5.2  | S | 1  |

|                                 |              |              |            | White              | Black |          | Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|---------------------------------|--------------|--------------|------------|--------------------|-------|----------|---------------------|----------------------------------|------|------|---|----|
| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | (Non-<br>Hispanic) | (Non- | Hispanic | (Non-<br>Hispanic)  | (Non-<br>Hispanic)               |      |      |   |    |
| Poverty (%)                     | 12.6         | 6.7          | 12.5       | 8.7                | 22.3  | 42.3     | 14.5                | 23.2                             | 13.3 | 10.9 | F | 15 |
| Wage Gap (%)                    |              |              |            |                    |       |          |                     |                                  | 72.3 | 73.7 | F | 15 |
| High School Completion (%)      |              |              |            | 88.3               | 75.9  | 60.8     | 81.4                |                                  | 82.8 | 86.5 | U | 17 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

56 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fair

#### Strength of Policy Women's Access to Health Care Services

|   | 0 0 |
|---|-----|
| Eligibility and Outreach for Publicly Funded Health Insurance |     |
| Medicaid Eligibility by Income*                               |     |
| Methods to Expand Medicaid Coverage and Outreach*             |     |
| Other State Insurance for Adults                              |     |
| Health Support Services                                       |     |
| Safety Net Services*  |     |
| Family and Medical Support*                                   |     |
| Patients' Protections in Managed Care*                        |     |
| Linguistic Access   |     |
| Access to Specific Services                                   |     |
| Pharmaceutical*   |     |
| Long-Term Care*   |     |
| Mental Health*  |     |
| Diabetes-Related Services                                     |     |
| Health Services Related to Mastectomy*                        |     |
| Family Planning*  |     |
| Maternity Stays/Infertility Treatment*                        |     |
| Abortion Access*  |     |
|   |     |

#### II. Addressing Wellness and Prevention

Violence Against Women\*

| creening   |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| revention  |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |
|                    |  |

### **Demographics**

|                           | Massachusetts | U.S.        |
|---------------------------|---------------|-------------|
| Total Population of Women | 3,054,206     | 136,772,861 |
| Sex Ratio (women to men)  | 1.06          | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 2,638,834 (86.4%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 140,493 (4.6%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 6,108 (0.2%)      | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 76,355 (2.5%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 192,415 (6.3%)    | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 577,245 (18.9%) 29,132,619 (21.3%) 15-25 427,589 (14.0%) 19,968,838 (14.6%) 26-44 959,021 (31.4%) 40,484,767 (29.6%) 45-64 668,871 (21.9%) 28,585,528 (20.9%) 65-84 372,613 (12.2%) 16,549,516 (12.1%) 85 and over 51,922 (1.7%) 1,914,820 (1.4%) Median Age of Women 36 years 35 years Households Headed by 306,304 (12.7%) 12,717,810 (12.5%) Single Women

Median Earnings for Women \$28,000 \$24,000 Women Prisoners (State Jurisdictions) 750 (0.0%) 66,879 (0.05%) Disabled Women Receiving Social Security Benefits 117,398 (3.8%) 5,475,270 (4.0%) Women Residing in Urban Areas 3,045,418 (99.7%) 109,729,378 (80.2%)

### Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 21,569 (4.7%)   | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 61,579 (3.1%)   | 2,349,620 (3.0%)   |
| 65 and over                              | 22,566 (4.4%)   | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 490,209 (22.1%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 679,990 (30.6%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (13.2%)         | (7.0%)             |

\*Composite

20

5.4

49.2

4.9

### Status Indicators

| . Women's Access to Healt               | h Ca         | re S         | ervic        | es           |              |            |       | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total)              | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|---|--------------|--------------|--------------|--------------|--------------|------------|-------|------------------|--------------------------|-------------------------------|----------------------------------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)      |              |              |              |              |              |            |       |                  |                          |                               |                                  | 14.0         | 10.5                     | F              | 11            |
| People in Medically Underserved Areas ( | %)           |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 12.8                     | -              | 35            |
| First Trimester Prenatal Care (%)       |              |              |              |              |              |            |       | 87.0             | 88.1                     | 71.5                          | 73.1                             | 81.9         | 84.2                     | U              | 16            |
| Women in County Without Abortion Pro-   | vider (%)    | *            |              |              |              |            |       |                  |                          |                               |                                  | 32           | 28                       | F              | 18            |
| I. Addressing Wellness and              | Prev         | entic        | on           |              |              |            |       |                  |                          |                               |                                  |              |                          |                |               |
| Screening                               |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |               |
| Pap Smears (%)                          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 84.9         | 88.1                     | S              | 4             |
| Mammograms (%)                          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 75.2         | 78.9                     | S              | 10            |
| Colorectal Cancer Screening (%)         |              |              |              |              |              |            |       |                  |                          |                               |                                  | 37.7         | 49.0                     | S              | 1             |
| Prevention                              |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |               |
| No Leisure-Time Physical Activity (%)   |              |              |              |              |              |            |       |                  |                          |                               |                                  | 29.9         | 23.4                     | F              | 10            |
| Overweight (%)                          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 31.4         | 35.8                     | F              | 48            |
| Eating Five Fruits and Vegetables a Day | (%)          |              |              |              |              |            |       |                  |                          |                               |                                  | 27.8         | 32.3                     | F              | 11            |
| Smoking (%)                             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20.8         | 24.8                     | F              | 48            |
| Binge Drinking (%)                      |              |              |              |              |              |            |       |                  |                          |                               |                                  | 6.7          | 9.7                      | F              | 47            |
| II. Key Conditions                      | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black            | Hispanic                 | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |              |                          |                |               |
| Key Causes of Death For Women           |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |               |
| Heart Disease Death Rate (per 100,000)  | 13.4         | 62.8         | 208.9        | 597.2        | 1807.8       | 6480.5     | 98.5  | 166.7            | 66.2                     | 47.1                          | 179.2                            | 98.0         | 106.9                    | U              | 38            |
| Stroke Death Rate (per 100,000)         | 4.5          | 17.0         | 38.1         | 124.5        | 461.8        | 1670.2     | 23.4  | 37.3             | 18.9                     | 18.9                          | 49.2                             | 24.5         | 25.2                     | F              | 32            |
| Lung Cancer Death Rate (per 100,000)    | 3.3          | 31.7         | 106.9        | 214.4        | 242.5        | 168.0      | 27.9  | 30.5             | 7.3                      |                               | 65.3                             | 26.9         | 28.3                     | U              | 31            |
| Breast Cancer Death Rate (per 100,000)  | 9.0          | 37.3         | 69.6         | 104.5        | 148.0        | 213.6      | 19.7  | 27.3             | 14.4                     | 16.5                          |                                  | 20.2         | 20.7                     | U              | 37            |
| Chronic Conditions                      |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |               |
| High Blood Pressure (%)                 |              |              |              |              |              |            |       |                  |                          |                               |                                  | 23.6         | 24.2                     | F              | 28            |
| Diabetes (%)                            |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.3          | 7.6                      | F              | 48            |
| AIDS Rate (per 100,000)                 |              |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 3.2                      | S              | 27            |
| Arthritis (%) (National Only)           |              |              |              |              |              |            |       |                  |                          |                               |                                  | 22.7         |                          |                |               |

| Days Mental Health Was "Not Good" in Past 30 Days      |                 | 3.5  | 4.6 | - | 50 |
|--|-----------------|------|-----|---|----|
| Violence Against Women                                 |                 |      |     |   |    |
| Violence Experienced Over Lifetime (%) (National Only) |                 | 55.0 |     |   |    |
| Violence Experienced Over Lifetime (%) (National Only) |                 | 55.0 |     |   | _  |
|  | Non- Other than |      |     |   |    |

3.6

| Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown     |       |       |   |    |
|--|-------|-------|----------|------------------|---------------------|-------------|-------|-------|---|----|
| Overall Health                               |       |       |          |                  |                     |             |       |       |   |    |
| Life Expectancy (years)                      | 79.14 | 73.18 |          |                  | 73.65               |             | 78.81 | 78.24 | U | 38 |
| Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |             | 3.6   | 3.6   | - | 24 |
| Infant Mortality Rate (per 1,000)            | 6.5   | 16.6  | 5.8      | 8.5              |                     | 6.1         | 7.6   | 8.3   | F | 35 |
|  |       |       |          |                  | Asian/              | Am. Indian/ |       |       |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Pacific<br>Islander<br>(Non-<br>Hispanic) | Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|---|------|------|---|----|
| Poverty (%)                     | 14.8         | 6.5          | 10.5       | 8.7                         | 28.5                        | 22.1     | 4.5                                       | 32.6                                    | 13.3 | 11.6 | F | 21 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |   | 72.3 | 66.0 | F | 45 |
| High School Completion (%)      |              |              |            | 87.4                        | 82.9                        | 69.9     | 85.9                                      | 87.9                                    | 82.8 | 86.5 | U | 17 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

Osteoporosis (%) (National Only)

Unintended Pregnancies (%) (National Only)

Maternal Mortality Ratio (per 100,000)

Reproductive Health

Chlamydia (%)

**Grading Key for Status Indicators S** Satisfactory U Unsatisfactory

# Women's Access to Health Care Services Strength of Policy

| Eligibility and Outreach for Publicly Funded Health Insurance |  |
|---|--|
| Medicaid Eligibility by Income*                               |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |
| Other State Insurance for Adults                              |  |
| Health Support Services                                       |  |

| ······································ |  |
|--|--|
| Safety Net Services*                   |  |
| Family and Medical Support*            |  |
| Patients' Protections in Managed Care* |  |
|  |  |

| Linguistic Access                      |  |
|--|--|
| Access to Specific Services            |  |
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |

#### II. Addressing Wellness and Prevention

| creening   |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| revention  |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

### IV. Living in a Healthy Community

| Discrimination*  Gun Control* |                    |  |  |
|-------------------------------|--------------------|--|--|
| Gun Control*                  | Economic Security* |  |  |
|                               | Discrimination*    |  |  |
| Environment*                  | Gun Control*       |  |  |
|                               | Environment*       |  |  |

### **Demographics**

|                           | Michigan  | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 4,913,335 | 136,772,861 |
| Sex Ratio (women to men)  | 1.10      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 4,014,195 (81.7%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 648,560 (13.2%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 24,567 (0.5%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 98,267 (2.0%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 127,747 (2.6%)    | 14,771,469 (10.8%) |

Percent and Number of Women by Age

| rremen by rige                                       |                   |                     |
|--|-------------------|---------------------|
| 0-14   | 982,667 (20.0%)   | 29,132,619 (21.3%)  |
| 15-25  | 791,047 (16.1%)   | 19,968,838 (14.6%)  |
| 26-44  | 1,380,647 (28.1%) | 40,484,767 (29.6%)  |
| 45-64  | 1,046,540 (21.3%) | 28,585,528 (20.9%)  |
| 65-84  | 643,647 (13.1%)   | 16,549,516 (12.1%)  |
| 85 and over  | 68,787 (1.4%)     | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 35 years          | 35 years            |
| Households Headed by<br>Single Women                 | 451,672 (12.2%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$24,000          | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 1,920 (0.04%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 220,770 (4.5%)    | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 4,086,253 (83.2%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 7,505 (0.9%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 21,213 (0.7%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 14,248 (2.2%)   | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 892,797 (26.2%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 677,731 (19.9%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (6.5%)          | (7.0%)             |

\*Composite

| Women's Access to Health Care Services  | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Ran |
|---|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|--------------|
| Women Without Health Insurance (%)  |                  |                          |                  |          | 14.0         | 8.0                      | U              | 3            |
| People in Medically Underserved Areas (%)   |                  |                          |                  |          | 9.6          | 4.6                      |                | 3            |
| First Trimester Prenatal Care (%)   | 86.0             | 86.7                     | 64.5             | 59.8     | 81.9         | 83.5                     | U              | 23           |
|   |                  |                          |                  |          |              |                          |                |              |
| Women in County Without Abortion Provider (%)*  |                  |                          |                  |          | 32           | 57                       | F              | 35           |
|   |                  |                          |                  |          | 32           | 57                       | F              | 35           |
| Women in County Without Abortion Provider (%)*  Addressing Wellness and Prevention            |                  |                          |                  |          | 32<br>84.9   | 57<br>85.0               | F<br>S         | 24           |
| Women in County Without Abortion Provider (%)*  Addressing Wellness and Prevention  Screening |                  |                          |                  |          |              |                          |                |              |

| Colorectal Cancer Screening (%)             | 37.7              | 47.6 | S | 2  |
|---|-------------------|------|---|----|
| Prevention                                  |                   |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9              | 25.1 | F | 12 |
| Overweight (%)                              | 31.4              | 28.5 | F | 16 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8              | 34.5 | F | 3  |
| Smoking (%)                                 | 20.8              | 16.4 | U | 2  |
| Binge Drinking (%)                          | 6.7               | 8.9  | F | 42 |
|   | Asian/ Am Indian/ |      |   |    |

| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000)   | 7.8          | 31.2         | 114.8        | 346.6        | 1198.8       | 4371.0     | 64.5  | 101.7 | 46.3     | 43.7                          | 124.2                            | 98.0 | 65.4 | S | 1  |
| Stroke Death Rate (per 100,000)          | 1.9          | 11.3         | 30.4         | 110.4        | 458.4        | 1870.0     | 22.7  | 35.7  |          | 27.5                          | 27.9                             | 24.5 | 23.0 | F | 19 |
| Lung Cancer Death Rate (per 100,000)     | 2.9          | 23.9         | 95.5         | 176.4        | 190.0        | 149.9      | 23.5  | 27.6  |          |                               | 44.3                             | 26.9 | 23.5 | S | 10 |
| Breast Cancer Death Rate (per 100,000)   | 7.8          | 35.6         | 67.3         | 93.0         | 137.9        | 224.2      | 19.3  | 24.5  |          |                               |                                  | 20.2 | 19.3 | S | 19 |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 22.2 | F | 12 |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.1  | F | 24 |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 1.7  | S | 14 |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 3.6  | S | 10 |
| Unintended Pregnancies (%) (National Or  | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 3.4   |       |          |                               |                                  | 7.7  | 3.8  | F | 8  |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.7  | _ | 30 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| /. Living in a Healthy Community             | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
| Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
| Life Expectancy (years)                      | 81.02 |       |          |                  | 76.80               |         | 78.81 | 80.85 | U | 3  |
| Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 4.2   |   | 40 |
| Infant Mortality Rate (per 1,000)            | 6.1   | 15.6  |          | 6.8              |                     | 6.9     | 7.6   | 6.8   | S | 16 |
|  |       |       |          |                  |                     |         |       |       |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 10.6         | 5.5          | 13.3       | 8.4                         | 24.7                        | 36.3     | 8.3   | 41.6   | 13.3 | 9.6  | U | 10 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 71.2 | F | 25 |
| High School Completion (%)      |              |              |            | 90.5                        | 96.6                        | 54.4     | 75.9  | 72.1   | 82.8 | 89.5 | U | 5  |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

60 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fair

5,475,270 (4.0%)

109,729,378 (80.2%)

### Policy Indicators

Abortion Access\*

Violence Against Women\*

#### Strength of Policy Women's Access to Health Care Services

| Women's Access to Theuren Cure Services                       | Of 1 Officy |
|---|-------------|
| Eligibility and Outreach for Publicly Funded Health Insurance |             |
| Medicaid Eligibility by Income*                               |             |
| Methods to Expand Medicaid Coverage and Outreach*             |             |
| Other State Insurance for Adults                              |             |
| Health Support Services                                       |             |
| Safety Net Services*  |             |
| Family and Medical Support*                                   |             |
| Patients' Protections in Managed Care*                        |             |
| Linguistic Access   |             |
| Access to Specific Services                                   |             |
| Pharmaceutical*   |             |
| Long-Term Care*   |             |
| Mental Health*  |             |
| Diabetes-Related Services                                     |             |
| Health Services Related to Mastectomy*                        |             |
| Family Planning*  |             |
| Maternity Stays/Infertility Treatment*                        |             |
|   |             |

#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

### **Demographics**

|                           | Minnesota | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,362,477 | 136,772,861 |
| Sex Ratio (women to men)  | 1.05      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 2,133,317 (90.3%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 73,237 (3.1%)     | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 21,262 (0.9%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 82,687 (3.5%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 51,974 (2.2%)     | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 529,195 (22.4%) 29,132,619 (21.3%) 15-25 326,022 (13.8%) 19,968,838 (14.6%) 767,805 (32.5%) 26-44 40,484,767 (29.6%) 45-64 484,308 (20.5%) 28,585,528 (20.9%) 65-84 233,885 (9.9%) 16,549,516 (12.1%) 85 and over 21,262 (0.9%) 1,914,820 (1.4%) Median Age of Women 34 years 35 years Households Headed by 150,672 (8.5%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$25,000 \$24,000 Women Prisoners (State Jurisdictions) 234 (0.01%) 66,879 (0.05%) Disabled Women Receiving Social Security Benefits 70,193 (3.0%)

### Women Living in Linguistic Isolation by Age Group

Women Residing in Urban Areas

| 5-17  | 5,146 (1.3%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 11,349 (0.9%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 5,640 (1.7%)    | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 504,543 (31.4%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 425,736 (26.5%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (8.3%)          | (7.0%)             |

1,629,861 (69.0%)

\*Composite

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 23.3                     | F              | 48            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 21.7                     | -              | 50            |
| First Trimester Prenatal Care (%)              | 88.0             | 88.1                     | 68.0             | 80.2     | 81.9         | 78.6                     | F              | 45            |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 82                       | F              | 48            |

### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 84.4 | U | 31 |
| Mammograms (%)                              | 75.2 | 67.9 | S | 49 |
| Colorectal Cancer Screening (%)             | 37.7 | 36.5 | U | 31 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 36.5 | F | 42 |
| Overweight (%)                              | 31.4 | 38.4 | F | 51 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 17.8 | F | 50 |
| Smoking (%)                                 | 20.8 | 21.6 | F | 32 |
| Binge Drinking (%)                          | 6.7  | 2.7  | S | 1  |

| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|----|
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Heart Disease Death Rate (per 100,000) | 23.6         | 113.1        | 308.7        | 764.0        | 2191.9       | 7124.4     | 118.9 | 197.6 |          |                               |                                  | 98.0 | 141.2 | F | 51 |
| Stroke Death Rate (per 100,000)        | 7.6          | 26.3         | 58.8         | 156.3        | 497.2        | 1469.2     | 25.0  | 44.6  |          |                               |                                  | 24.5 | 30.5  | F | 46 |
| Lung Cancer Death Rate (per 100,000)   | 4.2          | 28.7         | 95.6         | 193.5        | 219.1        | 211.8      | 27.9  | 21.2  |          |                               |                                  | 26.9 | 26.0  | S | 21 |
| Breast Cancer Death Rate (per 100,000) | 11.9         | 41.6         | 62.9         | 105.8        | 111.0        | 154.9      | 18.1  | 27.5  |          |                               |                                  | 20.2 | 20.8  | U | 38 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 35.5  | F | 51 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 8.2   | F | 51 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 9.9   | S | 42 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 11.3  | F | 50 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            | 5.1   | 20.5  |          |                               |                                  | 7.7  | 12.3  | F | 50 |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.8   | _ | 36 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |       | · |    |
| Violence Experienced Over Lifetime (%) | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   |    |

| V. Living in a Healthy Community             | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |      |   |    |
|--|-------|-------|----------|------------------|---------------------|---------|-------|------|---|----|
| Overall Health                               |       |       |          |                  |                     |         |       |      |   |    |
| Life Expectancy (years)                      | 78.82 | 73.82 |          |                  | 73.91               |         | 78.81 | 77.1 | U | 49 |
| Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 4.0  | - | 37 |
| Infant Mortality Rate (per 1,000)            | 6.8   | 14.4  |          | 10.4             |                     |         | 7.6   | 10.4 | F | 50 |
|  |       |       |          |                  |                     |         |       |      |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 20.5         | 17.4         | 21.3       | 11.7                        | 31.5                        | 12.0     |   |  | 13.3 | 19.7 | F | 49 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 70.2 | F | 31 |
| High School Completion (%)      |              |              |            | 80.4                        | 73.5                        | 88.0     |   |  | 82.8 | 78.0 | F | 46 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fair

#### Strength of Policy Women's Access to Health Care Services

| Eligibility and Outreach for Publicly Funded Health Insurance |  |
|---|--|
| Medicaid Eligibility by Income*                               |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |
| Other State Insurance for Adults                              |  |

| Health Support Services     |  |
|-----------------------------|--|
| Safety Net Services*        |  |
| Family and Medical Support* |  |

| Family and Medical Support*            |  |
|--|--|
| Patients' Protections in Managed Care* |  |
| Linguistic Access                      |  |

| Access to Specific Services            |  |
|--|--|
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |

### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

# III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |
|                    |  |

### Demographics

|                           | Mississippi | U.S.        |
|---------------------------|-------------|-------------|
| Total Population of Women | 1,450,842   | 136,772,861 |
| Sex Ratio (women to men)  | 1.15        | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 824,078 (56.8%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 602,099 (41.5%)  | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 1,451 (0.1%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 10,156 (0.7%)    | 5,197,369 (3.8%)   |
| Hispanic                                      | 14,508 (1.0%)    | 14,771,469 (10.8%) |

| Households Headed by<br>Single Women | 191,877 (18.9%) | 12,717,810 (12.5%) |
|--------------------------------------|-----------------|--------------------|
| Median Age of Women                  | 34 years        | 35 years           |
| 85 and over                          | 17,410 (1.2%)   | 1,914,820 (1.4%)   |
| 65-84                                | 150,888 (10.4%) | 16,549,516 (12.1%) |
| 45-64                                | 301,775 (20.8%) | 28,585,528 (20.9%) |
| 26-44                                | 416,392 (28.7%) | 40,484,767 (29.6%) |
| 15-25                                | 236,487 (16.3%) | 19,968,838 (14.6%) |
| 0-14                                 | 327,890 (22.6%) | 29,132,619 (21.3%) |

|                 | 12,717,810 (12.5%)           |
|-----------------|------------------------------|
| \$19,200        | \$24,000                     |
| 891 (0.06%)     | 66,879 (0.05%)               |
| 93,403 (6.4%)   | 5,475,270 (4.0%)             |
| 488,938 (33.7%) | 109,729,378 (80.2%)          |
|                 | 891 (0.06%)<br>93,403 (6.4%) |

### Women Living in Linguistic Isolation by Age Group

| 5-17                                     | 792 (0.3%)      | 852,018 (3.9%)     |
|--|-----------------|--------------------|
| 18-64                                    | 2,508 (0.3%)    | 2,349,620 (3.0%)   |
| 65 and over                              | 534 (0.3%)      | 609,391 (3.3%)     |
| Women with 13-15 Years of Education      | 262,169 (26.8%) | 24,566,965 (26.0%) |
| Women with 16 or More Years of Education | 180,181 (18.4%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife  | (1.5%)          | (7.0%)             |

\*Composite

Limited Policy

State

# Status Indicators

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | Overall<br>Data | State<br>Grade | State<br>Rank |
|--|------------------|--------------------------|------------------|----------|--------------|-----------------|----------------|---------------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 16.3            | F              | 31            |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 14.3            | -              | 41            |
| First Trimester Prenatal Care (%)              | 87.9             | 88.2                     | 72.2             | 77.9     | 81.9         | 85.5            | U              | 8             |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 53              | F              | 29            |
| Addressing Wellness and Prevention  Screening  |                  |                          |                  |          |              |                 |                |               |
| Screening                                      |                  |                          |                  |          |              |                 |                |               |
| Pap Smears (%)                                 |                  |                          |                  |          | 84.9         | 85.4            | S              | 18            |
| Mammograms (%)                                 |                  |                          |                  |          | 75.2         | 74.0            | S              | 32            |
| Colorectal Cancer Screening (%)                |                  |                          |                  |          | 37.7         | 41.0            | S              | 16            |
| Prevention                                     |                  |                          |                  |          |              |                 |                |               |
| No Leisure-Time Physical Activity (%)          |                  |                          |                  |          | 29.9         | 30.0            | F              | 27            |
| Overweight (%)                                 |                  |                          |                  |          | 31.4         | 36.2            | F              | 50            |
| Eating Five Fruits and Vegetables a Day (%)    |                  |                          |                  |          | 27.8         | 24.5            | F              | 38            |
| Smoking (%)                                    |                  |                          |                  |          | 20.8         | 23.6            | F              | 45            |
| Binge Drinking (%)                             |                  |                          |                  |          | 6.7          | 7.3             | F              | 29            |

| Binge Drinking (%)                       |              |              |              |              |              |            |       |       |          |                               |                                  | 6.7  | 7.3   | F | 29 |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|-------|---|----|
| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |       |   |    |
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Heart Disease Death Rate (per 100,000)   | 15.3         | 70.7         | 212.2        | 595.7        | 1856.7       | 6734.9     | 103.8 | 174.2 | 49.3     | 70.6                          | 44.0                             | 98.0 | 110.0 | U | 40 |
| Stroke Death Rate (per 100,000)          | 3.9          | 15.4         | 43.8         | 131.5        | 476.0        | 1700.8     | 24.9  | 35.8  | 17.4     |                               |                                  | 24.5 | 26.0  | F | 35 |
| Lung Cancer Death Rate (per 100,000)     | 3.9          | 35.8         | 113.0        | 229.1        | 240.7        | 179.7      | 29.8  | 35.5  |          |                               |                                  | 26.9 | 30.1  | F | 42 |
| Breast Cancer Death Rate (per 100,000)   | 9.7          | 42.9         | 68.6         | 87.4         | 134.7        | 189.4      | 19.5  | 29.0  |          |                               |                                  | 20.2 | 20.3  | S | 33 |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 29.4  | F | 48 |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.6   | F | 30 |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 2.9   | S | 25 |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |       |   |    |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |       |   |    |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 4.1   | S | 15 |
| Unintended Pregnancies (%) (National Or  | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |       |   |    |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            | 5.8   | 15.3  |          |                               |                                  | 7.7  | 7.4   | F | 33 |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.9   | - | 39 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |       |   |    |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |       |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 79.48 | 73.52 |          |                  | 74.07               |         | 78.81 | 78.82 | U | 27 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.7   | - | 27 |
|     | Infant Mortality Rate (per 1,000)            | 6.2   | 13.2  |          | 7.3              |                     |         | 7.6   | 7.4   | U | 24 |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 11.7         | 8.5          | 13.1       | 8.6                         | 32.6                        | 5.0      | 11.9  |  | 13.3 | 11.1 | F | 18 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 74.6 | F | 11 |
| High School Completion (%)      |              |              |            | 83.2                        | 70.4                        | 78.9     | 73.1  | 83.0   | 82.8 | 81.6 | U | 36 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

Grading Key for Status Indicators

S Satisfactory

U Unsatisfactory

F Fa

Abortion Access\*

Violence Against Women\*

#### Strength of Policy Women's Access to Health Care Services

| Wolliell's Access to Health Care Services                     | or Policy |
|---|-----------|
| Eligibility and Outreach for Publicly Funded Health Insurance |           |
| Medicaid Eligibility by Income*                               |           |
| Methods to Expand Medicaid Coverage and Outreach*             |           |
| Other State Insurance for Adults                              |           |
| Health Support Services                                       |           |
| Safety Net Services*  |           |
| Family and Medical Support*                                   |           |
| Patients' Protections in Managed Care*                        |           |
| Linguistic Access   |           |
| Access to Specific Services                                   |           |
| Pharmaceutical*   |           |
| Long-Term Care*   |           |
| Mental Health*  |           |
| Diabetes-Related Services                                     |           |
| Health Services Related to Mastectomy*                        |           |
| Family Planning*  |           |
| Maternity Stays/Infertility Treatment*                        |           |
|   |           |

#### II. Addressing Wellness and Prevention

| creening   |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| revention  |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

### **Demographics**

|                           | Missouri  | U.S.        |
|---------------------------|-----------|-------------|
| Total Population of Women | 2,744,361 | 136,772,861 |
| Sex Ratio (women to men)  | 1.14      | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 2,332,707 (85.0%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 323,835 (11.8%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 21,955 (0.8%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 21,955 (0.8%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 43,910 (1.6%)     | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 559,850 (20.4%) 29,132,619 (21.3%) 15-25 397,932 (14.5%) 19,968,838 (14.6%) 26-44 784,887 (28.6%) 40,484,767 (29.6%) 45-64 562,594 (20.5%) 28,585,528 (20.9%) 65-84 392,444 (14.3%) 16,549,516 (12.1%) 85 and over 49,398 (1.8%) 1,914,820 (1.4%) Median Age of Women 36 years 35 years Households Headed by 280,260 (13.5%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$23,000 \$24,000 Women Prisoners (State Jurisdictions)

1,464 (0.05%)

113,026 (4.1%)

1,892,901 (69.0%)

66,879 (0.05%)

5,475,270 (4.0%)

109,729,378 (80.2%)

### Women Living in Linguistic Isolation by Age Group

Security Benefits

Disabled Women Receiving Social

Women Residing in Urban Areas

| 5-17  | 2,572 (0.6%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 8,225 (0.5%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 3,193 (0.7%)    | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 472,458 (24.5%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 423,492 (22.0%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (0.8%)          | (7.0%)             |

\*Composite

State

28.2

28.9

21.4

14

25

31.4

27.8

20.8

### Status Indicators

Overweight (%)

Smoking (%)

Eating Five Fruits and Vegetables a Day (%)

| Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | 0.S.<br>Data | Overali<br>Data | State<br>Grade | Rank |
|--|------------------|--------------------------|------------------|----------|--------------|-----------------|----------------|------|
| Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 18.7            | F              | 38   |
| People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 12.1            | -              | 32   |
| First Trimester Prenatal Care (%)              | 84.4             | 84.7                     | 81.6             | 73.9     | 81.9         | 82.7            | U              | 28   |
| Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 41              | F              | 12   |
| Addressing Wellness and Prevention             |                  |                          |                  |          |              |                 |                |      |
| Addressing Wellness and Prevention             |                  |                          |                  |          |              |                 |                |      |
| Screening                                      |                  |                          |                  |          | 84.9         | 80.6            | U              | 49   |
|  |                  |                          |                  |          | 84.9<br>75.2 | 80.6<br>72.3    | U<br>S         | 49   |
| Screening Pap Smears (%)                       |                  |                          |                  |          |              |                 |                |      |
| Screening Pap Smears (%) Mammograms (%)        |                  |                          |                  |          | 75.2         | 72.3            | S              | 37   |

| 3 (1)                                  |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Binge Drinking (%)                     |              |              |              |              |              |            |       |       |          |                               |                                  | 6.7  | 6.7  | F | 25 |
| Key Conditions                         | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
| Key Causes of Death For Women          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000) | 8.1          | 32.6         | 144.2        | 400.4        | 1327.3       | 4672.5     | 73.0  |       |          |                               | 100.7                            | 98.0 | 73.8 | S | 7  |
| Stroke Death Rate (per 100,000)        |              |              | 36.5         | 119.0        | 462.0        | 1770.8     | 23.1  |       |          |                               | 37.0                             | 24.5 | 23.7 | F | 23 |
| Lung Cancer Death Rate (per 100,000)   |              | 21.8         | 94.5         | 223.5        | 273.2        | 162.6      | 25.6  |       |          |                               | 54.1                             | 26.9 | 26.4 | S | 25 |
| Breast Cancer Death Rate (per 100,000) | 8.1          | 32.6         | 58.8         | 106.6        | 157.3        | 173.2      | 18.9  |       |          |                               |                                  | 20.2 | 19.0 | S | 17 |
| Chronic Conditions                     |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 23.5 | F | 25 |
| Diabetes (%)                           |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 4.1  | F | 13 |
| AIDS Rate (per 100,000)                |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 1.6  | S | 11 |
| Arthritis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)       |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                          |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 4.2  | S | 17 |
| Unintended Pregnancies (%) (National O | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000) |              |              |              |              |              |            |       |       |          |                               |                                  | 7.7  | 3.5  | U | 5  |
| Mental Health                          |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in   | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.4  |   | 18 |
| Violence Against Women                 |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) | (Nationa     | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |
|  |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |


| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 79.92 |       |          |                  |                     |         | 78.81 | 79.49 | U | 22 |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.2   |   | 15 |
|     | Infant Mortality Rate (per 1,000)            | 7.3   |       |          | 7.2              |                     |         | 7.6   | 7.1   | U | 19 |
|     |  |       |       |          |                  |                     |         |       |       |   |    |

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 19.8         | 10.0         | 12.9       | 14.2                        |                             | 20.6     | 23.8  | 39.1   | 13.3 | 15.9 | F | 42 |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 73.3 | F | 17 |
| High School Completion (%)      |              |              |            | 89.8                        |                             | 63.4     |   | 71.3   | 82.8 | 88.3 | U | 9  |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

66 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fa

### I. Women's Access to Health Care Services Strength of Policy



# Health Support Services Safety Net Services\* Earnily and Medical Support\*

| outerly that out these                 |  |
|--|--|
| Family and Medical Support*            |  |
| Patients' Protections in Managed Care* |  |
| Linguistic Access                      |  |

# Access to Specific Services Pharmaceutical\* Long-Term Care\*

| Long-Term Care*                        |  |
|--|--|
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |

### II. Addressing Wellness and Prevention

| Screening         |              |  |  |
|-------------------|--------------|--|--|
| Pap Smears        |              |  |  |
| Chlamydia Scree   | ning         |  |  |
| Mammograms        |              |  |  |
| Osteoporosis Sc   | reening      |  |  |
| Colorectal Cance  | er Screening |  |  |
| Prevention        |              |  |  |
| Exercise          |              |  |  |
| Nutrition*        |              |  |  |
| Smoking*          |              |  |  |
| Diabetes Contro   | l Program    |  |  |
| Arthritis Program | 1            |  |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

Sexuality and STD/HIV Education in Public Schools\*

### IV. Living in a Healthy Community

Osteoporosis Public Education

### **Demographics**

|                           | Montana | U.S.        |
|---------------------------|---------|-------------|
| Total Population of Women | 457,625 | 136,772,861 |
| Sex Ratio (women to men)  | 0.99    | 1.08        |

| Percent | and Number of |  |
|---------|---------------|--|
| Women   | by Race       |  |

| omen by Race                                  | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 407,744 (89.1%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 458 (0.1%)       | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 40,271 (8.8%)    | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 1,373 (0.3%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 7,780 (1.7%)     | 14,771,469 (10.8%) |

### Percent and Number of

| rremen by rige                                    |                 |                     |
|---|-----------------|---------------------|
| 0-14  | 110,288 (24.1%) | 29,132,619 (21.3%)  |
| 15-25   | 70,932 (15.5%)  | 19,968,838 (14.6%)  |
| 26-44   | 129,966 (28.4%) | 40,484,767 (29.6%)  |
| 45-64   | 85,118 (18.6%)  | 28,585,528 (20.9%)  |
| 65-84   | 55,373 (12.1%)  | 16,549,516 (12.1%)  |
| 85 and over                                       | 5,492 (1.2%)    | 1,914,820 (1.4%)    |
| Median Age of Women                               | 34 years        | 35 years            |
| Households Headed by<br>Single Women              | 37,095 (10.5%)  | 12,717,810 (12.5%)  |
| Median Earnings for Women                         | \$19,000        | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)          | 151 (0.03%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social Security Benefits | 11,104 (2.4%)   | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                     | 111,037 (24.3%) | 109,729,378 (80.2%) |

#### Women Living in Linguistic Isolation by Age Group

| 5-17  | 319 (0.4%)     | 852,018 (3.9%)     |
|---|----------------|--------------------|
| 18-64                                       | 928 (0.4%)     | 2,349,620 (3.0%)   |
| 65 and over                                 | 584 (1.0%)     | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 87,682 (29.0%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 69,794 (23.1%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (9.5%)         | (7.0%)             |

\*Composite

 Key
 Meets Policy

 Limited Policy
 Weak Policy

 No Policy

 67

| I. | Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|----|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
|    | Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 8.8                      | U              | 5             |
|    | People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 7.7                      | -              | 15            |
|    | First Trimester Prenatal Care (%)              | 85.4             | 87.3                     | 73.2             | 66.6     | 81.9         | 84.5                     | U              | 14            |
|    | Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 47                       | F              | 16            |
|    |  |                  |                          |                  |          |              |                          |                |               |

### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 82.4 | U | 42 |
| Mammograms (%)                              | 75.2 | 69.7 | S | 46 |
| Colorectal Cancer Screening (%)             | 37.7 | 35.1 | F | 37 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 25.6 | F | 13 |
| Overweight (%)                              | 31.4 | 31.3 | F | 26 |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 22.0 | F | 43 |
| Smoking (%)                                 | 20.8 | 19.1 | F | 10 |
| Binge Drinking (%)                          | 6.7  | 8.4  | F | 41 |

| Key Conditions                            | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|---|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women             |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000)    | 11.6         | 43.4         | 172.6        | 449.6        | 1498.4       | 5985.5     | 84.3  | 179.0 | 71.5     |                               | 214.2                            | 98.0 | 87.3 | S | 22 |
| Stroke Death Rate (per 100,000)           | 3.4          | 8.5          | 34.2         | 109.4        | 425.9        | 1610.6     | 21.6  | 42.6  |          |                               |                                  | 24.5 | 22.1 | F | 10 |
| Lung Cancer Death Rate (per 100,000)      | 2.9          | 25.1         | 74.7         | 177.7        | 195.6        | 153.3      | 21.9  | 31.5  |          |                               |                                  | 26.9 | 22.1 | S | 8  |
| Breast Cancer Death Rate (per 100,000)    | 7.8          | 31.9         | 59.8         | 101.0        | 155.2        | 202.9      | 18.9  | 22.4  |          |                               |                                  | 20.2 | 18.8 | S | 16 |
| Chronic Conditions                        |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| High Blood Pressure (%)                   |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 23.1 | F | 19 |
| Diabetes (%)                              |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 5.0  | F | 23 |
| AIDS Rate (per 100,000)                   |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 1.6  | S | 11 |
| Arthritis (%) (National Only)             |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)          |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 3.2  | S | 7  |
| Unintended Pregnancies (%) (National On   | ıly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000)    |              |              |              |              |              |            | 3.2   |       |          |                               |                                  | 7.7  | 3.4  | U | 4  |
| Mental Health                             |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in F    | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.3  | _ | 15 |
| Violence Against Women                    |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) (I | Vationa      | Only)        |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

| IV. | Living in a Healthy Community                | White | Black | Hispanic | Non-<br>Hispanic | Other than<br>White | Unknown |       |       |   |    |
|-----|--|-------|-------|----------|------------------|---------------------|---------|-------|-------|---|----|
|     | Overall Health                               |       |       |          |                  |                     |         |       |       |   |    |
|     | Life Expectancy (years)                      | 80.44 |       |          |                  | 74.52               |         | 78.81 | 80.17 | U | 7  |
|     | Days Activities Were Limited in Past 30 Days |       |       |          |                  |                     |         | 3.6   | 3.7   | - | 27 |
|     | Infant Mortality Rate (per 1,000)            | 7.0   |       |          | 7.4              |                     |         | 7.6   | 7.4   | U | 24 |

| Formation to the state of the   | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic   | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|------------|---|--|------|------|---|----|
| Economic Security and Education | 10-44        | 43-04        | 03+        | Tilspariic)                 | Tilspariic)                 | Tilspatiic | r iispariic)  | i iispailic)   |      |      |   |    |
| Poverty (%)                     | 13.0         | 4.9          | 13.7       | 9.4                         | 45.4                        | 19.9       | 7.5   | 56.3   | 13.3 | 11.0 | F | 16 |
| Wage Gap (%)                    |              |              |            |                             |                             |            |   |  | 72.3 | 71.4 | F | 23 |
| High School Completion (%)      |              |              |            | 89.1                        | 65.6                        | 49.4       | 81.0  | 80.6   | 82.8 | 87.2 | U | 12 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

68 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fa

5,475,270 (4.0%)

109,729,378 (80.2%)

### Policy Indicators

Linguistic Access

#### Strength of Policy Women's Access to Health Care Services



| Access to Specific Services            |  |
|--|--|
| Pharmaceutical*                        |  |
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |

### II. Addressing Wellness and Prevention

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

### **Demographics**

|                           | Nebraska | U.S.        |
|---------------------------|----------|-------------|
| Total Population of Women | 832,513  | 136,772,861 |
| Sex Ratio (women to men)  | 1.10     | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 746,764 (89.7%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 26,640 (3.2%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 10,823 (1.3%)    | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 14,985 (1.8%)    | 5,197,369 (3.8%)   |
| Hispanic                                      | 32,468 (3.9%)    | 14,771,469 (10.8%) |

| Percent and Number of<br>Women by Age    |                 |                    |
|--|-----------------|--------------------|
| 0-14                                     | 171,498 (20.6%) | 29,132,619 (21.3%) |
| 15-25                                    | 134,035 (16.1%) | 19,968,838 (14.6%) |
| 26-44                                    | 233,936 (28.1%) | 40,484,767 (29.6%) |
| 45-64                                    | 164,838 (19.8%) | 28,585,528 (20.9%) |
| 65-84                                    | 113,222 (13.6%) | 16,549,516 (12.1%) |
| 85 and over                              | 14,985 (1.8%)   | 1,914,820 (1.4%)   |
| Median Age of Women                      | 35 years        | 35 years           |
| Households Headed by<br>Single Women     | 50,899 (7.9%)   | 12,717,810 (12.5%) |
| Median Earnings for Women                | \$21,000        | \$24,000           |
| Women Prisoners<br>(State Jurisdictions) | 225 (0.03%)     | 66,879 (0.05%)     |

28,478 (3.4%) 415,256 (49.9%)

### Women Living in Linguistic Isolation by Age Group

Disabled Women Receiving Social Security Benefits

Women Residing in Urban Areas

| 5-17  | 784 (0.5%)      | 852,018 (3.9%)                     |  |  |
|---|-----------------|------------------------------------|--|--|
| 18-64                                       | 2,074 (0.4%)    | 2,349,620 (3.0%)<br>609,391 (3.3%) |  |  |
| 65 and over                                 | 1,630 (1.2%)    |                                    |  |  |
| Women with 13-15 Years<br>of Education      | 194,478 (33.7%) | 24,566,965 (26.0%)                 |  |  |
| Women with 16 or More Years<br>of Education | 112,281 (19.5%) | 20,746,519 (21.9%)                 |  |  |
| Percent of Births Attended by a Midwife     | (2.0%)          | (7.0%)                             |  |  |

\*Composite



| Wo       | omen's Access to Healt  | h Ca         | re S         | ervic        | es           |              |            |                | White<br>(Total) | White (Non-<br>Hispanic) | - Black<br>(Total)            | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | Sta<br>Rar |
|----------|---|--------------|--------------|--------------|--------------|--------------|------------|----------------|------------------|--------------------------|-------------------------------|----------------------------------|--------------|--------------------------|----------------|------------|
|          | Vomen Without Health Insurance (%)  |              |              |              |              |              |            |                |                  |                          |                               | ·                                | 14.0         | 20.8                     | F              | 44         |
| P        | eople in Medically Underserved Areas (                                    | %)           |              |              |              |              |            |                |                  |                          |                               |                                  | 9.6          | 12.9                     | -              | 36         |
| F        | irst Trimester Prenatal Care (%)  |              |              |              |              |              |            |                | 78.5             | 84.2                     | 67.4                          | 65.7                             | 81.9         | 77.6                     | F              | 47         |
| ٧        | Vomen in County Without Abortion Prov                                     | vider (%)    | )*           |              |              |              |            |                |                  |                          |                               |                                  | 32           | 12                       | F              | 6          |
| ٨٨       | Idressing Wellness and  | Prov         | ontic        | \n           |              |              |            |                |                  |                          |                               |                                  |              |                          |                |            |
|          |   | 1160         | CIICIC       | <i>/</i>     |              |              |            |                |                  |                          |                               |                                  |              |                          |                |            |
|          | eening  |              |              |              |              |              |            |                |                  |                          |                               |                                  | 84.9         | 85.1                     | S              | 2:         |
|          | ap Smears (%)<br>Nammograms (%)   |              |              |              |              |              |            |                |                  |                          |                               |                                  | 75.2         | 71.6                     | S              | 38         |
| _        | Colorectal Cancer Screening (%)   |              |              |              |              |              |            |                |                  |                          |                               |                                  | 37.7         | 32.2                     | F              | 4          |
| _        | vention   |              |              |              |              |              |            |                |                  |                          |                               |                                  | 57.7         | JZ.Z                     |                | -10        |
|          | lo Leisure-Time Physical Activity (%)                                     |              |              |              |              |              |            |                |                  |                          |                               |                                  | 29.9         | 27.9                     | F              | 23         |
| _        | Overweight (%)  |              |              |              |              |              |            |                |                  |                          |                               |                                  | 31.4         | 25.7                     | F              | 5          |
|          | ating Five Fruits and Vegetables a Day                                    | (%)          |              |              |              |              |            |                |                  |                          |                               |                                  | 27.8         | 25.1                     | F              | 36         |
| _        | moking (%)  | . ,          |              |              |              |              |            |                |                  |                          |                               |                                  | 20.8         | 28.0                     | F              | 50         |
| _        | linge Drinking (%)  |              |              |              |              |              |            |                |                  |                          |                               |                                  | 6.7          | 9.3                      | F              | 44         |
| Ke       | y Conditions  | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White          | Black            | Hispania                 | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |              |                          |                |            |
|          | Causes of Death For Women   | 23-44        | 43-34        | 33-04        | 03-74        | 73-04        | 05+        | vviiite        | DIACK            | Hispanic                 | isiariuei                     | ivative                          |              |                          |                |            |
|          | leart Disease Death Rate (per 100,000)                                    | 10.4         | 59.7         | 208.4        | 552.2        | 1750 /       | 5996.4     | 100.3          | 136.8            | 43.8                     | 62.6                          | 71.9                             | 98.0         | 101.4                    | U              | 32         |
| _        | troke Death Rate (per 100,000)  | 3.3          | 15.1         | 43.3         |              |              | 1689.0     | 25.3           | 35.5             | 10.4                     | 23.3                          | 71.7                             | 24.5         | 25.8                     | F              | 3.         |
|          | ung Cancer Death Rate (per 100,000)                                       | 3.3          | 38.2         | 130.0        | 280.6        |              |            | 36.7           | 31.0             | 10.4                     | 20.3                          |                                  | 26.9         | 35.5                     | F              | 5          |
| _        | reast Cancer Death Rate (per 100,000)                                     | 7.7          | 32.9         | 63.3         | 90.3         | 131.4        |            | 18.6           | 21.7             | 7.9                      | 20.0                          |                                  | 20.2         | 18.4                     | S              | 9          |
| _        | onic Conditions   |              |              |              |              |              |            |                |                  |                          |                               |                                  |              |                          |                |            |
| Н        | ligh Blood Pressure (%)   |              |              |              |              |              |            |                |                  |                          |                               |                                  | 23.6         | 21.8                     | F              | 8          |
| D        | Diabetes (%)  |              |              |              |              |              |            |                |                  |                          |                               |                                  | 5.3          | 3.6                      | F              | 5          |
| Α        | IDS Rate (per 100,000)  |              |              |              |              |              |            |                |                  |                          |                               |                                  | 9.6          | 5.8                      | S              | 32         |
| Α        | orthritis (%) (National Only)   |              |              |              |              |              |            |                |                  |                          |                               |                                  | 22.7         |                          |                |            |
| <u>C</u> | Osteoporosis (%) (National Only)  |              |              |              |              |              |            |                |                  |                          |                               |                                  | 20           |                          |                |            |
| Rep      | roductive Health  |              |              |              |              |              |            |                |                  |                          |                               |                                  |              |                          |                |            |
| <u>C</u> | Chlamydia (%)   |              |              |              |              |              |            |                |                  |                          |                               |                                  | 5.4          | 7.1                      | F              | 41         |
| _        | Inintended Pregnancies (%) (National O                                    | nly)         |              |              |              |              |            |                |                  |                          |                               |                                  | 49.2         |                          |                |            |
| _        | Maternal Mortality Ratio (per 100,000)                                    |              |              |              |              |              |            | 5.9            |                  |                          |                               |                                  | 7.7          | 6.4                      | F              | 28         |
|          | ntal Health   |              |              |              |              |              |            |                |                  |                          |                               |                                  |              |                          |                |            |
| _        | Days Mental Health Was "Not Good" in                                      | Past 30      | Days         |              |              |              |            |                |                  |                          |                               |                                  | 3.5          | 4.1                      | _              | 43         |
|          | ence Against Women  | <b>(A.1</b>  |              |              |              |              |            |                |                  |                          |                               |                                  | 55.0         |                          |                |            |
| V        | iolence Experienced Over Lifetime (%) (                                   | (Nationa     | il Only)     |              |              |              |            |                |                  |                          |                               |                                  | 55.0         |                          |                |            |
|          | ing in a Healthy Comm   | nunit        | ty           |              |              | V            | Vhite      | Black          | Hispanic         | Non-<br>Hispanic         | Other than<br>White           | Unknown                          |              |                          |                |            |
|          | erall Health  |              |              |              |              |              | 7.06       |                |                  |                          | 77.10                         |                                  | 70.51        | 77 71                    |                |            |
|          | ife Expectancy (years)  | <b>\</b>     |              |              |              | 7            | 7.99       |                |                  |                          | 76.42                         |                                  | 78.81        | 77.76                    | U              | 4          |
| _        | Days Activities Were Limited in Past 30 Enfant Mortality Rate (per 1,000) | Jays         |              |              |              |              | 6.0        |                | 4.4              | 6.1                      |                               |                                  | 3.6<br>7.6   | 2.9<br>5.7               | -<br>S         | 7          |
| <u>"</u> | nant Mortality Nate (per 1,000)   |              |              |              |              |              | 0.0        |                | 7.7              | 0.1                      | Asian/<br>Pacific             | Am. Indian/<br>Alaskan           | 7.0          | 3.7                      | -              |            |
|          |   |              |              | ge           | Age          |              | Age        | White<br>(Non- | Black<br>(Non-   |                          | Islander<br>(Non-             | Native<br>(Non-                  |              |                          |                |            |
| E        | nomic Security and Education  |              | 18           | 3-44         | 45-64        | 1            | 65+        | Hispanic)      | Hispanic)        | Hispanic                 | Hispanic)                     | Hispanic)                        |              |                          |                |            |
| ECO      |   |              |              |              |              |              |            |                |                  |                          |                               |                                  |              |                          |                |            |
| P        | overty (%)<br>Vage Gap (%)  |              | 1            | 0.8          | 6.1          |              | 11.5       | 8.7            | 13.6             | 16.2                     | 2.9                           | 16.2                             | 13.3<br>72.3 | 9.6<br>73.9              | U<br>F         | 1          |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

High School Completion (%)

70 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

90.6

76.7

56.8

86.3

### . Women's Access to Health Care Services Strength of Policy

| Eligibility and Outreach for Publicly Funded Health Insurance |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Medicaid Eligibility by Income*                               |  |  |  |  |  |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |  |  |  |  |  |
| Other State Insurance for Adults                              |  |  |  |  |  |  |
| lealth Support Services                                       |  |  |  |  |  |  |
| Safety Net Services*  |  |  |  |  |  |  |
| Family and Medical Support*                                   |  |  |  |  |  |  |
| Patients' Protections in Managed Care*                        |  |  |  |  |  |  |
| Linguistic Access   |  |  |  |  |  |  |
| Access to Specific Services                                   |  |  |  |  |  |  |

| Pharmaceutical*                        |  |
|--|--|
| Long-Term Care*                        |  |
| Mental Health*                         |  |
| Diabetes-Related Services              |  |
| Health Services Related to Mastectomy* |  |
| Family Planning*                       |  |
| Maternity Stays/Infertility Treatment* |  |
| Abortion Access*                       |  |
| Violence Against Women*                |  |

### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

### IV. Living in a Healthy Community

| Economic Security* |  |
|--------------------|--|
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

### Demographics

|                           | Nevada  | U.S.        |
|---------------------------|---------|-------------|
| Total Population of Women | 826,874 | 136,772,861 |
| Sex Ratio (women to men)  | 1.01    | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 620,156 (75.0%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 54,574 (6.6%)    | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 14,057 (1.7%)    | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 40,517 (4.9%)    | 5,197,369 (3.8%)   |
| Hispanic                                      | 96,744 (11.7%)   | 14,771,469 (10.8%) |

| Women Prisoners<br>(State Jurisdictions) | 598 (0.07%)     | 66,879 (0.05%)     |
|--|-----------------|--------------------|
| Median Earnings for Women                | \$24,000        | \$24,000           |
| Households Headed by<br>Single Women     | 82,046 (12.4%)  | 12,717,810 (12.5%) |
| Median Age of Women                      | 36 years        | 35 years           |
| 85 and over                              | 10,749 (1.3%)   | 1,914,820 (1.4%)   |
| 65-84                                    | 100,052 (12.1%) | 16,549,516 (12.1%) |
| 45-64                                    | 179,432 (21.7%) | 28,585,528 (20.9%) |
| 26-44                                    | 261,292 (31.6%) | 40,484,767 (29.6%) |
| 15-25                                    | 107,494 (13.0%) | 19,968,838 (14.6%) |
| 0-14                                     | 169,509 (20.5%) | 29,132,619 (21.3%) |

27,587 (3.3%)

699,689 (84.6%)

5,475,270 (4.0%)

109,729,378 (80.2%)

#### Women Living in Linguistic Isolation by Age Group

Disabled Women Receiving Social Security Benefits

Women Residing in Urban Areas

| 5-17  | 3,992 (4.0%)    | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 10,715 (2.9%)   | 2,349,620 (3.0%)   |
| 65 and over                                 | 1,825 (2.7%)    | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 172,599 (29.3%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 112,661 (19.1%) | 20,746,519 (21.9%) |
| Percent of Births Attended by<br>a Midwife  | (7.6%)          | (7.0%)             |

\*Composite

| I. | Women's Access to Health Care Services         | White<br>(Total) | White (Non-<br>Hispanic) | Black<br>(Total) | Hispanic | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | State<br>Rank |
|----|--|------------------|--------------------------|------------------|----------|--------------|--------------------------|----------------|---------------|
|    | Women Without Health Insurance (%)             |                  |                          |                  |          | 14.0         | 11.3                     | F              | 14            |
|    | People in Medically Underserved Areas (%)      |                  |                          |                  |          | 9.6          | 5.8                      |                | 8             |
|    | First Trimester Prenatal Care (%)              | 89.3             | 89.6                     | 76.4             | 75.5     | 81.9         | 89.1                     | U              | 3             |
|    | Women in County Without Abortion Provider (%)* |                  |                          |                  |          | 32           | 26                       | F              | 21            |
|    |  |                  |                          |                  |          |              |                          |                |               |

### II. Addressing Wellness and Prevention

| Screening                                   |      |      |   |    |
|---|------|------|---|----|
| Pap Smears (%)                              | 84.9 | 84.2 | U | 34 |
| Mammograms (%)                              | 75.2 | 77.1 | S | 21 |
| Colorectal Cancer Screening (%)             | 37.7 | 39.3 | U | 23 |
| Prevention                                  |      |      |   |    |
| No Leisure-Time Physical Activity (%)       | 29.9 | 25.8 | F | 14 |
| Overweight (%)                              | 31.4 | 26.0 | F | 6  |
| Eating Five Fruits and Vegetables a Day (%) | 27.8 | 33.9 | F | 5  |
| Smoking (%)                                 | 20.8 | 21.0 | F | 26 |
| Binge Drinking (%)                          | 6.7  | 7.8  | F | 37 |

| Key Conditions                           | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black | Hispanic | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |      |      |   |    |
|--|--------------|--------------|--------------|--------------|--------------|------------|-------|-------|----------|-------------------------------|----------------------------------|------|------|---|----|
| Key Causes of Death For Women            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Heart Disease Death Rate (per 100,000)   | 5.6          | 39.3         | 140.3        | 496.7        | 1531.9       | 6145.0     | 86.1  |       |          |                               |                                  | 98.0 | 85.8 | S | 18 |
| Stroke Death Rate (per 100,000)          |              | 10.6         | 29.0         | 105.6        | 462.9        | 1867.2     | 22.7  |       |          |                               |                                  | 24.5 | 22.8 | F | 17 |
| Lung Cancer Death Rate (per 100,000)     | 4.1          | 35.6         | 129.3        | 229.6        | 271.0        | 183.9      | 32.3  |       |          |                               |                                  | 26.9 | 32.0 | F | 45 |
| Breast Cancer Death Rate (per 100,000)   | 6.5          | 35.6         | 64.3         | 115.2        | 126.8        | 281.5      | 19.7  |       |          |                               |                                  | 20.2 | 19.7 | S | 26 |
| Chronic Conditions                       |              |              |              |              |              |            |       |       |          |                               |                                  |      |      | - |    |
| High Blood Pressure (%)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 23.6 | 21.9 | F | 9  |
| Diabetes (%)                             |              |              |              |              |              |            |       |       |          |                               |                                  | 5.3  | 3.7  | F | 8  |
| AIDS Rate (per 100,000)                  |              |              |              |              |              |            |       |       |          |                               |                                  | 9.6  | 2.6  | S | 23 |
| Arthritis (%) (National Only)            |              |              |              |              |              |            |       |       |          |                               |                                  | 22.7 |      |   |    |
| Osteoporosis (%) (National Only)         |              |              |              |              |              |            |       |       |          |                               |                                  | 20   |      |   |    |
| Reproductive Health                      |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Chlamydia (%)                            |              |              |              |              |              |            |       |       |          |                               |                                  | 5.4  | 5.8  | F | 29 |
| Unintended Pregnancies (%) (National O   | nly)         |              |              |              |              |            |       |       |          |                               |                                  | 49.2 |      |   |    |
| Maternal Mortality Ratio (per 100,000)   |              |              |              |              |              |            |       |       |          |                               |                                  | 7.7  | 1.9  | S | 1  |
| Mental Health                            |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Days Mental Health Was "Not Good" in     | Past 30      | Days         |              |              |              |            |       |       |          |                               |                                  | 3.5  | 3.8  | _ | 36 |
| Violence Against Women                   |              |              |              |              |              |            |       |       |          |                               |                                  |      |      |   |    |
| Violence Experienced Over Lifetime (%) ( | Nationa      | l Only)      |              |              |              |            |       |       |          |                               |                                  | 55.0 |      |   |    |

#### Other than White Non-Hispanic IV. Living in a Healthy Community White Hispanic Overall Health 79.74 78.81 79.77 Life Expectancy (years) 14 19 Days Activities Were Limited in Past 30 Days 3.6 3.4 Infant Mortality Rate (per 1,000) 5.2 5.3 7.6 5.3

| Economic Security and Education | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
|---------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Poverty (%)                     | 9.4          | 5.5          | 9.3        | 8.2                         | 11.2                        | 7.3      |   | 35.3   | 13.3 | 8.3  | U | 2  |
| Wage Gap (%)                    |              |              |            |                             |                             |          |   |  | 72.3 | 73.6 | F | 16 |
| High School Completion (%)      |              |              |            | 86.1                        |                             |          |   |  | 82.8 | 86.4 | U | 19 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

72 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

#### Strength of Policy Women's Access to Health Care Services

| Eligibility and Outreach for Publicly Funded Health Insurance |  |
|---|--|
| Medicaid Eligibility by Income*                               |  |
| Methods to Expand Medicaid Coverage and Outreach*             |  |
| Other State Insurance for Adults                              |  |
|   |  |

| - 1 | lealth Support Services     |  |
|-----|-----------------------------|--|
|     | Safety Net Services*        |  |
|     | Family and Medical Support* |  |
|     |                             |  |

| Family and Medical Support*            |  |
|--|--|
| Patients' Protections in Managed Care* |  |
| Linguistic Access                      |  |
| Access to Specific Services            |  |
| Pharmaceutical*                        |  |

### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

### IV. Living in a Healthy Community

|                    |  | <i></i> |  |
|--------------------|--|---------|--|
| Economic Security* |  |         |  |
| Discrimination*    |  |         |  |
| Gun Control*       |  |         |  |
| Environment*       |  |         |  |
|                    |  |         |  |

### Demographics

|                           | New Hampshire | U.S.        |
|---------------------------|---------------|-------------|
| Total Population of Women | 571,540       | 136,772,861 |
| Sex Ratio (women to men)  | 1.00          | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent) | Number (Percent)   |
|---|------------------|--------------------|
| White (non-Hispanic)                          | 553,251 (96.8%)  | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 8,573 (1.5%)     | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 1,715 (0.3%)     | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 2,858 (0.5%)     | 5,197,369 (3.8%)   |
| Hispanic                                      | 4,572 (0.8%)     | 14,771,469 (10.8%) |

Percent and Number of

| Wolliell by Age                                      |                 |                     |
|--|-----------------|---------------------|
| 0-14   | 113,165 (19.8%) | 29,132,619 (21.3%)  |
| 15-25  | 75,443 (13.2%)  | 19,968,838 (14.6%)  |
| 26-44  | 186,894 (32.7%) | 40,484,767 (29.6%)  |
| 45-64  | 122,881 (21.5%) | 28,585,528 (20.9%)  |
| 65-84  | 61,726 (10.8%)  | 16,549,516 (12.1%)  |
| 85 and over  | 10,859 (1.9%)   | 1,914,820 (1.4%)    |
| Median Age of Women                                  | 36 years        | 35 years            |
| Households Headed by<br>Single Women                 | 42,964 (9.5%)   | 12,717,810 (12.5%)  |
| Median Earnings for Women                            | \$25,000        | \$24,000            |
| Women Prisoners<br>(State Jurisdictions)             | 105 (0.02%)     | 66,879 (0.05%)      |
| Disabled Women Receiving Social<br>Security Benefits | 19,658 (3.4%)   | 5,475,270 (4.0%)    |
| Women Residing in Urban Areas                        | 414,781 (72.6%) | 109,729,378 (80.2%) |

### Women Living in Linguistic Isolation by Age Group

| 5-17  | 515 (0.6%)      | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 3,309 (0.9%)    | 2,349,620 (3.0%)   |
| 65 and over                                 | 2,430 (3.3%)    | 609,391 (3.3%)     |
| Women with 13-15 Years<br>of Education      | 108,512 (26.7%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 104,590 (25.7%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (14.4%)         | (7.0%)             |

\*Composite

Limited Policy Weak Policy No Policy

| Women's Access to                | Healt       | h Ca         | re S         | ervic        | es           |              |            |       | White<br>(Total) | White (Non-<br>Hispanic) | - Black<br>(Total)            | Hispanic                         | U.S.<br>Data | State<br>Overall<br>Data | State<br>Grade | Stat<br>Ran |
|----------------------------------|-------------|--------------|--------------|--------------|--------------|--------------|------------|-------|------------------|--------------------------|-------------------------------|----------------------------------|--------------|--------------------------|----------------|-------------|
| Women Without Health Insurar     | nce (%)     |              |              |              |              |              |            |       |                  |                          |                               |                                  | 14.0         | 11.7                     | F              | 17          |
| People in Medically Underserve   | ed Areas (9 | %)           |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 5.1                      | -              | 5           |
| First Trimester Prenatal Care (% | s)          |              |              |              |              |              |            |       | 85.5             | 89.4                     | 65.5                          | 70.9                             | 81.9         | 81.8                     | U              | 31          |
| Women in County Without Abo      | ortion Prov | vider (%)    | *            |              |              |              |            |       |                  |                          |                               |                                  | 32           | 3                        | F              | 5           |
| . Addressing Wellnes             | s and       | Prev         | entic        | on           |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Screening                        |             |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Pap Smears (%)                   |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 84.9         | 81.4                     | U              | 46          |
| Mammograms (%)                   |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 75.2         | 75.5                     | S              | 25          |
| Colorectal Cancer Screening (%   | 6)          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 37.7         | 34.5                     | F              | 40          |
| Prevention                       |             |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| No Leisure-Time Physical Activi  | ity (%)     |              |              |              |              |              |            |       |                  |                          |                               |                                  | 29.9         | 37.2                     | F              | 43          |
| Overweight (%)                   |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 31.4         | 27.0                     | F              | 10          |
| Eating Five Fruits and Vegetab   | les a Day ( | (%)          |              |              |              |              |            |       |                  |                          |                               |                                  | 27.8         | 29.7                     | F              | 20          |
| Smoking (%)                      |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20.8         | 17.4                     | F              | 5           |
| Binge Drinking (%)               |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 6.7          | 6.2                      | U              | 20          |
| . Key Conditions                 |             | Age<br>25-44 | Age<br>45-54 | Age<br>55-64 | Age<br>65-74 | Age<br>75-84 | Age<br>85+ | White | Black            | Hispanic                 | Asian/<br>Pacific<br>Islander | Am. Indian/<br>Alaskan<br>Native |              |                          |                |             |
| Key Causes of Death For Won      | nen         |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Heart Disease Death Rate (per    | 100,000)    | 8.5          | 49.1         | 169.7        | 524.6        | 1745.9       | 6572.8     | 92.7  | 132.6            | 44.8                     | 33.2                          |                                  | 98.0         | 96.3                     | S              | 27          |
| Stroke Death Rate (per 100,000   | 0)          | 4.4          | 16.7         | 36.7         | 96.4         | 372.1        | 1281.0     | 19.2  | 35.0             | 11.2                     | 14.3                          |                                  | 24.5         | 21.0                     | U              | 7           |
| Lung Cancer Death Rate (per 1    | 00,000)     | 3.6          | 31.0         | 104.0        | 198.8        | 269.3        | 203.7      | 28.4  | 29.5             | 5.5                      | 8.1                           |                                  | 26.9         | 27.9                     | U              | 30          |
| Breast Cancer Death Rate (per    | 100,000)    | 9.1          | 40.9         | 79.0         | 114.8        | 156.1        | 245.9      | 22.4  | 28.1             | 11.0                     | 8.2                           |                                  | 20.2         | 22.6                     | U              | 50          |
| Chronic Conditions               |             |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| High Blood Pressure (%)          |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 23.6         | 23.3                     | F              | 21          |
| Diabetes (%)                     |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.3          | 4.9                      | F              | 21          |
| AIDS Rate (per 100,000)          |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 9.6          | 20.9                     | F              | 47          |
| Arthritis (%) (National Only)    |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 22.7         |                          |                |             |
| Osteoporosis (%) (National Onl   | y)          |              |              |              |              |              |            |       |                  |                          |                               |                                  | 20           |                          |                |             |
| Reproductive Health              |             |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Chlamydia (%)                    |             |              |              |              |              |              |            |       |                  |                          |                               |                                  | 5.4          | 6.7                      | F              | 39          |
| Unintended Pregnancies (%) (N    | ational Or  | nly)         |              |              |              |              |            |       |                  |                          |                               |                                  | 49.2         |                          |                |             |
| Maternal Mortality Ratio (per 10 | 00,000)     |              |              |              |              |              |            | 3.9   | 19.0             |                          |                               |                                  | 7.7          | 6.9                      | F              | 31          |
| Mental Health                    |             |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Days Mental Health Was "Not      | Good" in I  | Past 30      | Days         |              |              |              |            |       |                  |                          |                               |                                  | 3.5          | 2.9                      | -              | 6           |
| Violence Against Women           |             |              |              |              |              |              |            |       |                  |                          |                               |                                  |              |                          |                |             |
| Violence Experienced Over Life   | etime (%) ( | Nationa      | l Only)      |              |              |              |            |       |                  |                          |                               |                                  | 55.0         |                          |                |             |
| . Living in a Healthy            | Comn        | nunit        | ty           |              |              | ٧            | Vhite      | Black | Hispanic         | Non-<br>Hispanic         | Other than<br>White           | n<br>Unknown                     |              |                          |                |             |
| Overall Health                   |             |              |              |              |              |              |            |       | · · ·            | · ·                      |                               |                                  |              |                          |                |             |
| Life Expectancy (years)          |             |              |              |              |              | 7            | 9.34       | 72.88 |                  |                          | 74.66                         |                                  | 78.81        | 78.49                    | U              | 32          |
| Days Activities Were Limited in  | Past 30 D   | avs          |              |              |              |              |            |       |                  |                          |                               |                                  | 3.6          | 3.7                      | -              | 27          |
| L C . M I'm D                    |             | -,-          |              |              |              |              | - 0        | 40.0  |                  |                          |                               |                                  | 7 /          |                          |                |             |

| Infant Mortality Rate (per 1,000) |              |              | 5.0        | 12.3                        | 6.7                         | 6.4      |   |  | 7.6  | 6.6  | S | 15 |
|-----------------------------------|--------------|--------------|------------|-----------------------------|-----------------------------|----------|---|--|------|------|---|----|
| Economic Security and Education   | Age<br>18-44 | Age<br>45-64 | Age<br>65+ | White<br>(Non-<br>Hispanic) | Black<br>(Non-<br>Hispanic) | Hispanic | Asian/<br>Pacific<br>Islander<br>(Non-<br>Hispanic) | Am. Indian/<br>Alaskan<br>Native<br>(Non-<br>Hispanic) |      |      |   |    |
| Poverty (%)                       | 9.9          | 6.5          | 12.7       | 5.8                         | 21.1                        | 18.9     | 9.3   | 12.9   | 13.3 | 9.5  | U | 9  |
| Wage Gap (%)                      |              |              |            |                             |                             |          |   |  | 72.3 | 67.9 | F | 40 |
| High School Completion (%)        |              |              |            | 88.9                        | 79.9                        | 69.9     | 91.0  | 74.2   | 82.8 | 85.8 | U | 23 |

<sup>\*</sup>This indicator is graded against a state-specific benchmark.

74 Grading Key for Status Indicators S Satisfactory U Unsatisfactory F Fai

Abortion Access\*

Violence Against Women\*

#### Strength of Policy Women's Access to Health Care Services

| Wolliell's Access to Health Care Services                     | of Policy |
|---|-----------|
| Eligibility and Outreach for Publicly Funded Health Insurance |           |
| Medicaid Eligibility by Income*                               |           |
| Methods to Expand Medicaid Coverage and Outreach*             |           |
| Other State Insurance for Adults                              |           |
| Health Support Services                                       |           |
| Safety Net Services*  |           |
| Family and Medical Support*                                   |           |
| Patients' Protections in Managed Care*                        |           |
| Linguistic Access   |           |
| Access to Specific Services                                   |           |
| Pharmaceutical*   |           |
| Long-Term Care*   |           |
| Mental Health*  |           |
| Diabetes-Related Services                                     |           |
| Health Services Related to Mastectomy*                        |           |
| Family Planning*  |           |
| Maternity Stays/Infertility Treatment*                        |           |

#### II. Addressing Wellness and Prevention

| Screening  |  |
|--|--|
| Pap Smears   |  |
| Chlamydia Screening                                |  |
| Mammograms   |  |
| Osteoporosis Screening                             |  |
| Colorectal Cancer Screening                        |  |
| Prevention   |  |
| Exercise   |  |
| Nutrition*   |  |
| Smoking*   |  |
| Diabetes Control Program                           |  |
| Arthritis Program                                  |  |
| Osteoporosis Public Education                      |  |
| Sexuality and STD/HIV Education in Public Schools* |  |

### III. Key Conditions (Policies addressing key conditions are contained in Sections I, II and IV.)

#### IV. Living in a Healthy Community

| E 10 5 4           |  |
|--------------------|--|
| Economic Security* |  |
| Discrimination*    |  |
| Gun Control*       |  |
| Environment*       |  |

### **Demographics**

|                           | New Jersey | U.S.        |
|---------------------------|------------|-------------|
| Total Population of Women | 4,112,440  | 136,772,861 |
| Sex Ratio (women to men)  | 1.10       | 1.08        |

| Percent and Number of<br>Women by Race        | Number (Percent)  | Number (Percent)   |
|---|-------------------|--------------------|
| White (non-Hispanic)                          | 2,829,359 (68.8%) | 97,929,368 (71.6%) |
| Black (non-Hispanic)                          | 604,529 (14.7%)   | 17,917,245 (13.1%) |
| American Indian/Alaskan Native (non-Hispanic) | 8,225 (0.2%)      | 1,094,183 (0.8%)   |
| Asian/Pacific Islander (non-Hispanic)         | 217,959 (5.3%)    | 5,197,369 (3.8%)   |
| Hispanic                                      | 452,368 (11.0%)   | 14,771,469 (10.8%) |

Percent and Number of Women by Age 0-14 801,926 (19.5%) 29,132,619 (21.3%) 15-25 588,079 (14.3%) 19,968,838 (14.6%) 26-44 1,270,744 (30.9%) 40,484,767 (29.6%) 45-64 863,612 (21.0%) 28,585,528 (20.9%) 65-84 534,617 (13.0%) 16,549,516 (12.1%) 85 and over 53,462 (1.3%) 1,914,820 (1.4%) Median Age of Women 36 years 35 years Households Headed by 355,451 (12.3%) 12,717,810 (12.5%) Single Women Median Earnings for Women \$27,100 \$24,000 Women Prisoners (State Jurisdictions) 1,281 (0.03%) 66,879 (0.05%)

136,840 (3.3%)

4,112,440 (100%)

5,475,270 (4.0%)

109,729,378 (80.2%)

### Women Living in Linguistic Isolation by Age Group

Security Benefits

Disabled Women Receiving Social

Women Residing in Urban Areas

| 5-17  | 32,334 (5.2%)   | 852,018 (3.9%)     |
|---|-----------------|--------------------|
| 18-64                                       | 108,458 (4.4%)  | 2,349,620 (3.0%)   |
| 65 and over                                 | 30,175 (4.9%)   | 609,391 (3.3%)     |
| Women with 13-15 Years of Education         | 636,785 (21.9%) | 24,566,965 (26.0%) |
| Women with 16 or More Years<br>of Education | 768,528 (26.4%) | 20,746,519 (21.9%) |
| Percent of Births Attended by a Midwife     | (5.1%)          | (7.0%)             |

\*Composite